

# CITY OF MARCO ISLAND

## ORDINANCE NO. 05- 04

**AN ORDINANCE ESTABLISHING THE CITY OF MARCO ISLAND ADMINISTRATIVE CONSTRUCTION CODE, WITH SAID ADMINISTRATIVE CONSTRUCTION CODE ACTING AS THE ADMINISTRATIVE CHAPTER (CHAPTER 1) OF THE FLORIDA BUILDING CODE, AS REFERENCED; ADOPTING CHAPTER 1 OF THE 2004 EDITION OF THE FLORIDA BUILDING CODE WITH AMENDMENTS; DELETING ORDINANCE 01-36 IN ITS ENTIRETY; PROVIDING FOR INCORPORATION, CONFLICT AND SEVERABILITY; PROVIDING FOR PENALTIES; AND PROVIDING AN EFFECTIVE DATE.**

**WHEREAS**, Article VIII of the State Constitution and Chapter 166 of the Florida Statutes provide that municipalities shall have the governmental, corporate, and proprietary powers to enable them to conduct municipal government, perform municipal functions, and render municipal services, and may exercise any power for municipal purposes, except when expressly prohibited by law; and **WHEREAS**, Section 553.73(4)(a), Florida Statutes, authorizes Florida municipalities to make local amendments to its building codes provided they are not less stringent than the minimum standards described in the Florida Building Code ; and

**WHEREAS**, Section 553.73(4)(a), Florida Statutes, authorizes Florida municipalities to make local amendments to its building codes provided they are not less stringent than the minimum standards described in the Florida Building Code; and

**WHEREAS**, the City of Marco Island desires to provide for a single ordinance for the administration of the 2004 Florida Building Code, enforced by the City of Marco Island.

**NOW, THEREFORE, BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF MARCO ISLAND, FLORIDA:**

SECTION ONE. Section 6-111 of the Code of Ordinances of the City of Marco Island (as adopted by Ordinance 01-36) is hereby deleted in its entirety and replaced with text contained in Section 2 of this Ordinance.

SECTION TWO. Section 6-111 of the Code of Ordinances of the City of Marco Island is hereby amended as follows:

**Sec. 6-111. Administration chapter of Florida Building Code adopted; amendments.**

- (a) Adoption. There is hereby adopted by reference, Chapter 1, Administration, of the Florida Building Code, 2004 edition, as the administrative provisions of the Florida Building Code enforced by the City of Marco Island.
- (b) Amendment. That Chapter 1, Administration of the Florida Building Code, 2004 edition, is adopted in this section and is hereby amended by local amendment to read as follows:

## CHAPTER 1 ADMINISTRATION

### Section 100 PURPOSE

**100.1 Purpose.** The purpose of this Ordinance is to establish and adopt a single ordinance uniformly addressing the non-technical and administrative requirements for the Florida Building Code, 2004 edition, the National Electric Code, 2002 editions, Florida Fire Prevention Code 2004 edition and all other adopted technical codes and ordinances not superseded by the Florida Building Code.

**100.1.1 Marco Island Administrative Construction Code shall constitute and be known and cited as the Marco Island Administrative Construction Code (“ACC”) hereinafter referred to as the “ACC.”**

### SECTION 101 GENERAL

**101.1 Title.** These regulations shall be known as the *Florida Building Code*, hereinafter referred to as “this code.”

**101.2 Scope.** The provisions of this code shall apply to the construction, alteration, movement, enlargement, replacement, repair, equipment, use and occupancy, location, maintenance, removal and demolition of every building or structure or any appurtenances connected or attached to such buildings or structures.

#### Exceptions:

1. Detached one-and two-family dwellings and multiple single-family dwellings (town houses) not more than three stories above grade plane in height with a separate means of egress and their accessory structures shall comply with the *Florida Building Code, Residential*.
2. Existing buildings undergoing repair, alterations or additions and change of

occupancy shall comply with Chapter 34 of this code.

**101.2.1 Appendices.** Provisions in the appendices shall not apply unless specifically adopted.

**101.3 Intent.** The purpose of this code is to establish the minimum requirements to safeguard the public health, safety and general welfare through structural strength, means of egress facilities, stability, sanitation, adequate light and ventilation, energy conservation, and safety to life and property from fire and other hazards attributed to the built environment and to provide safety to fire fighters and emergency responders during emergency operations.

**101.3.1 Permitting and Inspection.** The permitting or inspection of any building, system or plan by the City of Marco Island, under the requirements of this Code, shall not be construed in any court or otherwise as a warranty of the physical condition or adequacy of any such building, system or plan. The City and employees thereof shall not be liable in tort or otherwise for damages for any defect or hazardous or illegal condition or inadequacy in any such building, system or plan, nor for any failure of any component of such, which may occur before, during or subsequent to any such inspection or permitting.

**101.4 Referenced codes.** The other codes listed in Sections 101.4.1 through 101.4.8 and referenced elsewhere in this code shall be considered part of the requirements of this code to the prescribed extent of each such reference.

**101.4.1 Electrical.** The provisions of Chapter 27 of the *Florida Building Code, Building* shall apply to the installation of electrical systems, including alterations, repairs, replacement, equipment, appliances, fixtures, fittings and appurtenances thereto.

**101.4.2 Gas.** The provisions of the *Florida Building Code, Fuel Gas* shall apply to the installation of gas piping from the point of delivery, gas appliances and related accessories as covered in this code. These requirements apply to gas piping systems extending from the point of delivery to the inlet connections of appliances and the installation and operation of residential and commercial gas appliances and related accessories.

**101.4.3 Mechanical.** The provisions of the *Florida Building Code, Mechanical* shall apply to the installation, alterations, repairs and replacement of mechanical systems, including equipment, appliances, fixtures, fittings and/or appurtenances, including ventilating, heating, cooling, air-conditioning and refrigeration systems, incinerators and other energy-related systems.

**101.4.4 Plumbing.** The provisions of the *Florida Building Code, Plumbing* shall apply to the installation, alteration, repair and replacement of plumbing systems, including equipment, appliances, fixtures, fittings and appurtenances, and where connected to a water or sewage system and all aspects of a medical gas system.

**101.4.5 Reserved.**

**101.4.6 Fire prevention.** For provisions related to fire prevention, refer to the *Florida*

*Fire Prevention Code.* The *Florida Fire Prevention Code* shall apply to matters affecting or relating to structures, processes and premises from the hazard of fire and explosion arising from the storage, handling or use of structures, materials or devices; from conditions hazardous to life, property or public welfare in the occupancy of structures or premises; and from the construction, extension, repair, alteration or removal of fire suppression and alarm systems or fire hazards in the structure or on the premises from occupancy or operation.

**101.4.7 Energy.** The provisions of Chapter 13 of the *Florida Building Code, Building* shall apply to all matters governing the design and construction of buildings for energy efficiency.

**101.4.8 Accessibility.** For provisions related to accessibility, refer to Chapter 11 of the *Florida Building Code, Building*.

**101.4.9. Maintenance .** All building, structures, electrical, gas, mechanical, plumbing, and fire protection systems, both existing and new, and all parts thereof, shall be maintained in a safe and sanitary condition. All devices or safeguards which are required by the technical Codes when constructed, altered, or repaired, shall be maintained in good working order. The owner, or owner's designated agent, shall be responsible for the maintenance of buildings, structures, electrical, gas, mechanical, fire and plumbing and all other applicable systems.

## **SECTION 102 APPLICABILITY**

**102.1 General.** Where, in any specific case, different sections of this code specify different materials, methods of construction or other requirements, the most restrictive shall govern. Where there is a conflict between a general

requirement and a specific requirement, the specific requirement shall be applicable.

**102.1.1** The *Florida Building Code* does not apply to, and no code enforcement action shall be brought with respect to, zoning requirements, land use requirements and owner specifications or programmatic requirements which do not pertain to and govern the design, construction, erection, alteration, modification, repair or demolition of public or private buildings, structures or facilities or to programmatic requirements that do not pertain to enforcement of the *Florida Building Code*. Additionally, a local code enforcement agency may not administer or enforce the *Florida Building Code, Building* to prevent the siting of any publicly owned facility, including, but not limited to, correctional facilities, juvenile justice facilities, or state universities, community colleges, or public education facilities, as provided by law.

**102.2 Building.** The provisions of the *Florida Building Code* shall apply to the construction, erection, alteration, modification, repair, equipment, use and occupancy, location, maintenance, removal and demolition of every public and private building, structure or facility or floating residential structure, or any appurtenances connected or attached to such buildings, structures or facilities. Additions, alterations, repairs and changes of use or occupancy group in all buildings and structures shall comply with the provisions provided in Chapter 34 of this code. The following buildings, structures and facilities are exempt from the *Florida Building Code* as provided by law, and any further exemptions shall be as determined by the legislature and provided by law:

- (a) Building and structures specifically regulated and preempted by the federal government.
- (b) Railroads and ancillary facilities associated with the railroad.
- (c) Nonresidential farm buildings on farms.

- (d) Temporary buildings or sheds used exclusively for construction purposes.
- (e) Mobile or modular structures used as temporary offices, except that the provisions of Part V (Section 553.501-553.513, Florida Statutes) relating to accessibility by persons with disabilities shall apply to such mobile or modular structures.
- (f) Those structures or facilities of electric utilities, as defined in Section 366.02, Florida Statutes, which are directly involved in the generation, transmission, or distribution of electricity.
- (g) Temporary sets, assemblies, or structures used in commercial motion picture or television production, or any sound-recording equipment used in such production, on or off the premises.
- (h) Chickees constructed by the Miccosukee Tribe of Indians of Florida or the Seminole Tribe of Florida. As used in this paragraph, the term “chickee” means an open-sided wooden hut that has a thatched roof of palm or palmetto or other traditional materials, and that does not incorporate any electrical, plumbing, or other nonwood features.

**102.2.1** In addition to the requirements of Section 553.79 and 553.80, Florida Statutes, facilities subject to the provisions of Chapter 395, Florida Statutes, and Part II of Chapter 400, Florida Statutes, shall have facility plans reviewed and construction surveyed by the state agency authorized to do so under the requirements of Chapter 395, Florida Statutes, and Part II of Chapter 400, Florida Statutes, and the certification requirements of the federal government.

**102.2.2** Residential buildings or structures moved into or within a county or municipality shall not be required to be brought into compliance with the state minimum building

code in force at the time the building or structure is moved, provided:

1. The building or structure is structurally sound and in occupiable condition for its intended use;
2. The occupancy use classification for the building or structure is not changed as a result of the move;
3. The building is not substantially remodeled;
4. Current fire code requirements for ingress and egress are met;
5. Electrical, gas and plumbing systems meet the codes in force at the time of construction and are operational and safe for reconnection; and
6. Foundation plans are sealed by a professional engineer or architect licensed to practice in this state, if required by the *Florida Building Code, Building* for all residential buildings or structures of the same occupancy class.

**102.2.3** The building official shall apply the same standard to a moved residential building or structure as that applied to the remodeling of any comparable residential building or structure to determine whether the moved structure is substantially remodeled.

The cost of the foundation on which the moved building or structure is placed shall not be included in the cost of remodeling for purposes of determining whether a moved building or structure has been substantially remodeled.

**102.2.4** This section does not apply to the jurisdiction and authority of the Department of Agriculture and Consumer Services to inspect amusement rides or the Department of Financial Services to inspect state-owned buildings and boilers.

**102.2.5** Each enforcement district shall be governed by a board, the composition of which shall be determined by the affected

localities. At its own option, each enforcement district or local enforcement agency may promulgate rules granting to the owner of a single-family residence one or more exemptions from the *Florida Building Code* relating to:

1. Addition, alteration or repair performed by the property owner upon his or her own property, provided any addition or alteration shall not exceed 1,000 square feet (93 m<sup>2</sup>) or the square footage of the primary structure, whichever is less.
2. Addition, alteration or repairs by a non-owner within a specific cost limitation set by rule, provided the total cost shall not exceed \$5,000 within any 12-month period.
3. Building and inspection fees. Each code exemption, as defined in this section, shall be certified to the local board 10 days prior to implementation and shall be effective only in the territorial jurisdiction of the enforcement district or local enforcement agency implementing it.

**102.2.6** This section does not apply to swings and other playground equipment accessory to a one-or two-family dwelling.

**Exception:** Electrical service to such playground equipment shall be in accordance with Chapter 27 of this code.

**102.3 Application of references.** References to chapter or section numbers, or to provisions not specifically identified by number, shall be construed to refer to such chapter, section or provision of this code.

**102.4 Referenced codes and standards.** The codes and standards referenced in this code shall be considered part of the requirements of this code to the prescribed extent of each such reference. Where differences occur between provisions of this code and referenced codes

and standards, the provisions of this code shall apply.

**102.5** Reserved.

**102.6 Existing structures.** The legal occupancy of any structure existing on the date of adoption of this code shall be permitted to continue without change, except as is specifically covered in this code, or the *Florida Fire Prevention Code*, or as is deemed necessary by the building official for the general safety and welfare of the occupants and the public.

**102.7 Relocation of manufactured buildings.**

(1) Relocation of an existing manufactured building does not constitute an alteration.

(2) A relocated building shall comply with wind speed requirements of the new location, using the appropriate wind speed map. If the existing building was manufactured in compliance with the *Standard Building Code* (prior to March 1, 2002) the wind speed map of the *Standard Building Code* shall be applicable. If the existing building was manufactured in compliance with the *Florida Building Code* (after to March 1, 2002) the wind speed map of the *Florida Building Code* shall be applicable.

**SECTION 103**  
**ADDITIONAL REQUIREMENTS**

**103.1 Electrical:**

**103.1.1** Ground Rods:

**103.1.1.1** Solid copper type ground rods shall be used for permanent installations.

**103.1.2** System Grounding:

**103.1.2.1** Electrical systems shall be grounded to the footer reinforcing steel.

**Exception:** If the construction type does not use footer reinforcing steel then solid copper type ground rods shall be used

**103.1.3** Access to main electrical service:

**103.1.3.1** All occupants of multi-occupancy buildings shall have access to their main electrical service disconnect.

**Exception:** 103.1.3.1 is not required if building management staff is on the premises at all times. *Ref:* NEC sec. 240.24B and 230.72C.

**103.1.4** Low voltage lighting:

**103.1.4.1** All exterior and interior low voltage lighting shall be permitted and install by the properly licensed contractors.

**103.1.5** Reach distance to switches:

**103.1.5.1** Switches shall be located so that they cannot be reached from any bath tub or shower.

**103.1.6** Cable sheathing:

**103.1.6.1** Non-metallic cable sheathing shall not be used for electrical power systems in buildings over three (3) stories in height.

**Note:** Including but not limited to parking garages and commercial buildings.

**103.1.7** Aluminum wiring:

**103.1.7.1** All lighting and receptacle circuits located in rooms that are being repaired or altered shall

**103.1.8** Hard wired:

**103.1.8.1** When building permits are required then water heaters and air handlers shall be hard wired to an approved electrical disconnect device.

**103.1.9** Protection during construction:

**103.1.9.1** Interior electrical work shall not start prior to the structure being dried-in. Both components and fasteners shall be protected against the elements.

**103.1.9.2** Any components that are rusted or corroded shall be replaced.

**103.1.9.3** Holes around boxes or holes made to accommodate pipes or wires shall be sealed with an approved filler.

**103.2 Site:**

**103.2.1** Final inspection:

**103.2.1.1** All areas that are disturbed by construction activity shall be re-graded and satisfactorily ground covered prior to the final inspection.

**103.3 Plumbing:**

**103.3.1** Waste pipes:

**103.3.1.1** Waste pipes that are located below structures that are located on lots that require pilings shall be a minimum of schedule 40 PVC, and supported by hangers at 6'-0" intervals and at each riser as it passes through the above floor.

**103.4 General:**

**103.4.1** Weathered materials:

**103.4.1.1** Materials shall be protected against the weather and insects prior to and during construction. Materials that could be damaged shall be protected from the time they are delivered until completion of the final inspection. Materials that have been adversely affected by the elements shall be replaced.

**103.4.1.2** Trusses must be elevated off the ground and be erected within twenty-five (25) days of delivery. Trusses of questionable integrity shall be replaced.

**Note:** Every effort should be made to protect the end product from the adverse effects of water. Plywood buckling, delaminating, and excessive

microbiological growth (fungus) can be prevented without extraordinary effort. Coordinating truss deliveries, house wrap, window installation, and dry-in procedures will greatly reduce premature weathering.

**103.4.1.3 Restricted hours**

**103.4.1.3** Restricted Hours on certain activities:

Pile driving and demolition activities are only allowed between the hours of 8:00 a.m. and 5:00 p.m. Monday through Saturday. No pile driving or demolition activities may take place on Sundays or City observed holidays.

**SECTION 104  
DUTIES AND POWERS OF BUILDING  
OFFICIAL**

**104.1-104.8** Reserved.

**104.9 Approved materials and equipment.**

Materials, equipment and devices approved by the building official shall be constructed and installed in accordance with such approval.

**104.9.1 Used materials and equipment.**

The use of used materials which meet the requirements of this code for new materials is permitted. Used equipment and devices shall not be reused unless approved by the building official.

**104.10 Requirements not covered by code.**

Any requirements necessary for the strength, stability or proper operation of an existing or proposed building, structure, electrical, gas, mechanical or plumbing system, or for the public safety, health and general welfare, not specifically covered by this or the other technical codes, shall be determined by the building official.

**104.11 Alternative materials, design, and methods of construction and equipment.**

The provisions of this code are not intended to prevent the installation of any material or to prohibit any design or method of construction not specifically prescribed by this code, provided that any such alternative has been approved. An alternative material, design or method of construction shall be approved where the building official finds that the proposed design is satisfactory and complies with the intent of the provisions of this code, and that the material, method or work offered is, for the purpose intended, at least the equivalent of that prescribed in this code in quality, strength, effectiveness, fire resistance, durability and safety. When alternate life safety systems are designed, the *SFPE Engineering Guide to Performance-Based Fire Protection Analysis and Design of Buildings*, or other methods approved by the building official may be used. The building official shall require that sufficient evidence or proof be submitted to substantiate any claim made regarding the alternative.

**104.11.1 Research reports.** Supporting data, where necessary to assist in the approval of materials or assemblies not specifically provided for in this code, shall consist of valid research reports from approved sources.

**104.11.2 Tests.** Whenever there is insufficient evidence of compliance with the provisions of this code, or evidence that a material or method does not conform to the requirements of this code, or in order to substantiate claims for alternative materials or methods, the building official shall have the authority to require tests as evidence of compliance to be made at no expense to the jurisdiction. Test methods shall be as specified in this code or by other recognized test standards. In the absence of recognized and accepted test methods, the building official shall approve the testing procedures. Tests shall be performed by an approved agency. Reports of such tests shall be

retained by the building official for the period required for retention of public records.

**104.11.3 Accessibility.** Alternative designs and technologies for providing access to and usability of a facility for persons with disabilities shall be in accordance with Section 11.2.2.

**104.12. Restrictions on Employees.** An employee connected with the enforcement of this code, except one whose only connection is as a member of the board established by this Code, shall not be financially interested in the furnishing of labor, material or appliances for the construction, alteration, or maintenance of a building, structure, service, system, or in the making of plans or of specifications thereof, unless he is the owner of such. No such employee shall engage in any other work that is inconsistent with his duties or is in conflict with the interests of the department.

**104.13.1. Records.** The Building Official shall keep, or cause to be kept, a record of the business of the department. Except as may be otherwise specified by Florida Statutes, including the Public Records Law, all records of the department shall be open to public inspection.

**104.14. Liability.** No City employee nor any member of the Board of Adjustments and Appeals, charged with the enforcement of this Code or any technical Code, acting for the applicable governing authority in the discharge of such duties, shall thereby render himself personally liable, and is hereby relieved from all personal liability for any damage that may accrue to persons or property as a result of any act required or permitted in the discharge of such duties. Any suite brought

against any employee or member because of such act performed by him in the enforcement of any provision of this Code or any of the technical Code, shall be defended by the City Attorney until the final termination of the proceedings.

**104.15. Reports.** The Building Official shall submit annually a report covering the work of the preceding year. He/she shall incorporate in said report a summary of the decisions of the Board of Adjustments and Appeals during said year.

## **SECTION 105 PERMITS**

**105.1 Required.** Any owner or authorized agent who intends to construct, enlarge, alter, repair, move, demolish, or change the occupancy of a building or structure, or to erect, install, enlarge, alter, repair, remove, convert or replace any electrical, gas, mechanical or plumbing system, the installation of which is regulated by this code, or to cause any such work to be done, shall first make application to the building official and obtain the required permit.

**105.1.1 Annual facility permit.** In lieu of an individual permit for each alteration to an existing electrical, gas, mechanical, plumbing or interior nonstructural office system(s), the building official is authorized to issue an annual permit for any occupancy to facilitate routine or emergency service, repair, refurbishing, minor renovations of service systems or manufacturing equipment installations/relocations. The building official shall be notified of major changes and shall retain the right to make inspections at the facility site as deemed necessary. An annual facility permit shall be assessed with an annual fee and shall be valid for one year from date of issuance. A separate permit shall be obtained for each facility and for each construction trade, as applicable. The

permit application shall contain a general description of the parameters of work intended to be performed during the year.

**105.1.2 Annual permit records.** The person to whom an annual permit is issued shall keep a detailed record of alterations made under such annual permit. The building official shall have access to such records at all times or such records shall be filed with the building official as designated.

**105.1.3 Food permit.** As per Section 500.12, Florida Statutes, a food permit from the Department of Agriculture and Consumer Services is required of any person who operates a food establishment or retail store.

### **105.2 Work exempt from permit.**

Exemptions from permit requirements of this code shall not be deemed to grant authorization for any work to be done in any manner in violation of the provisions of this code. Permits shall not be required for the following:

#### **Gas:**

1. Portable heating appliance.
2. Replacement of any minor part that does not alter approval of equipment or make such equipment unsafe.

#### **Mechanical:**

1. Portable heating appliance.
2. Portable ventilation equipment.
3. Portable cooling unit.
5. Replacement of any part which does not alter its approval or make it unsafe.
6. Portable evaporative cooler.
7. Self-contained refrigeration system containing 10 pounds (4.54 kg) or less of refrigerant and actuated by motors of 1 horsepower (746 W) or less.
8. The installation, replacement, removal or metering of any load management control device.

#### **Plumbing:**

1. The stopping of leaks in drains, water, soil, waste or vent pipe provided,

however, that if any concealed trap, drain pipe, water, soil, waste or vent pipe becomes defective and it becomes necessary to remove and replace the same with new material, such work shall be considered as new work and a permit shall be obtained and inspection made as provided in this code.

2. The clearing of stoppages or the repairing of leaks in pipes, valves or fixtures, and the removal and reinstallation of water closets, provided such repairs do not involve or require the replacement or rearrangement of valves, pipes or fixtures.

**105.2.1 Emergency repairs.** Where equipment replacements and repairs must be performed in an emergency situation, the permit application shall be submitted within the next working business day to the building official.

**105.2.2 Minor repairs.** Ordinary minor repairs may be made with the approval of the building official without a permit, provided the repairs do not include the cutting away of any wall, partition or portion thereof, the removal or cutting of any structural beam or load-bearing support, or the removal or change of any required means of egress, or rearrangement of parts of a structure affecting the egress requirements; additionally, ordinary minor repairs shall not include addition to, alteration of, replacement or relocation of any standpipe, water supply, sewer, drainage, drain leader, gas, soil, waste, vent or similar piping, electric wiring systems or mechanical equipment or other work affecting public health or general safety, and such repairs shall not violate any of the provisions of the technical codes.

**105.2.3. Prohibited activities prior to permit issuance.** A building permit (or other written site specific work authorization such as for excavation, tree removal, well

construction, approved site development plan, filling, re-vegetation, etc.) shall have been issued prior to the commencement of work at the site. Activities prohibited prior to permit issuance shall include, but are not limited to, excavation, pile driving (excluding test piling), well drilling, formwork, placement of building materials, equipment or accessory structures and disturbance or removal of protected species or habitat. Where minor clearing of underbrush can be accomplished without protected habitat or species disturbance, permitting is not required.

Where test piles are required to establish bearing capacity for design purposes of a project, prior to the issuance of a building permit, a test pile permit shall be obtained before any piles are driven. All test pilings must be driven within the footprint of the building and applicable fees shall be charged for the permit. At the time of applying for the test piling permit the contractor shall provide, a bond, letter of credit or certified check equal to 125% of the estimated cost of removing the test piling and grading the site back to the condition it was in prior to the test piling in the event construction does not commence. If the project does not proceed and the test piles need to be removed, then they shall be removed to a minimum of 2 ft. below natural grade. In any event, the test piles are only allowed to remain exposed for a maximum of six (6) months.

**105.3 Application for permit.** To obtain a permit, the applicant shall first file an application therefore in writing on a form furnished by the building department for that purpose. Permit application forms shall be in the format prescribed by a local administrative board, if applicable, and must comply with the requirements of Section 713.135(5) and (6), Florida Statutes.

Each application shall be inscribed with the date of application, and the code in effect as of that date. For a building permit for which an application is submitted prior to the effective date of the *Florida Building Code*, the state minimum building code in effect in the permitting jurisdiction on the date of the application governs the permitted work for the life of the permit and any extension granted to the permit.

**105.3.1 Action on application.** The building official shall examine or cause to be examined applications for permits and amendments thereto within a reasonable time after filing. If the application or the construction documents do not conform to the requirements of pertinent laws, the building official shall reject such application in writing, stating the reasons therefore. If the building official is satisfied that the proposed work conforms to the requirements of this code and laws and ordinances applicable thereto, the building official shall issue a permit therefore as soon as practicable. When authorized through contractual agreement with a school board, in acting on applications for permits, the building official shall give first priority to any applications for the construction of, or addition or renovation to, any school or educational facility.

**105.3.1.1** If a state university, state community college or public school district elects to use a local government's code enforcement offices, fees charged by counties and municipalities for enforcement of the *Florida Building Code* on buildings, structures, and facilities of state universities, state colleges, and public school districts shall not be more than the actual labor and administrative costs incurred for plans review and inspections to ensure compliance with the code.

**105.3.1.2** No permit may be issued for any building construction, erection, alteration, modification, repair, or addition unless the applicant for such permit provides to the enforcing agency which issues the permit any of the following documents which apply to the construction for which the permit is to be issued and which shall be prepared by or under the direction of an engineer registered under Chapter 471, Florida Statutes:

1. Electrical documents for any new building or addition which requires an aggregate service capacity of 600 amperes (240 volts) or more on a residential electrical system or 800 amperes (240 volts) or more on a commercial or industrial electrical system and which costs more than \$50,000.
2. Plumbing documents for any new building or addition which requires a plumbing system with more than 250 fixture units or which costs more than \$50,000.
3. Fire sprinkler documents for any new building or addition which includes a fire sprinkler system which contains 50 or more sprinkler heads. A Contractor I, Contractor II, or Contractor IV, certified under Section 633.521 Florida Statutes, may design a fire sprinkler system of 49 or fewer heads and may design the alteration of an existing fire sprinkler system if the alteration consists of the relocation, addition or deletion of not more than 49 heads, notwithstanding the size of the existing fire sprinkler system.
4. Heating, ventilation, and air-conditioning documents for any new building or addition which requires more than a 15-ton-per-system capacity which is designed

to accommodate 100 or more persons or for which the system costs more than \$50,000. This paragraph does not include any document for the replacement or repair of an existing system in which the work does not require altering a structural part of the building or for work on a residential one, two, three or four-family structure.

An air-conditioning system may be designed by an installing air-conditioning contractor certified under Chapter 489, Florida Statutes, to serve any building or addition which is designed to accommodate fewer than 100 persons and requires an air-conditioning system with a value of \$50,000 or less; and when a 15-ton-per system or less is designed for a singular space of a building and each 15-ton system or less has an independent duct system. Systems not complying with the above require design documents that are to be sealed by a professional engineer.

**Example 1:** When a space has two 10-ton systems with each having an independent duct system, the contractor may design these two systems since each unit (system) is less than 15 tons.

**Example 2:** Consider a small single-story office building which consists of six individual offices where each office has a single three-ton package air conditioning heat pump. The six heat pumps are connected to a single water cooling tower. The cost of the entire heating, ventilation and air-conditioning work is \$47,000 and the office building accommodates fewer than 100 persons. Because the six mechanical units are connected to a

common water tower this is considered to be an 18-ton system. It therefore could not be designed by a mechanical or air conditioning contractor.

**NOTE:** It was further clarified by the Commission that the limiting criteria of 100 persons and \$50,000 apply to the building occupancy load and the cost for the total air-conditioning system of the building.

5. Any specialized mechanical, electrical, or plumbing document for any new building or addition which includes a medical gas, oxygen, steam, vacuum, toxic air filtration, halon, or fire detection and alarm system which costs more than \$5,000.

Documents requiring an engineer seal by this part shall not be valid unless a professional engineer who possesses a valid certificate of registration has signed, dated, and stamped such document as provided in Section 471.025, Florida Statutes.

**105.3.2 Time limitation of application.** An application for a permit for any proposed work shall be deemed to have been abandoned 180 days after the date of filing, unless such application has been pursued in good faith or a permit has been issued; except that the building official is authorized to grant one or more extensions of time for additional periods not exceeding 90 days each. The extension shall be requested in writing and justifiable cause demonstrated.

**105.3.3** An enforcing authority may not issue a building permit for any building construction, erection, alteration, modification, repair or addition unless the permit either includes on its face or there is attached to the permit the following statement: "NOTICE: In addition to the requirements of this permit, there may be

additional restrictions applicable to this property that may be found in the public records of this county, and there may be additional permits required from other governmental entities such as water management districts, state agencies, or federal agencies.”

**105.3.4** A building permit for a single-family residential dwelling must be issued within 30 working days of application therefore unless unusual circumstances require a longer time for processing the application or unless the permit application fails to satisfy the *Florida Building Code* or the enforcing agency’s laws or ordinances.

**105.3.5** Identification of minimum premium policy. Except as otherwise provided in Chapter 440, Florida Statutes, Workers’ Compensation, every employer shall, as a condition to receiving a building permit, show proof that it has secured compensation for its employees as provided in Section 440.10 and 440.38, Florida Statutes.

**105.3.6 Asbestos removal.** Moving, removal or disposal of asbestos-containing materials on a residential building where the owner occupies the building, the building is not for sale or lease, and the work is performed according to the owner-builder limitations provided in this paragraph. To qualify for exemption under this paragraph, an owner must personally appear and sign the building permit application. The permitting agency shall provide the person with a disclosure statement in substantially the following form:

*Disclosure Statement:* State law requires asbestos abatement to be done by licensed contractors. You have applied for a permit under an exemption to that law. The exemption allows you, as the owner of your property, to act as your own asbestos abatement contractor even though you do not have a license. You must supervise the construction yourself. You may move, remove or dispose of asbestos-containing

materials on a residential building where you occupy the building and the building is not for sale or lease, or the building is a farm outbuilding on your property. If you sell or lease such building within one year after the asbestos abatement is complete, the law will presume that you intended to sell or lease the property at the time the work was done, which is a violation of this exemption. You may not hire an unlicensed person as your contractor. Your work must be done according to all local, state and federal laws and regulations which apply to asbestos abatement projects. It is your responsibility to make sure that people employed by you have licenses required by state law and by county or municipal licensing ordinances.

**105.3.7 Refusal to issue permit.** If the application for a permit and the accompanying contract documents describing the work do not conform to the requirements of the technical codes or other pertinent laws or ordinances, the building official shall not issue a permit, but shall return the contract documents to the applicant with his refusal to issue such permit. Such refusal shall, when requested, be in writing, and shall contain the reason for refusal.

**105.3.8 Licensed Contractor/Designated Agent.** All construction within the city limits shall be performed through and supervised by a licensed general contractor. A licensed contractor shall sign the application but may to designate an employee or permitting service to submit and/or receive a building permit, such designation shall be by power of attorney, and a separate power of attorney shall be required for each specific project or permit request. The power of attorney shall remain in effect for a period of one (1) year and it is the contractor's responsibility to notify the Building Services Division of any change in status of the designee.

**105.3.9 Unlicensed Contractor.** A permit may be issued by the Building Services Division to an unlicensed builder to build a single-family residence for self-occupancy. If the owner-builder utilizes this provision, no additional permits, other than accessory and/or remodeling within the same structure, will be issued to this individual for a period of two years from the issuance of a certificate of occupancy. All owners constructing their own residence shall carry public liability insurance equal to that as required for general contractors, and shall file a Certificate of Insurance with the Building Services Division.

**105.3.9.1 Permit Transfers.** A building permit issued to a licensed contractor by the Building Services Division may be transferred to the subject property owner as an unlicensed contractor to complete construction of a single-family residence. Prior to the actual transfer of the building permit from the licensed contractor to the unlicensed contractor either of the following must occur:

1. The licensed contractor shall execute and submit to the Building Services Division a sworn affidavit consenting to the full and complete release and transfer of the building permit from the contractor's control to the unlicensed contractor to complete construction of the single-family residence; or
2. In the event the licensed contractor will not execute the aforementioned affidavit of release and transfer, the unlicensed contractor shall enter into an agreement with the City addressing the following to the satisfaction of the Building Official:
  - (a) That the unlicensed contractor has requested that the licensed contractor provide an affidavit of release and transfer, and that the licensed contractor has refused;
  - (b) That the unlicensed contractor has requested that the City transfer the building permit from the licensed

contractor to the unlicensed contractor to complete the construction of a single-family residence;

- (c) That the unlicensed contractor will comply fully with the terms and conditions of Section 105.3.9 and will complete all applicable Building Services Division applications prior to permit release and transfer;
- (d) That the unlicensed contractor is responsible for fully complying with all requirements of Chapter 173, Florida Statutes; and
- (e) That in consideration for the release and transfer of the building permit by the Building Services Division, the unlicensed contractor agrees to indemnify and hold the City of Marco Island harmless from any and all liability, losses, penalties, damages, and professional fees, including attorney fees and all costs of litigation and judgments associated with the release and transfer of the building permit.

#### **105.4 Conditions of the permit.**

**105.4.1 Permit intent.** A permit issued shall be constructed to be a license to proceed with the work and not as authority to violate, cancel, alter or set aside any of the provisions of the technical codes, nor shall issuance of a permit prevent the building official from thereafter requiring a correction of errors in plans, construction or violations of this code. Every permit issued shall become invalid unless the work authorized by such permit is commenced within six months after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of six months after the time the work is commenced.

**105.4.1.1 Permit timeframes-**The permit application and the plans shall be

reviewed, approved and ready for issuance within a reasonable time from the date of application. Permits shall be issued to the permittee and notified that the permit has been approved. The review process includes responses from the permit applicant when the permit cannot be approved. When the applicant is advised of deficiencies and does not respond within six (6) months with corrected plans or an appeal to the Board of Zoning Appeals, the permit application will be canceled. The cancellation process includes disposal of the application and plans.

- a. Building permits shall expire and become null and void if the construction authorized by such permit is not commenced within one hundred and eighty (180) days from the date of the issuance of the permit. Date of issuance is the date of permit pickup. Additionally, the building permit shall expire if the work authorized by such permit is not completed within 18 months from the date of issuance of the permit, unless prior to the issuance of the building permit a time schedule has been submitted to and approved by the Building Official or his designee predicted upon customary time for construction of like buildings indicating completion of construction in excess of 18 months. In the event a time schedule has been submitted by the permittee, the building permit shall expire 30 days after the date of completion set forth in the approved time schedule. For purposes of this section, the construction authorized by such permit shall not be deemed to have commenced unless and until all foundation inspections have been requested and satisfactorily completed.

- b. The Building Official or his designee may authorize a maximum of two (2) extensions of an active, valid building permit for a period of 90 days each, upon payment by the permittee of a filing fee for each extension. As a condition to granting a permit extension, the Building Official may require a building schedule from the permittee setting forth the date of completion. The filing fee for each permit extension shall be as stated in Section 108.2.26. The filing fee is intended to cover the cost of reviewing existing or amended building plans to determine and verify code compliance. No further extension may be granted by the Building Official and the permit shall expire and become null and void.
- c. If construction has commenced within one hundred and eighty (180) days from the date of issuance of the permit, and is subsequently abandoned or suspended as determined by the Building Official, the permit shall expire and become null and void. Permit abandonment shall be deemed to have occurred if a required inspection has not been requested or satisfactorily completed within a six (6) month period. Once construction has commenced on a building project, it shall be prima facie evidence of abandonment or suspension of the project if the permittee during any six (6) month period fails to actively engage in construction and fails to complete at least sixty percent (60%) of the construction that would be considered average for the industry for that six (6) month time period predicated upon a customary time for construction of like buildings.

Such project shall not be considered abandoned or suspended if the permittee furnishes the Building Official satisfactory evidence, in writing, that the delay is occasioned due to unavailability of construction supplies or materials, and every effort has been made to obtain substitute materials equal to those called for in the specifications, or due to delay in delivery of construction supplies or materials, or due to fire, weather conditions, civil commotion or strike. Increased cost of building materials or supplies or financial hardship shall not be considered by the Building Official as evidence that the project has not been abandoned or suspended.

- d. In the event that the Building Official declares a permit to be null and void as the result of abandonment or suspension of the project, the permittee shall be so notified, in writing, at his usual place of business. Within 15 days after receipt of the Building Official's decision, the permittee may appeal the decision of the Building Official to City Council or a duly authorized Board. The permittee shall have the burden of establishing that the project has not been abandoned or suspended upon which City Council or a duly authorized Board may reverse the decision of the Building Official.

**105.4.1.2** If a new permit is not obtained within 180 days from the date the initial permit became null and void, the building official is authorized to require that any work which has been commenced or completed be removed from the building site. Alternately, a new permit may be issued on application, providing the work in place and required to complete the

structure meets all applicable regulations in effect at the time the initial permit became null and void and any regulations which may have become effective between the date of expiration and the date of issuance of the new permit.

**105.4.1.3** Work shall be considered to be in active progress when the permit has received an approved inspection within 180 days. This provision shall not be applicable in case of civil commotion or strike or when the building work is halted due directly to judicial injunction, order or similar process.

**105.4.1.4** The fee for renewal reissuance and extension of a permit shall be set forth by the administrative authority.

**105.4.1.5** Demolition permits are deemed to have been abandoned 60 days after issuance.

**105.5** Reserved.

**105.6** Reserved.

**105.7 Placement of permit.** The building permit or copy shall be kept on the site of the work until the completion of the project.

**105.8 Notice of commencement.** As per Section 713.135, Florida Statutes, when any person applies for a building permit, the authority issuing such permit shall print on the face of each permit card in no less than 18-point, capitalized, boldfaced type: "WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

**105.9 Asbestos.** The enforcing agency shall require each building permit for the demolition or renovation of an existing structure to contain an asbestos notification statement which

indicates the owner's or operator's responsibility to comply with the provisions of Section 469.003, Florida Statutes, and to notify the Department of Environmental Protection of his or her intentions to remove asbestos, when applicable, in accordance with state and federal law.

**105.10 Certificate of protective treatment for prevention of termites.** A weather-resistant job-site posting board shall be provided to receive duplicate treatment certificates as each required protective treatment is completed, providing a copy for the person the permit is issued to and another copy for the building permit files. The treatment certificate shall provide the product used, identity of the applicator, time and date of the treatment, site location, area treated, chemical used, percent concentration and number of gallons used, to establish a verifiable record of protective treatment. If the soil chemical barrier method for termite prevention is used, final exterior treatment shall be completed prior to final building approval.

**105.11 Notice of termite protection.** A permanent sign which identifies the termite treatment provider and need for reinspection and treatment contract renewal shall be provided. The sign shall be posted near the water heater or electric panel.

**105.12 Work starting before permit issuance.** Upon approval of the building official, the scope of work delineated in the building permit application and plan may be started prior to the final approval and issuance of the permit, provided any work completed is entirely at risk of the permit applicant and the work does not proceed past the first required inspection.

**105.13 Phased permit approval.** After submittal of the appropriate construction documents, the building official is authorized to issue a permit for the construction of foundations or any other part of a building or structure before the construction documents for

the whole building or structure have been submitted. The holder of such permit for the foundation or other parts of a building or structure shall proceed at the holder's own risk with the building operation and without assurance that a permit for the entire structure will be granted. Corrections may be required to meet the requirements of the technical codes.

**105.14 Permit issued on basis of an affidavit.** Whenever a permit is issued in reliance upon an affidavit or whenever the work to be covered by a permit involves installation under conditions which, in the opinion of the building official, are hazardous or complex, the building official shall require that the architect or engineer who signed the affidavit or prepared the drawings or computations shall supervise such work. In addition, they shall be responsible for conformity to the permit, provide copies of inspection reports as inspections are performed, and upon completion make and file with the building official written affidavit that the work has been done in conformity to the reviewed plans and with the structural provisions of the technical codes. In the event such architect or engineer is not available, the owner shall employ in his stead a competent person or agency whose qualifications are reviewed by the building official. The building official shall ensure that any person conducting plans review is qualified as a plans examiner under Part XII of Chapter 468, Florida Statutes, and that any person conducting inspections is qualified as a building inspector under Part III of Chapter 468, Florida Statutes.

### **105.15 Revocation of Permits.**

**105.15 1 Misrepresentation of Application.** The Building Official may revoke a permit or approval, issued under the provisions of this Code or the technical Codes, in cases where there has been any false statement or on which the permit or approval are based.

**105.15.2 Violation of Code Provisions.** The Building Official may revoke a permit upon determination that the construction, erection, alteration, repair, moving, demolition, installation or replacement of the building, structure, electrical, gas, mechanical, plumbing or fire systems for which the permit was issued is in violation of, or not in conformity with, any provision of this Code or the technical Codes.

## **105.16 Safety**

### **105.16.1 Unsafe Buildings or Systems.**

All buildings, structures, electrical, gas, mechanical or plumbing systems which are unsafe, unsanitary, or do not provide adequate egress, or which constitute a fire hazard, or are otherwise dangerous to human life, or which in relation to existing uses, constitutes a hazard to safety or health, are considered unsafe buildings or service systems. All such unsafe buildings, structures, or service systems are hereby declared illegal and shall be abated by repair and rehabilitation or by demolition.

**105.16.2 Physical Safety.** Where pool construction commences prior to occupancy certification of a one or two family dwelling unit on the same property, the fence or enclosure required shall be in place at the time of final building inspection. The final pool inspection shall be satisfactorily completed prior to issuance of the dwelling unit's Certificate of Occupancy.

Where pool construction is commenced after occupancy certification of a one or two family dwelling unit on the same property, the fence or enclosure required shall be in place prior to filling of the pool unless during the period commencing with filling of the pool and ending with completion of the required fence or enclosure, temporary fencing or an

approved substitute shall be in place. Failure to call for a final pool inspection within thirty (30) days of filling the pool shall result in an inspection rejection.

**105.16.3** No swimming pools shall be placed into service, occupied, or used in any way prior to passing the final swimming pool inspection.

**105.17** Chapter 1, is hereby amended by adding new Section 105.17, entitled "Waste Materials Management", to read as follows:

**105.17** Inert waste materials may be buried on-site provided that such disposal is in conformance with federal, state, and local laws and regulations. Inert waste materials as used herein are specifically limited to brick, block, concrete, rock, stone, earth and sand that is free from contamination and of other types of waste, and that is capable of serving as fill material without environmental harm to, or pollution of, ground waters or surface waters. All other wastes, including garbage, hazardous waste, rubbish, refuse, paper products, containers, cloth, wood and wood products, sweepings, liquids other than water, sludge, tree limbs and trunks, undergrowth, and material produced by clearing and grubbing, and other horticultural wastes, shall not be buried on-site but shall be otherwise lawfully disposed of.

**105.18 Dust Control.** Adequate dust control measures shall be employed by the permittee to prevent complaints arising from unhealthy, unsafe, or damaging conditions. Failure to utilize adequate dust control procedures shall be sufficient cause to order cessation of the work causing such dust and to decline inspection requests.

**105.19 Noise Control.** Construction activities are permitted in accordance with the City of Marco Island Noise Control Ordinance.

**105.20 Tenant Improvements.** The general contractor of record for the building shell permit will be allowed to apply for a permit for tenant improvements before the shell has been given a Certificate of Occupancy. Only the general contractor of the building shell will be able to obtain a permit for a tenant improvement prior to the shell being given a Certificate of Occupancy. Each tenant space (i.e., unit, suite, etc.) that is not finished under the original building contract will require its own permit for improvements. Revisions to the original scope of work will not be considered for complete tenant improvements after the original permit is issued. No tenant spaces will receive a Certificate of Occupancy until after the shell has been given a Certificate of Completion. Exceptions will be considered and reviewed by the Building Official, or his/her designee. Final decision will be made based upon life, health and safety issues. The shell permit will be referenced on the tenant improvement permit.

## SECTION 106 CONSTRUCTION DOCUMENTS

**106.1 Submittal documents.** Construction documents, special inspection and structural observation programs, and other data shall be submitted in one or more sets with each application for a permit. The construction documents shall be prepared by a design professional where required by the statutes. Where special conditions exist, the building official is authorized to require additional construction documents to be prepared by a design professional.

**Exception:** The building official is authorized to waive the submission of construction documents and other data not required to be prepared by a registered design professional if it is found that the nature of the work applied for is such that review of construction documents is not necessary to obtain compliance with this code.

If the design professional is an architect or engineer legally registered under the laws of this state regulating the practice of architecture as provided for in Chapter 481, Florida Statutes, Part I, or engineering as provided for in Chapter 471, Florida Statutes, then he or she shall affix his or her official seal to said drawings, specifications and accompanying data, as required by Florida Statute. If the design professional is a landscape architect registered under the laws of this state regulating the practice of landscape architecture as provided for in Chapter 481, Florida Statutes, Part II, then he or she shall affix his or her seal to said drawings, specifications and accompanying data as defined in Section 481.303(6)(a)(b)(c)(d), FS.

**106.1.1 Information on construction documents.** Construction documents shall be dimensioned and drawn upon suitable material. Electronic media documents are permitted to be submitted when approved by the building official. Construction documents shall be of sufficient clarity to indicate the location, nature and extent of the work proposed and show in detail that it will conform to the provisions of this code and relevant laws, ordinances, rules and regulations, as determined by the building official (see also Section 106.3.5).

**106.1.1.1 Fire protection system shop drawings.** Shop drawings for the fire protection system(s) shall be submitted to indicate conformance with this code and the construction documents and shall be approved prior to the start of system installation. Shop drawings shall contain all information as required by the referenced installation standards in Chapter 9.

**106.1.1.2** For roof assemblies required by the code, the construction documents shall illustrate, describe, and delineate the type of roofing system, materials, fastening requirements, flashing requirements and wind resistance rating that are required to be installed. Product evaluation and

installation shall indicate compliance with the wind criteria required for the specific site or a statement by an architect or engineer for the specific site must be submitted with the construction documents.

#### 106.1.2 Additional requirements.

1. Drawings to scale, minimum scale is 1/8".
2. A site plan which, shows the location of the proposed building or structure and every existing building or structure on the site or lot.
3. The first sheet of the Architectural Plans shall provide an information block with the following details:
  - (a) Occupancy classification(s). If the building contains more than one (1) occupancy classification and/or tenant use areas, list each separately with the individual square footages.
  - (b) Establish the required live load for the intended use of each floor and/or mezzanine area.
  - (c) Building area (sq. ft.) for each floor and mezzanine area.
  - (d) Grade elevation of first floor  
\_+\_\_\_\_\_ N.G.V.D.
  - (e) Applicable Flood zone.
  - (f) Elevation of first habitable floor  
\_+\_\_\_\_\_ N.G.V.D.
  - (g) Height of building in feet above grade.
  - (h) Building height in stories.
  - (i) Type of construction.
  - (j) Designed for applicable wind load.
  - (k) Parking summary for occupancy classification(s) consistent with the calculation and supporting documentation from the approved final site development plan.
4. The permit documents (drawings) shall be no larger than 24" when rolled up and no folded plans will be accepted for permit submittal.
5. The permit documents (drawings) shall be no larger than 24" when rolled up and no folded plans will be accepted for permit submittal.
6. Pre-manufactured Building Components.
  - (a) Building components designed by specialty engineers (i.e. roof trusses, floor trusses, precast floor slabs, etc.) are required to be submitted at time of permit application. Extra loading of the trusses, beams or girders with hot water heaters, air handlers, compressors or other loads not specifically considered in the specialty design will not be allowed without engineered sealed drawings acknowledging such extra loads
  - (b) The specialty engineer shall acknowledge that additional loading has been considered in the design and the type of roof covering shall be designated on the truss plans.
  - (c) There will be no jobsite modifications of product allowed without an approved design by the specialty engineer.
  - (d) During the design, process of roof trusses, floor trusses, or precast floor slabs, consideration must be given to the possibility that point loading (i.e. girders and columns) may dictate redesign of bearing footing. This shall be coordinated by the design professional.
  - (e) The design professional shall make a statement on his plan that he has considered and coordinated the truss layout

- plans, anchor details, uplift loads and reaction loads into his architectural plans by naming the truss manufacturer, their job number, and the date of the truss manufacturers plans on his architectural plans.
- (f) Provide the truss layout plans and details by the truss manufacturer to include the profiles for all special trusses that have reaction loads over 5000# and uplift loads over 1000#. These special reaction and uplift connections shall be keyed into a schedule that coordinates with the truss layout plan by a highlighted indication on the truss layout plan for quick reference. The truss manufacturer or the design professional shall provide the recommended anchor for each special connection in the required schedule. The engineered cut sheets for all trusses shall be available at the job site prior to the required inspection.
- (g) Provide an anchor bolt plan, fastener schedule and shop drawings as furnished by the steel building manufacturer.
- (h) Product approval is ~~not~~ required, all exterior doors, windows, skylights, vents, etc. shall be verified with a certification sticker, by an approved testing laboratory and applied to the product by the manufacturer, or a signed and sealed document by the design professional indicating that the item is able to withstand the 140 mph wind loading requirements of Chapter 16 of the 2004 edition of the FBC.
- (i) Engineered drawings shall be submitted with a signature and raised seal for all miscellaneous structures such as awnings, shutters, screen enclosures, swimming pools, spas, and seawalls.
- Note:** Job specific engineering is not required for aluminum structures that meet the specifications of approved Master Plan Design manuals. These manuals shall be signed and sealed by a Florida State Registered Engineer and be provided to the Building Services Division. The Master Plan service provider shall periodically update their approved client list. Only approved clients of the service are allowed to reference the Master Plan Design manual.
- (j) All signs and electric light standards shall meet structural and other standards regarding sign and light pole construction, erection, electrical wiring, etc. set forth in the building code. Plans for any pole or ground sign exceeding 32 square feet in area and/or eight (8) feet in height or light pole exceeding 8 ft. in height shall be accompanied by foundation drawings signed and sealed by a licensed architect or engineer or the manufacturers recommendations as published by their representative engineer.
- (k) The Florida State certified architect or engineer of record shall sign and seal all submitted documents that were prepared

under his/her license for the structural and functional components of the structure. The architect or engineer of record shall also indicate their company name, his/her legal name and State of Florida license number, address and phone number in the title block.

7. A Lot Drainage Plan shall be submitted by the permittee at time of application for a building permit. Lot drainage shall comply with the approved Lot Drainage Plan at time of Certificate of Occupancy Inspection. Ground elevations shall be gradually sloped away from the building to effectively drain water away and to be managed on site through roof guttering or earth grading. No significant stormwater run-off is permitted to flow from the subject premises onto abutting properties.
8. Structures located in a SFHZ-AE where BFE is greater than one (1) foot above natural grade of the site or the lowest adjacent grade of an exterior wall, will require spread footings or grade beams with a maximum elevation of 7.3 NGVD.
9. Plans shall show that construction of the lowest finished floor meets the elevation criteria listed below or engineered properly to a site specific design and certified by an architect or engineer, when conflict exist between the FIRM elevation and others, the higher elevation shall be required;
  - (a) FIRM elevation – the elevation that has been established by the Flood Insurance Rate Maps (FIRM).
  - (b) Paved Road – a minimum of 18 inches above the crown of the nearest street or interior roadway system if finished with paving; or
  - (c) Graded or Unfinished Road – 24 inches above the crown if graded or otherwise unfinished; or
  - (d) Mean Sea Level – ten (10) feet above Mean Sea Level (MSL) based on the 1929 National Geodetic Vertical Datum (NGVD); or
  - (e) Water Management Design
    - 1) Buildings within projects which have water management routing and storage facilities designed and built for a 25-year, three (3) day storm event in accordance with South Florida Water Management District's criteria may use a finish floor elevation in accordance with the project's water management designed 100 year zero discharge elevation or the FIRM elevation, whichever is higher.
    - 2) Buildings which are not within projects having a water management storage facility designed and built for a 25-year, three (3) day storm event in accordance with South Florida Water Management District's criteria shall use a finish floor elevation of 18 inches above the adjacent roadway crown elevation or the FIRM

elevation, whichever is higher.

10. On parcels where unusual topographic conditions exist and the above standard conditions cannot be reasonably applied, the Building Official will consider requests to decrease the finish-floor elevation. All requests will require an analysis by a Florida registered professional engineer of the 25-year, three (3) day storm event and the 100 year, three (3) day storm event, using zero discharge for the entire drainage basin in which the proposed structure is located. Reductions may be allowed on the basis of the analysis, but in no case shall the finish floor be less than the FIRM.

**Note:** Slabs for garages, carports, screen enclosures, etc., must be at least equal in elevation to the crown of the nearest street.

11. Building permits that require a foundation inspection or floor elevation inspection shall submit a current survey with the permit application.
12. For fire damage issues, a professional review and written report shall be submitted concerning the components to be salvaged and all structural systems shall be certified by an architect or engineer. These documents will be required before issuing a permit for reconstruction of a fire-damaged structure.

**106.1.3** Reserved.

**106.2** Reserved.

**106.3 Examination of documents.** The building official shall examine or cause to be examined the accompanying construction documents and shall ascertain by such examinations whether the construction indicated and described is in accordance with

the requirements of this code and other pertinent laws or ordinances.

**Exceptions:**

1. Building plans approved pursuant to Section 553.77(6), Florida Statutes, and state-approved manufactured buildings are exempt from local codes enforcing agency plan reviews except for provisions of the code relating to erection, assembly or construction at the site. Erection, assembly and construction at the site are subject to local permitting and inspections.
2. Industrial construction on sites where design, construction and fire safety are supervised by appropriate design and inspection professionals and which contain adequate in-house fire departments and rescue squads is exempt, subject to local government option, from review of plans and inspections, providing owners certify that applicable codes and standards have been met and supply appropriate approved drawings to local building and fire-safety inspectors.

**106.3.1 Approval of construction documents.** When the building official issues a permit, the construction documents shall be approved, in writing or by stamp, as "Reviewed for Code Compliance." One set of construction documents so reviewed shall be retained by the building official. The other set shall be returned to the applicant, shall be kept at the site of work and shall be open to inspection by the building official or a duly authorized representative.

**106.3.2 Previous approvals.** This code shall not require changes in the construction documents, construction or designated occupancy of a structure for which a lawful permit has been heretofore issued or otherwise lawfully authorized, and the construction of which has been pursued in good faith within 180 days after the effective

date of this code and has not been abandoned.

**106.3.3** Reserved.

**106.3.4** Reserved.

**106.3.4.1** Reserved.

**106.3.4.2** Reserved.

**106.3.4.3** Certifications by contractors authorized under the provisions of Section 489.115(4)(b), Florida Statutes, shall be considered equivalent to sealed plans and specifications by a person licensed under Chapter 471, Florida Statutes, or Chapter 481 Florida Statutes, by local enforcement agencies for plans review for permitting purposes relating to compliance with the wind-resistance provisions of the code or alternate methodologies approved by the Florida Building Commission for one-and two-family dwellings. Local enforcement agencies may rely upon such certification by contractors that the plans and specifications submitted conform to the requirements of the code for wind resistance. Upon good cause shown, local government code enforcement agencies may accept or reject plans sealed by persons licensed under Chapters 471, 481 or 489, Florida Statutes.

**106.3.5 Minimum plan review criteria for buildings.** The examination of the documents by the building official shall include the following minimum criteria and documents: a floor plan; site plan; foundation plan; floor/roof The examination of the documents by the building official shall include the following minimum criteria and documents: a floor plan; site plan; foundation plan; floor/roof framing plan or truss layout; and all exterior elevations:

**Commercial Buildings:**

**Building**

1. Site requirements:

- Parking
- Fire access
- Vehicle loading
- Driving/turning radius
- Fire hydrant/water supply/post indicator valve (PIV)
- Set back/separation (assumed property lines)
- Location of specific tanks, water lines and sewer lines

2. Occupancy group and special occupancy requirements shall be determined.
3. Minimum type of construction shall be determined (see Table 503).
4. Fire-resistant construction requirements shall include the following components:
  - Fire-resistant separations
  - Fire-resistant protection for type of construction
  - Protection of openings and penetrations of rated walls
  - Fire blocking and draft stopping and calculated fire resistance
5. Fire suppression systems shall include:
  - Early warning smoke evacuation systems
  - Schematic fire sprinklers
  - Standpipes
  - Preengineered systems
  - Riser diagram
  - Same as above.
6. Life safety systems shall be determined and shall include the following requirements:
  - Occupant load and egress capacities
  - Early warning
  - Smoke control
  - Stair pressurization
  - Systems schematic
7. Occupancy load/egress requirements shall include:
  - Occupancy load
  - Gross Net Means of egress

- Exit access
- Exit
- Exit discharge
- Stairs construction/geometry and protection
- Doors
- Emergency lighting and exit signs
- Specific occupancy requirements
- Construction requirements
- Horizontal exits/exit passageways

8. Structural requirements shall include:

- Soil conditions/analysis
- Termite protection
- Design loads
- Wind requirements
- Building envelope
- Structural calculations (if required)
- Foundation
- Wall systems
- Floor systems
- Roof systems
- Threshold inspection plan
- Stair systems

9. Materials shall be reviewed and shall at a minimum include the following:

- Wood
- Steel
- Aluminum
- Concrete
- Plastic
- Glass
- Masonry
- Gypsum board and plaster
- Insulating (mechanical)
- Roofing
- Insulation

10. Accessibility requirements shall include the following:

- Site requirements
- Accessible route
- Vertical accessibility
- Toilet and bathing facilities
- Drinking fountains
- Equipment
- Special occupancy requirements
- Fair housing requirements

11. Interior requirements shall include the following:

- Interior finishes (flame spread/smoke development)
- Light and ventilation
- Sanitation

12. Special systems:

- Elevators
- Escalators
- Lifts

13. Swimming pools:

- Barrier requirements
- Spas
- Wading pools

**Electrical**

1. Electrical:

- Wiring
- Services
- Feeders and branch circuits
- Overcurrent protection
- Grounding
- Wiring methods and materials
- GFCIs

2. Equipment

3. Special occupancies

4. Emergency systems

5. Communication systems

6. Low voltage

7. Load calculations

**Plumbing**

1. Minimum plumbing facilities

2. Fixture requirements

3. Water supply piping

4. Sanitary drainage

5. Water heaters

6. Vents

7. Roof drainage

8. Back flow prevention

9. Irrigation

10. Location of water supply line

11. Grease traps

12. Environmental requirements

13. Plumbing riser

### **Mechanical**

1. Energy calculations
2. Exhaust systems:
  - Clothes dryer exhaust
  - Kitchen equipment exhaust
  - Specialty exhaust systems
3. Equipment
4. Equipment location
5. Make-up air
6. Roof-mounted equipment
7. Duct systems
8. Ventilation
9. Combustion air
10. Chimneys, fireplaces and vents
11. Appliances
12. Boilers
13. Refrigeration
14. Bathroom ventilation
15. Laboratory

### **Gas**

1. Gas piping
2. Venting
3. Combustion air
4. Chimneys and vents
5. Appliances
6. Type of gas
7. Fireplaces
8. LP tank location
9. Riser diagram/shutoffs

### **Demolition**

1. Asbestos removal

### **Residential (one-and two-family)**

1. Site requirements
  - Set back/separation (assumed property lines)
  - Location of septic tanks
2. Fire-resistant construction (if required)
3. Fire
4. Smoke detector locations
5. Egress
  - Egress window size and location
  - stairs construction requirements

6. Structural requirements shall include:
  - Wall section from foundation through roof, including assembly and materials connector tables wind requirements structural calculations (if required)
7. Accessibility requirements:
  - show/identify accessible bath

**Exemptions.** Plans examination by the building official shall not be required for the following work:

1. Replacing existing equipment such as mechanical units, water heaters, etc.
2. Reroofs
3. Minor electrical, plumbing and mechanical repairs
4. Annual maintenance permits
5. Prototype plans
  - Except for local site adaptations, siding, foundations and/or modifications. Except for structures that require waiver.
6. Manufactured buildings plan except for foundations and modifications of buildings on site.

### **106.4 Amended construction documents.**

Work shall be installed in accordance with the approved construction documents, and any changes made during construction that are not in compliance with the approved construction documents shall be resubmitted for approval as an amended set of construction documents.

### **106.5 Retention of construction documents.**

One set of approved construction documents shall be retained by the building official for a period of not less than 180 days from date of completion of the permitted work, or as required by Florida Statutes.

**106.6 Affidavits.** The building official may accept a sworn affidavit from a registered architect or engineer stating that the plans submitted conform to the technical codes. For buildings and structures, the affidavit shall state that the plans conform to the laws as to

egress, type of construction and general arrangement and, if accompanied by drawings, show the structural design and that the plans and design conform to the requirements of the technical codes as to strength, stresses, strains, loads and stability. The building official may without any examination or inspection accept such affidavit, provided the architect or engineer who made such affidavit agrees to submit to the building official copies of inspection reports as inspections are performed and upon completion of the structure, electrical, gas, mechanical or plumbing systems a certification that the structure, electrical, gas, mechanical or plumbing system has been erected in accordance with the requirements of the technical codes. Where the building official relies upon such affidavit, the architect or engineer shall assume full responsibility for compliance with all provisions of the technical codes and other pertinent laws or ordinances. The building official shall ensure that any person conducting plans review is qualified as a plans examiner under Part XII of Chapter 468, Florida Statutes, and that any person conducting inspections is qualified as a building inspector under Part XII of Chapter 468, Florida Statutes.

### **SECTION 107 TEMPORARY STRUCTURES AND USES**

**107.1 General.** The building official is authorized to issue a permit for temporary structures and temporary uses. Such permits shall be limited as to time of service, but shall not be permitted for more than 180 days. The building official is authorized to grant extensions for demonstrated cause.

**107.2 Conformance.** Temporary structures and uses shall conform to the structural strength, fire safety, means of egress, accessibility, light, ventilation and sanitary requirements of this code as necessary to

ensure the public health, safety and general welfare.

**107.3 Temporary power.** The building official is authorized to give permission to temporarily supply and use power in part of an electric installation before such installation has been fully completed and the final certificate of completion has been issued. The part covered by the temporary certificate shall comply with the requirements specified for temporary lighting, heat or power in Chapter 27 of the *Florida Building Code, Building*.

**107.4 Termination of approval.** The building official is authorized to terminate such permit for a temporary structure or use and to order the temporary structure or use to be discontinued.

### **SECTION 108 FEES**

**108.1 Prescribed fees.** A permit shall not be issued until fees authorized under Section 553.80, Florida Statutes, have been paid. Nor shall an amendment to a permit be released until the additional fee, if any, due to an increase in the estimated cost of the building, structure, electrical, plumbing, mechanical or gas systems, has been paid.

**108.2 Schedule of permit fees.** On buildings, structures, electrical, gas, mechanical, and plumbing systems or alterations requiring a permit, a fee for each permit shall be paid as required, in accordance with the schedule as established by the applicable governing authority.

On all buildings and structures being built new, or being altered, and/or added to, requiring a building permit shall be subject to a fee for each of the following categories applicable to the work being done. The fee rate schedules will be evaluated annually. This will be done at the time the City's annual budget process hearing takes place. The City Council may

change, delete, or add to the listed fees by resolution.

**Note:** The definition for “fee per sq. ft. under roof” as used in the following fee schedule shall be interpreted as the entire area within the exterior face of the perimeter wall of the enclosed structure or the supporting beam of an exterior lanai under roof. Roof overhangs are not to be included in the calculation.

1. New Single Family Residential Structure Permit. On all new construction for habitable single-family residential structures, there shall be a building permit fee of \$0.35 per square foot under roof. The minimum fee shall be \$35.00 (Roof and driveway under 150 sq. ft. are included).
2. New Commercial/Multifamily Structure Permit. On all new Construction for habitable commercial or multifamily structures, there shall be a building permit fee of \$0.30 per square foot under roof. The minimum fee shall be \$35.00.
3. Additions and Alterations Permit. On all additions and/or alterations there shall be a building permit fee as listed in 1 or 2 above, for the area being altered. In unusual cases or configurations, the Building Official shall determine the area that the permit fee is based on. The minimum fee shall be \$35.00 for each required inspection. Remodeling work in multifamily structures involving more than one unit shall be charged a flat fee of \$140.00 plus fire fees per unit. This flat fee includes all structural, electric, plumbing and mechanical inspections.
4. Demolition/Moving Permit. For any interior demolition work there Shall be a fee of \$0.05 per square foot. The minimum fee shall be \$50.00. Demolition of a single family home shall

be \$150.00. Demolition of a commercial or multifamily structure shall be \$250.00. Moving Permit shall be \$150.00. All demolition fees will be waived in cases where the structure to be demolished is utilized by the Fire Department or Law Enforcement for training purposes.

5. Electrical Permit. The licensed contractor installing or constructing any electrical wiring or equipment shall be required to obtain a permit and pay a fee of \$0.05 per square foot under roof. The minimum fee shall be \$35.00.
6. Plumbing Permit. The licensed contractor installing any plumbing, piping, fixtures, appliance, or equipment shall be required to obtain a permit and pay a fee of \$0.05 per square foot under roof. The minimum fee shall be \$35.00.
7. Mechanical Permit. The licensed contractor installing any heating, air conditioning, refrigeration, or ventilation, ductwork, equipment or related accessories are required to obtain a permit and pay a fee of \$0.05 per square foot under roof. The minimum fee shall be \$35.00.
8. Roofing Permit. For roof coating work there shall be a flat fee of \$50.00. Fees for any roofing work in conjunction with the construction of a new single-family residential structure are included in the single-family residential structure permit.
9. Site Work Permit. Any person doing any type of site work such as the lawn sprinkler irrigation system or driveways in excess of a normal two (2) car drive from the ROW to the house, that is separate from a building

permit will be required to obtain a permit and pay a fee of \$0.02 per sq. ft. of the work area requested.

Sprinkler system rework, landscaping and drainage work are excluded.

10. Right-of-Way Permit. Any person other than employees of the governing authority of the right-of-way who needs to do any work on the right-of-way must first obtain a permit and pay the appropriate fee.

11. Seawall permit. The licensed contractor who either repairs or Removes and replaces a seawall shall be required to obtain a permit and pay the applicable fee as follows:

Install/Repair/Replace Seawall - \$1.50/LF

Shoring/Rip-rap/Reinforcement - \$0.75/LF

Minor Repairs & Maintenance - \$0.25/LF

Dredging - \$75.00 Flat fee

Note: Major repairs and new seawalls shall require a permit with engineering and an inspection. Minor repairs need a permit and inspection but no engineering is required.

Item 12: Reserved:

Item 13: Reserved:

Item 14: Reserved:

15. Accessory Structure (Type I) Permit. Any person that builds and/or installs an accessory structure that is of, or similar to, one of the following; garages, carports, bath houses, covered walkways, chickees, and docks must first obtain a permit and pay a fee equal to \$0.15 per gross square footage of the structure. The minimum fee shall be \$50.00. All

screen cages shall be required to pay a flat permit fee of \$70.00.

16. Accessory Structures (Type II) Permit. Any person who builds and/or installs an accessory structure that is of, or similar to, one of the following; any fence, screen walls, signs, antennas, wells/sprinkler systems, or boat lifts, must first obtain a permit and pay a flat fee of \$50.00. Installation of flagpoles over fifteen (15) feet require issuance of a permit, but no fee will be charged.

17. Swimming Pools and Spas. Any person that builds and/or installs a swimming pool or spa (exclusive of decking) shall first obtain a permit and pay a fee as follows:

Single family - \$100.00 (including electric).

Multifamily/Commercial - \$0.25/SF, minimum of \$100.00

19. County impact fees identified in the Interlocal Agreement dated January 19, 1999, as amended, shall be paid to the City of Marco Island prior to the issuance of a building permit.

20. Plan Review Fee. A fee equal to fifteen (15) percent of the permit fees as listed herein will be charged at the time an application for a permit is received for processing. This fee is not refundable nor is it credited to any other fee. Plan review fees will be collected at the time of application. A flat fee of \$500.00 shall be charged for Engineer Certified Projects such as concrete restoration.

21. Plan Revisions. Any time a project is revised or changed in any

way after application has been received; an additional fee will be charged the same as if an addition or alteration had been made to an existing structure. A plan review fee will be charged in accordance with the paragraph above. An administration fee of \$50.00 will also be charged. Additional plan review fees may be charged for extensive changes.

22. Re-inspection fees. Re-inspection fees shall be charged as follows: first re-inspection - \$35.00, second re-inspection - \$75.00, third re-inspection - \$100.00. Expired permits shall be assessed a flat fee of \$35.00.

23. Building Permit Surcharge Fee. Pursuant to Section 553.721 F.S., a fee of \$0.005 per square foot shall be assessed on new construction and on additions, alterations or renovations to existing buildings for which a municipality normally issues a building permit. For new construction, the fee shall be computed on the area under roof. For additions, alterations or renovations to the existing buildings, the surcharge fee shall be computed on the basis of the square footage being added, altered or renovated. For the purposes of this section, the area under roof shall mean the gross constructed area covered by a roof that provides shelter. This shall include the gross floor area of each floor of a multiple-story building. Unroofed walkways are not included in this definition. The Building Permit Surcharge Fees shall be calculated and collected by the City on behalf of the Department of Community Affairs (DCA) at the time of permit issuance. Fees collect shall be remitted to DCA on a quarterly basis. The City may

retain an amount up to 5 percent of the surcharge collected to cover costs associated with the collection and remittance of such surcharge.

24. Building Permit Certification Surcharge Fee. Pursuant to Section 468.631 F.S., a fee of \$0.005 per square foot shall be assessed on new construction and on additions, alterations or renovations to existing buildings for which a municipality normally issues a building permit. For new construction, the fee shall be computed on the area under roof. For additions, alterations or renovations to the existing buildings, the surcharge fee shall be computed on the basis of the square footage being added, altered or renovated. For the purposes of this section, the area under roof shall mean the gross constructed area covered by a roof that provides shelter. This shall include the gross floor area of each floor of a multiple-story building. Unroofed walkways are not included in this definition. The Building Permit Certification Surcharge Fees shall be calculated and collected by the City on behalf of the Department of Community Affairs (DCA) at the time of permit issuance. Fees collect shall be remitted to DCA on a quarterly basis. The City may retain an amount up to 5 percent of the surcharge collected to cover costs associated with the collection and remittance of such surcharge.

25. Electronic Data Conversion. The City shall add a surcharge to all permits to offset the cost of electronically storing permit information. The surcharge will equal 3% of the total permit cost, with a

minimum charge of \$3.00 and a maximum of \$150.00.

26. Permit extension. A building permit may be granted a maximum of two (2) ninety day (90) extensions by the Building Official. The extension cost shall equal the original permit fee, with a maximum cost of \$500.00.

108.3 Reserved.

**108.4 Work commencing before permit issuance.** If any person commences any work on a building or structure before obtaining the necessary permit, he shall be subject to a penalty of quadruple (four times) the permit fees.

108.5 Reserved.

108.6 Reserved.

## SECTION 109 INSPECTIONS

**109.1 General.** Construction or work for which a permit is required shall be subject to inspection by the building official and such construction or work shall remain accessible and exposed for inspection purposes until approved. Approval as a result of an inspection shall not be construed to be an approval of a violation of the provisions of this code or of other ordinances of the jurisdiction. Inspections presuming to give authority to violate or cancel the provisions of this code or of other ordinances of the jurisdiction shall not be valid. It shall be the duty of the permit applicant to cause the work to remain accessible and exposed for inspection purposes. Neither the building official nor the jurisdiction shall be liable for expense entailed in the removal or replacement of any material required to allow inspection.

**109.1.1 Building - Partial building inspections.**

Partial inspections for structural, plumbing, mechanical and electrical will be made as requested, providing the request meets one or more of the following guidelines;

- (a) Submit an inspection plan.
- (b) There are more than seven (7) units on one (1) floor.
- (c) Stepped construction (discontinuous floor levels).
- (d) Outside perimeter walls to allow for start of insulation on large commercial jobs.
- (e) Underground electric, sewer or water piping where cave-in is of concern.
- (f) Under slab work.
- (g) Buildings with three (3) or more floors for fire rating of ceilings. All other partial inspections may be arranged after submittal of an approved specific inspection plan, satisfactory to the Building Official.

**Note:** Failure to follow an approved inspection plan may result in the removal of the completed work that was accomplished after the last approved inspection.

**109.2 Preliminary inspection.** Before issuing a permit, the building official is authorized to examine or cause to be examined buildings, structures and sites for which an application has been filed.

**109.3 Required inspections.** The building official upon notification from the permit holder or his or her agent shall make the following inspections, and shall either release that portion of the construction or shall notify the permit holder or his or her agent of any violations which must be corrected in order to comply with the technical codes. The building official shall determine the timing and sequencing of when inspections occur and what elements are inspected at each inspection.

## Building

1. Foundation inspection. To be made after trenches are excavated and forms erected and shall at a minimum include the following building components:
  - Stem-wall
  - Monolithic slab-on-grade
  - Piling/pile caps
  - Footers/grade beams
2. Framing inspection. To be made after the roof, all framing, fireblocking and bracing is in place, all concealing wiring, all pipes, chimneys, ducts and vents are complete and shall at a minimum include the following building components:
  - Window/door framing
  - Vertical cells/columns
  - Lintel/tie beams
  - Framing/trusses/bracing/connectors
  - Draft stopping/fire blocking
  - Curtain wall framing
  - Energy insulation
  - Accessibility.
3. Sheathing inspection. To be made either as part of a dry-in inspection or done separately at the request of the contractor after all roof and wall sheathing and fasteners are complete and shall at a minimum include the following building components:
  - Roof sheathing
  - Wall sheathing
  - Sheathing fasteners
  - Roof/wall dry-in.
4. Roofing inspection. Shall at a minimum include the following building components:
  - Dry-in
  - Insulation
  - Roof coverings
  - Flashing
5. Final inspection. To be made after the building is completed and ready for occupancy.

6. Swimming pool inspection. First inspection to be made after excavation and installation of reinforcing steel, bonding and main drain and prior to placing of concrete.  
Final inspection to be made when the swimming pool is complete and all required enclosure requirements are in place.  
In order to pass final inspection and receive a certificate of completion, a residential swimming pool must meet the requirements relating to pool safety features as described in Section 424.2.17.
7. Demolition inspections. First inspection to be made after all utility connections have been disconnected and secured in such manner that no unsafe or unsanitary conditions shall exist during or after demolition operations.  
Final inspection to be made after all demolition work is completed.
8. Manufactured building inspections. The building department shall inspect construction of foundations; connecting buildings to foundations; installation of parts identified on plans as site installed items, joining the modules, including utility crossovers; utility connections from the building to utility lines on site; and any other work done on site which requires compliance with the *Florida Building Code*. Additional inspections may be required for public educational facilities (see Section 423.27.20).

## Electrical

1. Underground inspection. To be made after trenches or ditches are excavated, conduit or cable installed, and before any backfill is put in place.
2. Rough-in inspection. To be made after the roof, framing, fireblocking and bracing is in place and prior to the

installation of wall or ceiling membranes.

3. Final inspection. To be made after the building is complete, all required electrical fixtures are in place and properly connected or protected, and the structure is ready for occupancy.

### Plumbing

1. Underground inspection. To be made after trenches or ditches are excavated, piping installed, and before any backfill is put in place.
2. Rough-in inspection. To be made after the roof, framing, fireblocking and bracing is in place and all soil, waste and vent piping is complete, and prior to this installation of wall or ceiling membranes.
3. Final inspection. To be made after the building is complete, all plumbing fixtures are in place and properly connected, and the structure is ready for occupancy.

Note: See Section P312 of the *Florida Building Code, Plumbing* for required tests.

### Mechanical

1. Underground inspection. To be made after trenches or ditches are excavated, underground duct and fuel piping installed, and before any backfill is put in place.
2. Rough-in inspection. To be made after the roof, framing, fire blocking and bracing are in place and all ducting, and other concealed components are complete, and prior to the installation of wall or ceiling membranes.
3. Final inspection. To be made after the building is complete, the mechanical system is in place and properly connected, and the structure is ready for occupancy.

### Gas

1. Rough piping inspection. To be made after all new piping authorized by the permit has been installed, and before

any such piping has been covered or concealed or any fixtures or gas appliances have been connected.

2. Final piping inspection. To be made after all piping authorized by the permit has been installed and after all portions which are to be concealed by plastering or otherwise have been so concealed, and before any fixtures or gas appliances have been connected. This inspection shall include a pressure test.
3. Final inspection. To be made on all new gas work authorized by the permit and such portions of existing systems as may be affected by new work or any changes, to ensure compliance with all the requirements of this code and to assure that the installation and construction of the gas system is in accordance with reviewed plans.

**109.3.1 Building as-built survey.** It is the duty of the permit holder to submit to the Building Official, within 10 calendar days of an inspection, a location survey depicting the building foundation. The location of the building and the finished floor shall be precisely dimensioned in relation to each and every lot line as established by the zoning district or as established by conditions attached to the development permit, and is applicable to the permitted structure and the property upon which said structure is being constructed. The As Built Survey shall be prepared by or under the direct supervision of a Florida registered land surveyor and certified by same. Any work done prior to the survey required hereby shall be at the permit holder's risk. The Building Official shall review the location survey and approve same if all setback requirements are met. Deficiencies or encroachments detected by such review shall be corrected by the permit holder forthwith and prior to further work. Failure to submit the survey required hereby or failure

to make said corrections shall be cause to issue a Stop-Work Order for the project.

**Exception:** Elevated finish floors will have the survey submitted within 10 days of completion of the floor.

**109.3.2** Reserved.

**109.3.3 Reinforcing steel and structural frames.** Reinforcing steel or structural frame work of any part of any building or structure shall not be covered or concealed without first obtaining a release from the building official.

**109.3.4 Termites.** Building components and building surroundings required to be protected from termite damage in accordance with Section 1503.6, Section 2304.13 or Section 2304.11.6, specifically required to be inspected for termites in accordance with Section 2114, or required to have chemical soil treatment in accordance with Section 1816 shall not be covered or concealed until the release from the building official has been received.

**109.3.5 Shoring.** For threshold buildings, shoring and associated formwork or falsework shall be designed and inspected by a Florida licensed professional engineer, employed by the permit holder or subcontractor, prior to any required mandatory inspections by the threshold building inspector.

**109.3.6 Threshold building.**

**109.3.6.1** The enforcing agency shall require a special inspector to perform structural inspections on a threshold building pursuant to a structural inspection plan prepared by the engineer or architect of record. The structural inspection plan must be submitted to the enforcing agency prior to the issuance of a building permit for the construction of a threshold building. The purpose of the structural inspection plans is to provide specific inspection procedures and schedules so that the

building can be adequately inspected for compliance with the permitted documents.

**109.3.6.2** The special inspector shall inspect the shoring and reshoring for conformance to the shoring and reshoring plans submitted to the enforcing agency. A fee simple title owner of a building which does not meet the minimum size, height, occupancy, occupancy classification or number-of-stories criteria which would result in classification as a threshold building under Section 553.71(7) Florida Statutes, may designate such building as a threshold building, subject to more than the minimum number of inspections required by the *Florida Building Code, Building*.

**109.3.6.3** The fee owner of a threshold building shall select and pay all costs of employing a special inspector, but the special inspector shall be responsible to the enforcement agency. The inspector shall be a person certified, licensed or registered under Chapter 471, Florida Statutes, as an engineer or under Chapter 481, Florida Statutes, as an architect.

**109.3.6.4** Each enforcement agency shall require that, on every threshold building:

**109.3.6.4.1** The special inspector, upon completion of the building and prior to the issuance of a certificate of occupancy, file a signed and sealed statement with the enforcement agency in substantially the following form: "To the best of my knowledge and belief, the above described construction of all structural load-bearing components complies with the permitted documents, and the shoring and reshoring conforms to the shoring and reshoring plans submitted to the enforcement agency."

**109.3.6.4.2** Any proposal to install an alternate structural product or system to which building codes apply be submitted to the enforcement agency for review for compliance with the codes and made

part of the enforcement agency's recorded set of permit documents.

**109.3.6.4.3** All shoring and reshoring procedures, plans and details are to be submitted to the enforcement agency for record keeping. Each shoring and reshoring installation shall be supervised, inspected and certified to be in compliance with the shoring documents by the contractor.

**109.3.6.4.4** All plans for the building which are required to be signed and sealed by the architect or engineer of record contain a statement that, to the best of the architect's or engineer's knowledge, the plans and specifications comply with the applicable minimum building codes and the applicable fire-safety standards as determined by the local authority in accordance with this section and Chapter 633, Florida Statutes.

**109.3.6.5** No enforcing agency may issue a building permit for construction of any threshold building except to a licensed general contractor, as defined in Section 489.105(3)(a), Florida Statutes, or to a licensed building contractor, as defined in Section 489.105(3)(b), Florida Statutes, within the scope of her or his license. The named contractor to whom the building permit is issued shall have the responsibility for supervision, direction, management and control of the construction activities on the project for which the building permit was issued.

**109.3.6.6** The Building Services Division may allow a special inspector to conduct the minimum structural inspection of threshold buildings required by this code, Section 553.73, Florida Statutes, without duplicative inspection by the building department. The building official is responsible for ensuring that any person conducting inspections is qualified as a

building inspector under Part XII of Chapter 468, Florida Statutes, or certified as a special inspector under Chapter 471 or 481, Florida Statutes. Inspections of threshold buildings required by Section 553.79(5), Florida Statutes, are in addition to the minimum inspections required by this code.

**109.3.7** Reserved.

**109.3.8** Reserved.

**109.3.9** Reserved.

**109.3.10** Reserved.

**109.4** Reserved.

**109.5 Inspection requests.** It shall be the duty of the holder of the building permit or their duly authorized agent to notify the building official when work is ready for inspection. It shall be the duty of the permit holder to provide access to and means for inspections of such work that are required by this code.

**109.5.1 Accessibility.** The permit holder shall provide, have on site, and have present at the time of inspection, a job representative to assist the City Inspector with all required ladders, scaffolds, ramps etc. for the proper inspection of all building components. Such temporary or permanent access facilities shall be provided for and maintained by the permit holder in addition to all insurance and liability issues. If accessibility is not achieved by the City Inspector at the time of his or her inspection, then the permit holder shall be subject to a re-inspection fee.

**109.6 Approval required.** Work shall not be done beyond the point indicated in each successive inspection without first obtaining the approval of the building official. The building official, upon notification, shall make the requested inspections and shall either indicate the portion of the construction that is satisfactory as completed, or notify the permit holder or his or her agent wherein the same fails to comply with this code. Any portions that

do not comply shall be corrected and such portion shall not be covered or concealed until authorized by the building official.

## SECTION 110 CERTIFICATE OF OCCUPANCY

**110.1 Use and occupancy.** No building or structure shall be used or occupied, and no change in the existing occupancy classification of a building or structure or portion thereof shall be made until the building official has issued a certificate of occupancy therefore as provided herein. Issuance of a certificate of occupancy shall not be construed as an approval of a violation of the provisions of this code or of other ordinances of the jurisdiction.

**110.2 Certificate issued.** After the building official inspects the building or structure and finds no violations of the provisions of this code or other laws that are enforced by the department of building safety, the building official shall issue a certificate of occupancy that contains the following:

1. The building permit number.
2. The address of the structure.
3. The name and address of the owner.
4. A description of that portion of the structure for which the certificate is issued.
5. A statement that the described portion of the structure has been inspected for compliance with the requirements of this code for the occupancy and division of occupancy and the use for which the proposed occupancy is classified.
6. The name of the building official.
7. The edition of the code under which the permit was issued.
8. The use and occupancy, in accordance with the provisions of Chapter 3.
9. The type of construction as defined in Chapter 6.
10. The design occupant load.

11. If an automatic sprinkler system is provided, whether the sprinkler system is required.
12. Any special stipulations and conditions of the building permit.

**110.3 Temporary occupancy.** The building official is authorized to issue a temporary certificate of occupancy before the completion of the entire work covered by the permit, provided that such portion or portions shall be occupied safely. The building official shall set a time period during which the temporary certificate of occupancy is valid.

**110.4 Revocation.** The building official is authorized to, in writing, suspend or revoke a certificate of occupancy or completion issued under the provisions of this code wherever the certificate is issued in error, or on the basis of incorrect information supplied, or where it is determined that the building or structure or portion thereof is in violation of any ordinance or regulation or any of the provisions of this code.

**110.5 Existing Building Certificate of Occupancy.** A certificate of occupancy for any existing building may be obtained by applying to the Building Official and supplying the information and data necessary to determine compliance with the technical Codes for the occupancy intended. Where necessary, in the opinion of the Building Official, two or more sets of detailed plans or a general inspection, or both, may be required. When, upon examination and inspection, it is found that the building conforms to the provisions of the technical Codes and other applicable laws or ordinances for such occupancy, a Certificate of Occupancy shall be issued.

## SECTION 111 SERVICE UTILITIES

**111.1 Connection of service utilities.** No person shall make connections from a utility, source of energy, fuel or power to any building

or system that is regulated by this code for which a permit is required, until released by the building official.

**111.2 Temporary connection.** The building official shall have the authority to authorize the temporary connection of the building or system to the utility source of energy, fuel or power.

**111.3 Authority to disconnect service utilities.** The building official shall have the authority to authorize disconnection of utility service to the building, structure or system regulated by this code and the codes referenced in case of emergency where necessary to eliminate an immediate hazard to life or property. The building official shall notify the serving utility, and wherever possible the owner and occupant of the building, structure or service system of the decision to disconnect prior to taking such action. If not notified prior to disconnecting, the owner or occupant of the building, structure or service system shall be notified in writing, as soon as practical thereafter.

**SECTION 112  
RESERVED**

**SECTION 113  
RESERVED**

**SECTION 114  
STOP WORK ORDER**

**114.1 Authority:** Chapter 1, is hereby amending Section 114, entitled "Stop work orders", to read as follows:

**114.1.1.** Whenever a life, health or safety issue is present or any work is being done in violation of the provisions of this section or in variance with the terms of any permit issued for such work, the Building Official may order all work on the job stopped until such violation or variance is eliminated and any work or installation made in violation of this section is corrected. Such stop order, if oral, shall be followed by a written stop order within 24 hours (excluding Saturday, Sunday or holidays). It shall be unlawful to do or

perform any work in violation of such stop order, except as may be necessary to prevent injury or damage to persons or property.

**114.2 Issuance.** The stop work order shall be in writing and shall be given to the owner of the property involved, or to the owner's agent, or to the person doing the work. Upon issuance of a stop work order, the cited work shall immediately cease. The stop work order shall state the reason for the order, and the conditions under which the cited work will be permitted to resume.

**114.3 Unlawful continuance.** Any person who shall continue any work after having been served with a stop work order, except such work as that person is directed to perform to remove a violation or unsafe condition, shall be subject to penalties as prescribed by law.

**114.4** Right of Entry. Whenever necessary to make an inspection to enforce any of the provisions of this Code or the technical Codes, or whenever the Building Official has reasonable cause to believe that there exists in any building or upon any premises any condition or code violation which makes such building, structure, premises, electrical, gas, mechanical, plumbing or fire systems unsafe, dangerous or hazardous the Building Official may enter such building, structure or premises at all reasonable times to inspect the same or to perform any duty imposed upon the Building Official by this code, provide that if such building or premises is occupied, he shall first present proper credentials and request entry. If such building, structure, or premises is unoccupied, he shall first make a reasonable effort to locate the owner or other persons

having charge or control of such and request entry. If entry is refused, the Building Official shall have recourse to every means provided by law to secure entry.

**114.4.1** When the Building Official shall have first obtained a proper inspection warrant or other means provided by law to secure entry, no owner or occupant or any other persons having charge, care or control of any building, structure, or premises shall fail or neglect, after proper request is made as herein provided, to promptly permit entry therein by the Building Official for the purpose of inspection and examination pursuant to this Code.

**SECTION 115  
RESERVED**

SECTION THREE: INCORPORATION, CONFLICT AND SEVERABILITY:

(a) It is the intention of the City Council and it is hereby ordained that the provisions of this Ordinance shall become and be made a part of the Code of Ordinances of the City of Marco Island, Florida, and that the word "ordinance" may be changed to "section, ""articles" or other appropriate words.

(b) All sections or parts of section of the Code of Ordinances of the City of Marco Island, all City Ordinances or parts of Ordinances, and all City Resolutions or parts of Resolutions in conflict are hereby repealed to the extent of such conflict.

(c) In the event this Ordinance conflicts with any other Ordinances of the City of Marco Island or other applicable law, the more restrictive shall apply. In any phase or portion of this Ordinance is held invalid or unconstitutional by any court of competent jurisdiction, such portion shall be deemed a separate, distinct, and independent provision and such hold shall not affect the validity of the remaining portion.

SECTION FOUR: PENALTIES

If any person, firm, corporation, or other legal entity whether public or private, shall fail or refuse to obey or comply with, or violates, any of the provisions of this article, such person, firm, corporation, or other legal entity whether public or private, upon conviction of such offense, shall be punished by a fine not to exceed \$500.00 or by imprisonment not to exceed 60 days in the county jail, or both, in the discretion of the court. Each day of continued violation or noncompliance shall be considered as a separate offense. In addition, any person, firm, corporation, or other legal entity whether public or private, convicted under the provisions of this section shall pay all costs and expenses involved in the case.

SECTION FIVE: EFFECTIVE DATE

This Ordinance shall take effect October 1, 2005.

Passed in open and regular session through roll call vote by City Council of the City of Marco Island, Florida this \_\_\_\_\_ day of \_\_\_\_\_, 2005.

Attest:

CITY OF MARCO ISLAND

\_\_\_\_\_  
Laura Litzan, City Clerk

By: \_\_\_\_\_  
Vickie Kelber, Chairwoman

Approved as to form and legal sufficiency:

\_\_\_\_\_  
Richard D. Yovanovich  
City Attorney