44-2267 ELEVATION CERTIFICATE

O.M.B. No. 3067-0077 Expires July 31, 1999

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. mpleting this form can be found on the following page

	instructions for co	ompleting this	s form can be found on	the following pa	
		FOR INSURANCE COMPANY USE			
BUILDING OWNER'S NAME		POLICY NUMBER			
Robert M. & C	Cynthia MacQu	ıarrie			
STREET ADDRESS (Including Ap	The state of the s	COMPANY NAIC NUMBER			
1660 Almeria					
OTHER DESCRIPTION (Lot and		Roach Un:	i + - Q		
Lot 7, Block	302, Marco I	seach on.		STATE	ZIP CODE
Marco Island				FL	
	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	
Provide the following from t	he proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
120426	0812	E	7/20/98	AE	+10.0'
		he FIRM for Ra); X NGVD '29	Other (describe on back)
8. For Zones A or V, where	no BFE is provided o	n the FIRM, ar	nd the community has esta	ablished a BFE fo	or this building site, indicate
the community's BFE: _					
			NG ELEVATION INFORM		
1. Using the Elevation Certi					
of 1 0 1 fee (b). FIRM Zones V1-V30. the selected diagram, (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The one) the highest grade level) elevated in account and under Comments on Pagethe FIRM [see Section equation under Comments. 5. The reference level elevation reference marks (NOTE: Use of constructions of the sectificate will of will be required once constructions.	et NGVD (or other FIR VE, and V (with BFE) is at an elevation of EBFE). The floor used the highest grade action used as the reference adjacent to the build ordance with the communitum system used in degree 2). (NOTE: If the earth on Page 2.) Is used appears on FIR ation is based on: A used appears on FIR ation drawings is only inly be valid for the bustruction is complete.	AM datum—see The bottom of the bottom of the das the reference das the reference datum of the bottom of the believation datum of the delevation datum of the delevation datum of the delevation of the bottom of the datum of the bottom of the	Section B, Item 7). of the lowest horizontal struction in the selected diagram is a depth number is available and above reference level elements to the datum system under the selected diagram is above reference level elements to the datum system under the selected diagram is above reference level elements to the datum system under the datum system under the selected diagram is above reference level elements to the datum system under the datum system under the selected diagram is a selected diagram is	ructural member IM datum—see Se d diagram isfeet al e, is the building ce? Yes evations: X NGV elevations is difference on the FIRM on Page 4) rawings e reference level A post-construct	ection B, Item 7) feet above or pove or below (check s lowest floor (reference No Unknown /D '29 Other (describe rent than that used on and show the conversion floor in place. in which ion Elevation Certificate
Section B, Item 7).					
			OMMUNITY INFORMATION		
If the community official is not the "lowest floor" a floor" as defined by the case. Date of the start of const.	is defined in the commordinance is:	nunity's floodpl feet N	ain management ordinan NGVD (or other FIRM dati	ce, the elevation	of the building's lowest


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6. 7 and 8 - Distinguishing Features–If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size. location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME		LICENSE NUMB	ER or Affix Sea	ai)	
Eric D. Kurtz		4163			
TITLE	COMPANY I				
Professional Surveyor & Mapp	per A.	Trigo & As	ssociat	es, Inc.	
ADDRESS	CITY		THE RESERVE TO A PART OF THE PROPERTY STANDS AND THE PROPERTY OF THE PROPERTY	STATE	ZIP
2223 Trade Center Way	Naples			FL	34109
SIGNATURE		July 2,	1999	PHONE (941)594-8448	8
COMMENTS:					
COMMENTS:					
COMMENTS:					



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.