## 47 acer U.M.B. No. 3067-0077 LVANUN VENINUVAIE FEDERAL EMERGENCY MANAGEMENT AGENCY Expires July 31, 1999 NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following pages.

	FOR INSURANCE COMPANY USE				
BUILDING OWNER'S NAME J.J. BAKER	•	POLICY NUMBER			
STREET ADDRESS (Including A 795 AMBE		COMPANY NAIC NUMBER			
		4. Mai	eco Beach U	NIT 10	
MARCO ISLAN				STATE FLORIDA	ZIP CODE 34145
	SECTION B FI	_OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	· · · · · · · · · · · · · · · · · · ·
Provide the following from t	he proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION
120426 *	. 0812	Ē	JULY 20,1998 +	AE	(in AO Zones, use depth)
7. Indicate the elevation dat 8. For Zones A or V, where the community's BFE:	no BFE is provided or	n the FIRM, an	d the community has esta	blished a BFE fo	Other (describe on back) r this building site, indicate
•	SECTIC		G ELEVATION INFORM	ATION	5
<ul> <li>(b). FIRM Zones V1-V30, V the selected diagram, is</li> <li>(c). FIRM Zone A (without E below (check one)</li> <li>(d). FIRM Zone AO. The flo one) the highest grade a level) elevated in accord</li> <li>Indicate the elevation datu under Comments on Page the FIRM [see Section B, equation under Comments</li> </ul>	NGVD (or other FIRI ZE, and V (with BFE). at an elevation of BFE). The floor used the highest grade adjacent bor used as the refere adjacent to the building dance with the commu- m system used in det 2). (NOTE: If the elec- litem 7], then convert on Page 2.)	M datum—see S The bottom of L as the reference acent to the bu- nce level from g. If no flood of unity's floodpla ermining the a evation datum the elevations	Section B, Item 7). $G \land R$ i the lowest horizontal stru- feet NGVD (or other FIRM ce level from the selected ilding. the selected diagram is a depth number is available in management ordinance bove reference level elev- used in measuring the elev- is to the datum system use	AGE FLOG R Inctural member of A datum-see Sec diagram is diagram is , is the building's e?Yes N ations: X NGVD evations is different of on the FIRM an	<i>ELEV, =</i> 8.50 f the reference level from tion B, Item 7). feet above or or ove or below (check lowest floor (reference o Unknown 129 Other (describe nt than that used on od show the conversion
. Elevation reference mark u . The reference level elevati (NOTE: Use of construction case this certificate will only will be required once constr	on is based on: X a on drawings is only va v be valid for the build	ctual construct lid if the buildir	tion construction dram	wings eference level flo	or in place, in which Televation Certificate
The elevation of the lowest Section B, Item 7).	• •	djacent to the t	puilding is:	안 feet NGVD (or	other FIRM datum-see
	SEC	TION D COM	MUNITY INFORMATION		-
If the community official res is not the "lowest floor" as d floor" as defined by the ordi Date of the start of construct	nance is:	hity's floodplain 신인 feet NG	n management ordinance, VD (or other FIRM datum	the elevation of t	he building's "lowest


This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

•

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

				LICENSE NUMBER (or	Affix Seall		
STEPHEN A. HIGGINS TH			LS 5194				
	JRUEYOR E		COMPANY NA MARC	D ISLAND	LAND SURV	EYOR	
ADDRESS	ITI ROAD		CITY	ISLAND	STAT	5 21115	
STGN TURE	A A with			DATE 19.1999	PHONE 941-38	39-2385	
Coples should be	e made of this Cel	tificate for: 1) con			ent/company, and 3) bu	uilding owner.	
	•				ADE AS PER		
COMMENTS:	LETTER	F ADDIL 15	1999 AN	JO FEDERAL	EMERGENCY	MANACEMENT	
	DATED D	FC 1 1998	ATTN .	MAYOR MO	\$\$ .		
AGENCY	VALED	:		· ·	:		
·							
	ļ A				- -		



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.