## **ELEVATION CERTIFICATE**

" 49010 O.M.B. No. 3067-0077 Expires July 31, 1999

## .FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.


SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE
ERICE ALN SCHILLING					POLICY NUMBER
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER  1227 ANTIGUA COURT					COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and		MARCO	BEACH UNIT SI	EVEN	·
MARCO ISL	AND		ŧ	STATE FLORIDA	ZIP CODE 34(45
•	SECTION B F	LOOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	
Provide the following from t	he proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (S: AO Zones, use depth)
120426 *	- 0812	. E	July. 20, 1998	AE	10,0
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: Life to the NGVD (or other FIRM datum—see Section B, Item 7)					
. SECTION C BUILDING ELEVATION INFORMATION ;					
(b). FIRM Zones V1-V30, \ the selected diagram, is (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The floore) the highest grade level) elevated in according to the FIRM [see Section Begin and a comments on Page the FIRM [see Section Begin and a	AE, AH, and A (with E t NGVD (or other FIR (E, and V (with BFE)). It is at an elevation of L BFE). The floor used the highest grade address to the building dance with the common system used in decension (NOTE: If the end on Page 2.) (NOTE: If the end on E and E an	M datum—see 3 The bottom o The bottom o as the referent acent to the busence level from ng. If no flood unity's floodplatermining the alevation datum at the elevation.  M: Yes actual constructed in the building during the	f the lowest horizontal strate to the selected diagram is depth number is available in management ordinance above reference level elevated in measuring the elevate to the datum system used to the datum system used to the course of construction drate does not yet have the course of construction.	LAGE FLOOR  uctural member of the datum—see Sector of the datum—see Sector of the datum and the datu	f the reference level from the reference level from the reference level from the reference level or le
The elevation of the lowest Section B, Item 7).	t grade immediately a	idjacent to the	building is: [ 1 1 1 2 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1	ଠା feet NGVD (or	other FIRM datum-see
	SEC	CTION D COM	MMUNITY INFORMATION	l	•
If the community official resist not the "lowest floor" as defined by the ord Date of the start of construction.	defined in the commu inance is:	inity's floodplain	n management ordinance GVD (or other FIRM datum	, the elevation of	the building's "lowest

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE), V1–V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community Issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME LICENSE NUMBER (or Affix Seal) STEPHEN A. HIGGINS III LS 5194 COMPANY NAME TITLE LAND SURUEYOR È MAPPER MARCO ISLAND LAND SURVEYOR STATE ADDRESS CITY MARCO ISLAND ROAD PHONE AUGUST 941 Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner. BY THE CITY OF MARCO ISLAND THE COMMUNITY COMMENTS: AS 120426 AND THE DATE IS SHOWN AS 15 SHOWN REFERENCE IS MADE TO A LETTER FROM THE EMERGENCY MANAGEMENT DEC. 1, 1998 DATED TO Moss



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.