U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires March 31, 2012

Federal Emergency Management Agency National Flood Insurance Program

Important: Read the instructions on pages 1-9.

14 B 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	14/11/14/14/14		ION A - PROF	PERTY INFOR	MATION	For Insurance Company Use:
A1. Building Owner's Name WILLIAM O MORGENSTERN						Policy Number
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1287 APRICOT AVE					Company NAIC Number	
City MARCO ISLAND	State FL ZIP Co	de 34145				
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) MARCO BCH UNIT 1 BLK 10 LOT 11						
A4. Building Use (e.g., Resid	dential, Non-Resider	ntial, Addition, A	ccessory, etc.) <u>F</u>	RESIDENTIAL		
A5. Latitude/Longitude: Lat.			a ta harte e a se		Horizontal Datum	i: 🔲 NAD 1927 🔯 NAD 1983
A6. Attach at least 2 photogr A7. Building Diagram Number	•	it the Certificate	e is being used to	o obtain flood ins	surance.	
A8. For a building with a cray		·e(s):		A9. For a	a building with an atta	ched garage:
a) Square footage of cr			N/A sq ft	•	Square footage of atta	- · - ·
 b) No. of permanent flo- enclosure(s) within 1 		•	N/A		No. of permanent flood within 1.0 foot above a	d openings in the attached garage adjacent grade N/A
c) Total net area of floo	· ·		N/A sqin		Total net area of flood	• •
d) Engineered flood ope	enings?				Engineered flood oper	
				<u>`</u>	RM) INFORMATIO	
B1. NFIP Community Name 8 120426 MARCO ISLAND,CT	Y/COLLIER CO		B2. County Nam COLLIER			B3. State FLORIDA
B4. Map/Panel Number	3	36. FIRM Index		IRM Panel	B8. Flood	B9. Base Flood Elevation(s) (Zone
12021C0804	G	Date 11/17/2005		/Revised Date /17/2005	Zone(s) AE	AO, use base flood depth) 8
B10. Indicate the source of the	e Base Flood Eleva	tion (BFE) data o	or base flood de	oth entered in Ite	m B9.	
☐ FIS Profile	☑ FIRM ☐ C	Community Dete	mined [☐ Other (Descri	be)	
B11. Indicate elevation datum				☑ NAVD 1988	Other (Describ	
B12. Is the building located in Designation Date N/A	a Coastal Barrier R	Resources Syster	m (CBRS) area o	or Otherwise Pro	tected Area (OPA)?	☐ Yes ☑ No
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)						
C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction A new Elevation Certificate will be required when construction of the building is complete.						
A new Elevation Certifica C2. Elevations – Zones A1-A3	ite will be required w 30, AE, AH, A (with E	vhen constructior BFE), VE, V1-V3	n of the building 30, V (with BFE),	is complete. AR, AR/A, AR/A	der Construction AE, AR/A1-A30, AR/AI	
A new Elevation Certifica C2. Elevations – Zones A1-A3 below according to the bu	ite will be required w 30, AE, AH, A (with I ilding diagram spec	vhen construction BFE), VE, V1-V3 dified in Item A7.	n of the building 30, V (with BFE), Use the same o	is complete. AR, AR/A, AR/A	der Construction AE, AR/A1-A30, AR/AI	☐ Finished Construction
A new Elevation Certifica C2. Elevations – Zones A1-A3 below according to the bu Benchmark Utilized BM C	ite will be required w 80, AE, AH, A (with I ilding diagram spec COL 12Vertical Datu	vhen construction BFE), VE, V1-V3 dified in Item A7.	n of the building 30, V (with BFE), Use the same o	is complete. AR, AR/A, AR/A	der Construction AE, AR/A1-A30, AR/AI	☐ Finished Construction
A new Elevation Certifica C2. Elevations – Zones A1-A3 below according to the bu	ite will be required w 80, AE, AH, A (with I ilding diagram spec COL 12Vertical Datu	vhen construction BFE), VE, V1-V3 dified in Item A7.	n of the building 30, V (with BFE), Use the same o	is complete. AR, AR/A, AR/A	der Construction AE, AR/A1-A30, AR/AI	Finished Construction H, AR/AO. Complete Items C2.a-h
A new Elevation Certifica C2. Elevations – Zones A1-A3 below according to the bu Benchmark Utilized BM C Conversion/Comments N/	ite will be required w 30, AE, AH, A (with B ilding diagram spec <u>COL 12</u> Vertical Datu	vhen constructior BFE), VE, V1-V3 ified in Item A7. im <u>7.251 NAVD</u> 8	n of the building 30, V (with BFE), Use the same o	is complete. AR, AR/A, AR/A datum as the BFE	der Construction AE, AR/A1-A30, AR/AI	☐ Finished Construction H, AR/AO. Complete Items C2.a-h ment used.
A new Elevation Certifica C2. Elevations – Zones A1-A3 below according to the bu Benchmark Utilized BM C Conversion/Comments N/	ite will be required w 30, AE, AH, A (with B ilding diagram spec COL 12Vertical Datu A ncluding basement,	vhen constructior BFE), VE, V1-V3 ified in Item A7. im <u>7.251 NAVD</u> 8	n of the building 30, V (with BFE), Use the same o 88 enclosure floor)	is complete. AR, AR/A, AR/A latum as the BFE	der Construction AE, AR/A1-A30, AR/AI E. Check the measurer	Finished Construction H, AR/AO. Complete Items C2.a-h ment used. to Rico only)
A new Elevation Certifica C2. Elevations – Zones A1-A3 below according to the bu Benchmark Utilized BM C Conversion/Comments N/ a) Top of bottom floor (ii	te will be required w 30, AE, AH, A (with B ilding diagram spec COL 12Vertical Datu A ncluding basement, er floor	when construction BFE), VE, V1-V3 iffied in Item A7. Im 7.251 NAVD8	n of the building 30, V (with BFE), Use the same of 88 enclosure floor)	is complete. AR, AR/A, AR/A latum as the BFE	der Construction AE, AR/A1-A30, AR/AI E. Check the measurer feet meters (Puer	Finished Construction H, AR/AO. Complete Items C2.a-h ment used. to Rico only) to Rico only)
A new Elevation Certifica C2. Elevations – Zones A1-A3 below according to the bu Benchmark Utilized BM C Conversion/Comments N/ a) Top of bottom floor (ii b) Top of the next highe	te will be required w 30, AE, AH, A (with B ilding diagram spec COL 12Vertical Datu A ncluding basement, or floor horizontal structural	when construction BFE), VE, V1-V3 iffied in Item A7. Im 7.251 NAVD8	n of the building 30, V (with BFE), Use the same of 88 enclosure floor)	is complete. AR, AR/A, AR/A latum as the BFE 8.93	der Construction AE, AR/A1-A30, AR/AI Check the measurer feet meters (Puer feet meters (Puer	Finished Construction H, AR/AO. Complete Items C2.a-h ment used. to Rico only) to Rico only) to Rico only)
A new Elevation Certifica C2. Elevations – Zones A1-A3 below according to the bu Benchmark Utilized BM C Conversion/Comments N/ a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m	te will be required w 30, AE, AH, A (with B ilding diagram spec COL 12Vertical Datu (A ncluding basement, or floor horizontal structural of slab) nachinery or equipm	when construction BFE), VE, V1-V3 iffied in Item A7. Im 7.251 NAVD8 crawlspace, or 6 I member (V Zon nent servicing the	n of the building 30, V (with BFE), Use the same of 88 enclosure floor)	is complete. AR, AR/A, AR/A latum as the BFE 8.93	der Construction AE, AR/A1-A30, AR/AI Check the measurer feet meters (Puer feet meters (Puer feet meters (Puer	Finished Construction H, AR/AO. Complete Items C2.a-h ment used. to Rico only)
A new Elevation Certifica C2. Elevations – Zones A1-A3 below according to the bu Benchmark Utilized BM C Conversion/Comments N/ a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ	te will be required w 30, AE, AH, A (with B ilding diagram spec COL 12Vertical Datu (A ncluding basement, or floor horizontal structural of slab) nachinery or equipm uipment and locatior	when construction BFE), VE, V1-V3 iffied in Item A7. Im 7.251 NAVD8 crawlspace, or 6 Il member (V Zon nent servicing the n in Comments)	n of the building 30, V (with BFE), Use the same of 88 enclosure floor) enes only)	8.93	der Construction AE, AR/A1-A30, AR/AI Check the measurer feet	Finished Construction H, AR/AO. Complete Items C2.a-h ment used. to Rico only)
A new Elevation Certifica C2. Elevations – Zones A1-A3 below according to the bu Benchmark Utilized BM C Conversion/Comments N/ a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ f) Lowest adjacent (finis	the will be required with the will be required with the silding diagram specicol 12 Vertical Datural necluding basement, for floor horizontal structural of slab) nachinery or equipment and locationshed) grade next to	when construction BFE), VE, V1-V3 iffied in Item A7. Im 7.251 NAVD8 crawlspace, or 6 I member (V Zon nent servicing the n in Comments) building (LAG)	n of the building 30, V (with BFE), Use the same of 88 enclosure floor) enes only)	8.93	der Construction AE, AR/A1-A30, AR/AI Check the measurer feet	Finished Construction H, AR/AO. Complete Items C2.a-h ment used. to Rico only)
A new Elevation Certifica C2. Elevations – Zones A1-A3 below according to the bu Benchmark Utilized BM C Conversion/Comments N/ a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ	the will be required with the will be required with the silding diagram specicol 12 Vertical Datural necluding basement, for floor horizontal structural of slab) machinery or equipment and location shed) grade next to ished) grade next to ished) grade next to	when construction BFE), VE, V1-V3 iffied in Item A7. Im 7.251 NAVD8 crawlspace, or 6 I member (V Zon nent servicing the n in Comments) building (LAG)	n of the building 30, V (with BFE), Use the same of 88 enclosure floor) ences only) e building	8.93	der Construction AE, AR/A1-A30, AR/AI Check the measurer feet	Finished Construction H, AR/AO. Complete Items C2.a-h ment used. to Rico only)
A new Elevation Certifica C2. Elevations – Zones A1-A3 below according to the bu Benchmark Utilized BM C Conversion/Comments N/ a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent (finis h) Lowest adjacent grad	the will be required with the will be required with the wilding diagram specicol 12 Vertical Datu (A) Including basement, or floor	when construction BFE), VE, V1-V3 iffed in Item A7. iffed in Item	n of the building 30, V (with BFE), Use the same of 88 enclosure floor) ines only) e building irs, including	is complete. AR, AR/A, AR/A latum as the BFE 8.93	der Construction AE, AR/A1-A30, AR/AI Check the measurer feet	Finished Construction H, AR/AO. Complete Items C2.a-h ment used. to Rico only)
*A new Elevation Certifica C2. Elevations – Zones A1-A3 below according to the bu Benchmark Utilized BM C Conversion/Comments N/ a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent (finis h) Lowest adjacent grad structural support	the will be required by a color of the reflection of slab). The reflection of slab) in achinery or equipment and location in the reflection of slab) in achinery or equipment and location in the reflection of slab) in achinery or equipment and location in the reflection of slab) in achinery or equipment and location in the reflection of slab in the reflection of the reflecti	when construction BFE), VE, V1-V3 iffed in Item A7. im 7.251 NAVD8 crawlspace, or exit member (V Zon ment servicing the in Comments) building (LAG) building (HAG) on of deck or stail O - SURVEYOR land surveyor, er	n of the building 30, V (with BFE), Use the same of 88 enclosure floor) enes only) e building irs, including R, ENGINEER, ngineer, or archi	8.93	check the measurer feet meters (Puer feet meter	Finished Construction H, AR/AO. Complete Items C2.a-h ment used. to Rico only)
A new Elevation Certifica C2. Elevations – Zones A1-A3 below according to the bu Benchmark Utilized BM C Conversion/Comments N/ a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent (finis h) Lowest adjacent grad structural support This certification is to be signe information. I certify that the if I understand that any false ste	the will be required by a liding diagram specific color to the region of slab) and the region of slab at lowest elevation of the region	when construction BFE), VE, V1-V3 iffed in Item A7. im 7.251 NAVD8 crawlspace, or exit member (V Zon ment servicing the in Comments) building (LAG) building (HAG) on of deck or stain O - SURVEYOR land surveyor, excertificate represents the control of the contr	n of the building 30, V (with BFE), Use the same of 88 enclosure floor) enes only) e building firs, including R, ENGINEER, regineer, or archisents my best effor imprisonment	8.93	der Construction AE, AR/A1-A30, AR/AI Check the measurer feet	Finished Construction H, AR/AO. Complete Items C2.a-h ment used. to Rico only)
A new Elevation Certifica C2. Elevations – Zones A1-A3 below according to the bu Benchmark Utilized BM C Conversion/Comments N/ a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ f) Lowest adjacent (finit g) Highest adjacent (finit h) Lowest adjacent grad structural support This certification is to be signe information. I certify that the if	the will be required by a liding diagram specific color to the region of slab) and the region of slab at lowest elevation of the region	when construction BFE), VE, V1-V3 iffied in Item A7. Im 7.251 NAVD8 I crawlspace, or each of the comments of t	n of the building 30, V (with BFE), Use the same of 88 enclosure floor) enes only) e building firs, including R, ENGINEER, regineer, or archisents my best effor imprisonment	8.93	cher Construction AE, AR/A1-A30, AR/AI Check the measurer feet	Finished Construction H, AR/AO. Complete Items C2.a-h ment used. to Rico only)
A new Elevation Certifica C2. Elevations – Zones A1-A3 below according to the bu Benchmark Utilized BM C Conversion/Comments N/ a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent (finis h) Lowest adjacent grad structural support This certification is to be signe information. I certify that the if I understand that any false ste	the will be required will be recorded by the reflection of slab and be recorded by the rec	when construction BFE), VE, V1-V3 iffied in Item A7. Im 7.251 NAVD8 I crawlspace, or each of the comments of t	n of the building 30, V (with BFE), Use the same of 88 enclosure floor) in es only) e building firs, including R, ENGINEER, naineer, or archisents my best effor imprisonment Were latitude an licensed land su	8.93	der Construction AE, AR/A1-A30, AR/AI Check the measurer feet	Finished Construction H, AR/AO. Complete Items C2.a-h ment used. to Rico only)
A new Elevation Certifica C2. Elevations – Zones A1-A3 below according to the bu Benchmark Utilized BM C Conversion/Comments N/ a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent (finis h) Lowest adjacent (finis h) Lowest adjacent grad structural support This certification is to be signe information. I certify that the if I understand that any false ste Check here if comments a	the will be required will be recorded and sealed by a linformation on this catement may be pur are provided on back.	when construction BFE), VE, V1-V3 iffied in Item A7. Im 7.251 NAVD8 I crawlspace, or each of the comments of t	n of the building 30, V (with BFE), Use the same of 88 enclosure floor) in the same of 88 enclosure floor imprisonment were latitude and sulficensed land sulficensed floor in the same of 88 enclosure floor imprisonment were latitude and licensed land sulficensed floor in the same of 88 enclosure floor in the same of 88 enclosure floor in the same of 88 enclosure floor floo	is complete. AR, AR/A, AR/A latum as the BFE section in terpret to under 18 U.S. Cold longitude in Serveyor?	der Construction AE, AR/A1-A30, AR/AI Check the measurer feet	Finished Construction H, AR/AO. Complete Items C2.a-h ment used. to Rico only)
A new Elevation Certifica C2. Elevations – Zones A1-A3 below according to the bu Benchmark Utilized BM C Conversion/Comments N/ a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent (finis h) Lowest adjacent grad structural support This certification is to be signe information. I certify that the i I understand that any false sta	the will be required will be recorded by a large of slab) anachinery or equipming machinery or equipming machinery or equipming shed) grade next to deat lowest elevation. SECTION Dead and sealed by a large ment may be pur are provided on back. ERNANDEZ	when construction BFE), VE, V1-V3 iffied in Item A7. im 7.251 NAVD8 crawlspace, or each ment servicing the properties of	n of the building 30, V (with BFE), Use the same of 88 enclosure floor) in es only) e building firs, including firs, including from the sents my best effor imprisonment were latitude an licensed land su L BUILDING EN	is complete. AR, AR/A, AR/A latum as the BFE section in terpret to under 18 U.S. Cold longitude in Serveyor?	der Construction AE, AR/A1-A30, AR/AI Check the measurer feet	Finished Construction H, AR/AO. Complete Items C2.a-h ment used. to Rico only) No. 5718

IMPORTANT: In these spaces	For	For Insurance Company Use:					
Building Street Address (including A 1287 APRICOT AVE	Po	licy Number					
City MARCO ISLANDState FL Z	Co	mpany NAIC Number					
SECTION	ON D - SURVEYOR, ENGINEER, OR AI	RCHITECT CERTIFICA	TION (CONTIN	UED)			
	ertificate for (1) community official, (2) insuran						
	ON IS NOT FOR CONSTRUCTION PURPOS DNS REFLECT HEREON ARE IN NAVD88 S'						
CROWN: 4.95 NAVD88		Date 06/17/11					
Signature	Check here if attachments						
SECTION E - BUILDING E	LEVATION INFORMATION (SURVEY N	OT REQUIRED) FOR Z	ONE AO AND	ZONE A (WITHOUT BFE)			
and C. For Items E1-E4, use nature E1. Provide elevation information grade (HAG) and the lowest and Top of bottom floor (including b) Top of bottom floor floor (including b) Top of bottom floor (including b) Top of bottom floor f	ing basement, crawlspace, or enclosure) is	at used. In Puerto Rico onlocks to show whether the expenses of the property o	y, enter meters. elevation is above meters above meters above pages 8-9 of Inst below the HAG AG. eters above or nce with the comr	or below the highest adjacent e or below the HAG. e or below the LAG. ructions), the next higher floor below the HAG. nunity's floodplain management			
SECTI	ON F - PROPERTY OWNER (OR OWNE	R'S REPRESENTATIV	E) CERTIFICA	TION			
or Zone AO must sign here. The st	norized representative who completes Sections attements in Sections A, B, and E are correct to	•		sued or community-issued BFE)			
Property Owner's or Owner's Autho	nzed Representative's Name						
Address	Cit	y	State	ZIP Code			
Signature	Da	te	Telephone				
Comments							
				☐ Check here if attachments			
	SECTION G - COMMUNITY IN	•					
The local official who is authorized by and G of this Elevation Certificate. C	/ law or ordinance to administer the communit complete the applicable item(s) and sign below	y's floodplain management . Check the measurement	ordinance can co used in Items G8	mplete Sections A, B, C (or E), and G9.			
	C was taken from other documentation that hat ify elevation information. (Indicate the source						
	eted Section E for a building located in Zone A			ed BFE) or Zone AO.			
	Items G4-G9) is provided for community flood						
G4. Permit Number	G5. Date Permit Issued	G6. Date Certific	ate Of Compliance	e/Occupancy Issued			
G7. This permit has been issued for	: New Construction Substan	tial Improvement					
	r (including basement) of the building:	feet meters					
G9. BFE or (in Zone AO) depth of flooding at the building site:							
G10. Community's design flood eleva	ation	feet meters	(PR) Datum				
Local Official's Name		Title	10 P. (1 V 10 10 T 10 V V V V V V V V V V V V V V V V V V				
Community Name		Telephone					
Signature		Date					
Comments							
			· · · · · · · · · · · · · · · · · · ·				
				☐ Check here if attachments			

BO. 6-20-11

Building Photographs See Instructions for Item A6.


For Insurance Company Use: Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1287 APRICOT AVE Policy Number City MARCO ISLAND State FL ZIP Code 34145 Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page on the reverse.









Building Photographs Continuation Page

		For Insurance Company Use:
Building S	Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.	Policy Number
City	State FL ZIP Code	Company NAIC Number
	ting more photographs than will fit on the preceding page, affix the additional phophs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View"	