## ELEVATION CERTIFICATE FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

	SECTION A PR				с Г
BUILDING OWNER'S NAME		FOR INSURANCE COMPANY USE POLICY NUMBER COMPANY NAIC NUMBER			
CENTEX HOM					
STREET ADDRESS (Including Ap <u>300</u> AUB URN					
OTICO DECENSION		RCO BE	ACH UNIT EIL	HT. P.B	.6, PAGES 63- ZIP CODE
MARCO ISLA	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			1	··· 3414E
<b></b>			ANCE RATE MAP (FIRM)	INFORMATION	
Provide the following from the	ne proper FIRM (See	Instructions):			
· 1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION
120426	0812	E	JULY 20, 98	AE	(in AO Zones, use depth)
7. Indicate the elevation date 8. For Zones A or V, where the community's BFE:	no Bre is provided of	n the FIRM, an	id the community has esta	blished a BFF fo	Other (describe on back) or this building site, indicate
	SECTIO	NC BUILDI	NG ELEVATION INFORM	ATION	
<ul> <li>(c). FIRM Zone A (without I below (check one)</li> <li>(d). FIRM Zone AO. The floone) the highest grade</li> </ul>	/E, and V (with BFE). s at an elevation of L BFE). The floor used the highest grade adj oor used as the refere adjacent to the building	The bottom o	f the lowest horizontal str feet NGVD (or other FIR) ce level from the selected uilding.	A datum-see Se diagram is feet ab	ction B, Item 7).
Indicate the elevation datu under Comments on Page the FIRM [see Section B equation under Comment.	Im system used in de 2). (NOTE: If the e , Item 7], then conver s on Page 2.)	termining the a levation datum t the elevation	above reference level elevel used in measuring the elevel is to the datum system use	ations: 🔀 NGVI evations is difference and on the FIRM a	D 29 Other (describe
Elevation reference mark					EM18 1 221
. The reference level elevat (NOTE: Use of constructi case this certificate will onl will be required once const	on drawings is only v ly be valid for the buil truction is complete.)	alid if the build ding during the	ing does not yet have the course of construction. A	reference level fil post-construction	oor in place, in which on Elevation Certificate
The elevation of the lowes Section B, Item 7).	t grade immediately a	adjacent to the	building is: L17'.	이.feet NGVD (c	r other FIRM datum-see
	- SE(	CTION D COI		-	
. If the community official re is not the "lowest floor" as floor" as defined by the or	sponsible for verifying defined in the comm	y building eleva unity's floodplai	ations specifies that the re in management ordinance	ference level ind	cated in Section C, Item 1 the building's "lowest

1001	as defined b	y the ord	inance	is: LL	_] jeet NG	VD (or othe	r FIRM d	atum_coo	Saction D	tin	<b>*</b> 1
2 0	and all and a				 		32.000			item /	1


2. Date of the start of construction or substantial improvement 4-2-99-

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the control of the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME LICENSE NUMBER (or Affix Seal) JOHN P. MALONEY 15 4493 TITLE COMPANY NAME PROFESSIONAL SURVEYOR MAPPER, WILSON, MILLER, BARTON & PEEK ADDRESS <u>SARTON, PEEK, INC</u> STATE ZIP <u>FL 34105</u> 941-649-4040 3200 LN. SUITE ZOO, NAPLES, SIGNATHRE 4-20-99 PHONE Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner. REF N-2235, PG.80, 2N-92 COMMENTS: FR



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones. Elevations for all A Zones should be measured at the top of the reference level floor. Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

7

Page 2

. -