9/1100 26

ELEVATION CERTIFICATE

O.M.B. No. 3067-0077 Expires July 31, 1999

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.


	SECTION A PR	OPERTY INFO	RMATION		FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME					POLICY NUMBER
	CAROLE N				
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER 12 A ZTEC COURT					COMPANY NAIC NUMBER
	Block Numbers, etc.)	5 MAI	RCO BEACH	UNIT SE	UEN
MARCO	ISLAND	FLOR		STATE	ZIP CODE 34145
	SECTION B FI	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	
Provide the following from the	he proper FIRM (See	Instructions):			
1. COMMUNITY HUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION
120067	0812	E	AUG. 3,1992	AE	(in AO Zones, use depth)
 Indicate the elevation dat For Zones A or V, where the community's BFE: 	no BFE is provided o	n the FIRM, an	nd the community has esta	ablished a BFE f	Other (describe on back) or this building site, indicate
	· SECTIO	ONC BUILDI	NG ELEVATION INFORM	ATION	23456786
of	et NGVD (or other FIF VE, and V (with BFE) is at an elevation of L BFE). The floor used the highest grade action used as the refer adjacent to the build rdance with the commum system used in de 2). (NOTE: If the est on Page 2.) used appears on FIF	M datum—see The bottom of the bottom of the level from the bottom of th	Section B, Item 7). of the lowest horizontal stricted NGVD (or other FIRmoe level from the selecter uilding. In the selected diagram is a depth number is available ain management ordinance above reference level elements to the datum system used in measuring the ensity of the datum system used in the selected in t	d diagram is feet a e, is the building vations: NGV vations: NGV vations is differed on the FIRM	bove or below (check 's lowest floor (reference No Unknown VD '29 Other (describe
5. The reference level eleval (NOTE: Use of construct case this certificate will or will be required once cons	tion drawings is only to ally be valid for the buil struction is complete.)	valid if the build ilding during th	ding does not yet have the ecourse of construction.	reference level A post-construc	tion Elevation Certificate
The elevation of the lowe Section B, Item 7).	st grade immediately	adjacent to the	e building is: $\lfloor 11 : 8$,	feet NGVD	(or other FIRM datum-see
	SE	CTION D CC	MMUNITY INFORMATION	N	
 If the community official reis not the "lowest floor" as floor" as defined by the or Date of the start of constr 	s defined in the commodinance is:	nunity's floodpl:	ain management ordinand IGVD (or other FIRM datu	e, the elevation	of the building's "lowest

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE),V1-V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

,
,
ZIP_
×140
385
vner.



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.