993060

ELEVATION CERTIFICATE

O.M.B. NO. 3067-0077 Expires May 31, 1996

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

		inpicting time		ne ronowing pag	es.	
	SECTION A PR	OPERTY INFO	DRMATION		FOR INSURANCE COMPANY USE	
BUILDING OWNER'S NAME	,_				POLICY NUMBER	
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER 1515 BAHAMA COURT AVE OTHER DESCRIPTION (Lot and Block Numbers, etc.)					COMPANY NAIC NUMBER	
LOT 11, BLX 88		BEACH (UNIT FIVE A	P.B. 6, P.	76ES 39-46	
MARCO ISLA				STATE F	ZIP CODE	
•	SECTION B FI	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION		
Provide the following from t	he proper FIRM (See	Instructions):				
1, COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION	
120426	0812	E	VULY 20, 98	AE	(in AO Zones, use depth)	
8. For Zones A or V, where	no BFE is provided o	n the FIRM, an	ase Flood Elevations (BFE ad the community has esta FIRM datum-see Section	ablished a BFE for	Other (describe on back) this building site, indicate	
	SECTION	NC BUILDI	NG ELEVATION INFORM	NOITAI		
 (b). FIRM Zones V1-V30, V the selected diagram, I the selected diagram, I (c). FIRM Zone A (without below ☐ (check one) (d). FIRM Zone AO. The fone) the highest grade level) elevated in accordance in the elevation dat under Comments on Pagathe FIRM [see Section Enguation under Comments 	VE, and V (with BFE). s at an elevation of L BFE). The floor used the highest grade addoor used as the refer adjacent to the building dance with the commum system used in dee 2). (NOTE: If the estimate of Page 2.)	The bottom of the bottom of the level from the bottom of the bottom of the bottom of the bottom of the elevation datumnt the elevation	feet NGVD (or other FIRITION of the selected uilding. In the selected diagram is depth number is available aln management ordinance above reference level elevel used in measuring the elevel to the datum system us	uctural member of M datum—see Sec I diagram Is feet above, is the building's ee? Yes NGVD vations: MGVD levations is different ed on the FIRM a	the reference level from tion B, Item 7). Lefeet above or or or below (check lowest floor (reference to Unknown of 29 of their (describe of their flat used on	
. Elevation reference mark				• ,	201019	
i. The reference level eleval (NOTE: Use of construct case this certificate will on will be required once cons	ion dra <mark>wings i</mark> s only v ily be valid for the bui	alid If the build	ing does not yet have the	reference level flo	por in place, in which n Elevation Certificate	
5. The elevation of the lower Section B, Item 7).	st grade Immediately	adjacent to the	building is: 17.		r other FIRM datum-see	
	- SE	стюн в со	MMUNITY INFORMATIO	N		
If the community official reals not the "lowest floor" as floor" as defined by the or Date of the start of constr	defined in the comm dinance is: LLLL	unity's floodpla ∐.∐ Teet N	iln management ordinanca GVD (or other FIRM datur	e, the elevation of	the building's "lowest	


This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENCE		
JOHN P. MALONEY	LICENSE NUMBER (or Affix	Seal)	
TITLE	L5 4493		
PROFFSSIDMON COM	COMPANY NAME		
PROFESSIONAL SURVEYOR MA	APPER WILCON MY	1150 000	
2700 0	CITY	LER, BARTON ! PE	EK IN
3200 BAILEY LN. SUITE 200,	MADITE	STATE	710
SIGNATURE P MO PO!	MALCO	FL 3.	1100
The P. 1/10(0)11	DATE	PHONE	1703
Conles should be	10.22-99		101
Coples should be made of this Certificate for: 1) comm	nunity official 2) insurance		4040
		ompany, and 3) building owner.	
COMMENTS: REF 2N. 109 FB		2	
5 milet 13: 167 210 1109 FB	N. 2467 POGE 59		
	THE ST		

		,	



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.