ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077
 Expires July 31, 1999

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION	pages.								
SECTION A PROPERTY INFORMATION BUILDING OWNER'S NAME	FOR INSURANCE COMPANY USE								
Haucock	POLICY NUMBER								
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER									
- JO DALFOLDR DE	COMPANY NAIC NUMBER								
OTHER DESCRIPTION (Lot and Block Numbers, etc.)									
CITY BLK. 786 MARCO BCH. CXIT 25									
MARCO IS, FL STATE	ZIP CODE								
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION									
Provide the following from the proper FIRM (See Instructions):									
1. COMMUNITY NUMBER 2. PANEL NUMBER									
5. FIRM ZONE	BASE FLOOD ELEVATION (in AO Zones, use depth)								
120 126 0812 E 8.3.92 AE	1_								
/. Indicate the elevation datum system used on the FIRM (*** B	10.0								
	Other (describe on back)								
the community's BFE:	are all and any site, indicate								
SECTION C BUILDING ELEVATION INFORMATION									
Using the Elevation Certificate Instructions, indicate the diagrams.									
Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on P describes the subject building's reference level [20] FIRM 7.	ages 5 and 6 that best								
2(a). FIRM Zones A1-A30, AE, AH, and A (with BEF). The top of the reference level (i.e., i.e., i									
of left NGVD (or other FIRM datum—see Section B, Item 7).	ed diagram is at an elevation								
(b). In the Zories VI-V30, VE, and V (with BFF). The bottom of the lowest back									
the selected diagram, is at an elevation of									
the highest grade adjacent to the building.									
(d). FIRM Zone AO. The floor used as the reference level from the sale of the									
(d). FIRM Zone AO. The floor used as the reference level from the selected diagram is feet above or below (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's flood later as a second									
and definition of the state of									
under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different the FIRM [see Section B, Item 7], then convert the elevations to the datum used in measuring the elevations is different to the datum used.	0 '29 U Other (describe								
the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM a equation under Comments on Page 2.)	nd show the conversion								
4. Elevation reference mark used appears on EIDM.									
4. Elevation reference mark used appears on FIRM: Yes No (See Instructions on Page 4) 5. The reference level elevation is beautically as the second of the	Km3/2/03								
5. The reference level elevation is based on: actual construction construction construction construction drawings	h. Mer								
	oor in place, in which								
will be required once construction is complete.)	n Elevation Certificate								
6. The elevation of the lowest grade immediately adjacent to the building is: 7.3 feet NGVD (or Section B, Item 7).									
Section B, Item 7).	other FIRM datum-see								
SECTION D COMMUNITY INFORMATION									
If the community official responsible for verifying building elevations specifies that the reference level indic is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of	ated in Section C. Heart								
floorit on matter the elevation of the state of the elevation of the eleva	he hullding's "lowest								
floor" as defined by the ordinance is: feet NGVD (or other FIRM datum-see Section B, I	tem 7)								
Date of the start of construction or substantial improvement	·-··· <i>,</i>								


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	1E _	\sim	JL	LICENSE	NUMBER (or Affix S	eal)		
Dous	AS R.	CATOL	1 #548	O CB	5932			
TITLE			COM	PANY NAME	* * * * * * * * * * * * * * * * * * * *			
PSM f	v. P.		20BULE H	-E & E	Arou I	<u> </u>		
ADDRESS	15 72	E 11	CITY A			3412	STATE	ZIP
SIGNATURE	I M	C	Ψ	-MP(C)	· · · · · · · · · · · · · · · · · · ·		<u> </u>	
SIGNATURE				•	DATE 6.16 5	PHONE	941-35	7.0085
Copies should	be made of th	is Certificate f	or: 1) community	y official, 2) insi	urance agent/co	mpany, and	3) building	owner.
COMMENTS:	BEUCH	MAZIC	PASE	Col	12			
					te errere i er erman a man melde men gen gertrere en er en			
			onesse e de la mala desta amengana per persona proper proper puedes agua na casanana ana a		h man ann ann an ann an ann ann ann ann a			



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.