8-13005

ELEVATION CERTIFICATE

Expires July 31, 1999

FEDERAL EMERGENCY MANAGEMENT AGENCY

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. The form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinance, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Registion (LOWA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper sent corner of this form.

Instructions for	completing this	form can	be found	on the	following	pages.
------------------	-----------------	----------	----------	--------	-----------	--------

SECTION A PROPERTY INFORMATION	FOR SURANCE COMPANY USE		
BUILDING OWNER'S NAME	POLICY NUMBER		
Terese DeLuca			
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER	COMPANY NAIC NUMBER		
<u>491 Barcelona Ct.</u>			
OTHER DESCRIPTION (Lot and Block Numbers, etc.)			
Lot 2, Block 298, Marco Beach Unit 8			

0.77							
CITY		STATE	ZIP CODE				
Marco	Island	FL	34145				

SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM (See Instructions):

1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
120067	0812	E	2/16/95	AE	+10.0'

Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back)
For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: https://www.usersection.com

SECTION C BUILDING ELEVATION INFORMATION

- 1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level <u>1</u>.
- 2(a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of 10,00 feet NGVD (or other FIRM datum-see Section B, Item 7).
- (b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of Line 1. I feet NGVD (or other FIRM datum-see Section B, Item 7).
- (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is LLL. feet above or below (check one) the highest grade adjacent to the building.
- (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is _______ feet above ______ or below ______ (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance? ______ Yes _____ No _____ Unknown
- 3. Indicate the elevation datum system used in determining the above reference level elevations: INGVD '29 C Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)

4. Elevation reference mark used appears on FIRM: $_$ Yes Ξ No (See Instructions on Page 4)

- 5. The reference level elevation is based on: 🗵 actual construction 🗔 construction drawings \bigcirc (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
- 6. The elevation of the lowest grade immediately adjacent to the building is: 7,0 feet NGVD (or other FIRM datum-see Section B, Item 7).

SECTION D COMMUNITY INFORMATION

- 1. If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is: _______ feet NGVD (or other FIRM datum-see Section B, Item 7).
- 2. Date of the start of construction or substantial improvement

SECTION E CERTIFICATION

This certification is to be beland surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials when a authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 637 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

43 a 🕸

Ċ.

15

CERTIFIER'S NAME					
Antonio Trigo		2982	cH (or Affix Seal)		
TITLE		45			
Professional Surveyor	& Mapper A.	. Trigo &	Associates,	Inc.	
ADDRESS	CITY				
2223 Trade/Center Way	Naples			FL 3	14109
		May 11,	рноме 1998 (941) 594-8448	
Copies should be made of this Certificate t	or: 1) community officia	l, 2) insurance	agent/company, and	d 3) building owr	ier.
COMMENTS:		•			
		· · · · · · · · · · · · · · · · · · ·			



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.