916-7148

O.M.B. NO. 3067-0077 Expires May 31, 1996

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

	instructions for co	mpleting this	form can be found on t	he following pag	ges.
		FOR INSURANCE COMPANY USE			
BUILDING OWNER'S NAME		POUS BOLET DO 20			
STREET ADDRESS (Including Ap		Number) OR P.O. F	ROUTE AND BOX NUMBER	\name{\gamma}	COMPANY NAIC NUMBER
55 North Bar	Field Drive				1000
OTHER DESCRIPTION (Lot and			_	920	الله الله
Lot 18, B	Lock 68 Mar	co Beach	Unit 2	(6)	orprivity w
Marco Isla	ınd			STATE	KEULI APCODE
	SECTION B FI	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	\$1. 68
Provide the following from the	ne proper FIRM (See	Instructions):			रहा हा ।।।।।
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
120067	0812	Е	8/3/92	AE	+10.00'
7. Indicate the elevation dat 8. For Zones A or V, where the community's BFE:	no BFE is provided o	n the FIRM, an	d the community has esta	ablished a BFE fo	Other (describe on back) or this building site, indicate
	SECTIO	ON C BUILDIN	NG ELEVATION INFORM	IATION	
(c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The flone) the highest grade level) elevated in accord. Indicate the elevation datuunder Comments on Page the FIRM [see Section B	/E, and V (with BFE). Is at an elevation of Less at an elevation used at the highest grade adjacent to the building dance with the community system used in dee 2). (NOTE: If the early then 7], then convented	The bottom o	f the lowest horizontal str feet NGVD (or other FIRice level from the selected pilding. In the selected diagram is depth number is available atin management ordinance above reference level elevated in measuring the elevated.	M datum-see Sed diagram is Life feet above, is the building's re? Yes I vations: X NGV	ction B, Item 7). defect above or love or below (check is lowest floor (reference) No Unknown D'29 Other (describe) Bent than that used on
equation under Comment Elevation reference mark		M: Vec X	No (See Instructions on	Page 4)	
5. The reference level elevat (NOTE: Use of constructi case this certificate will only will be required once const	ion is based on: 🛽 on drawings is only vi by be valid for the buill ruction is complete.)	actual constructualid if the buildiding during the	ction construction draing does not yet have the course of construction.	awings reference level fl A post-construction	on Elevation Certificate
5. The elevation of the lowes Section B, Item 7).	t grade immediately a	adjacent to the	building is:	U feet NGVD (d	or other FIRM datum-see
	SE	CTION D CO	MMUNITY INFORMATIO	N	
. If the community official re Is not the "lowest floor" as floor" as defined by the ord Date of the start of constru	defined in the commu finance is:	unity's floodplal	n management ordinance GVD (or other FIRM datur	, the elevation of	f the bullding's "lowest


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6. 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, to alto of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that the false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S N				LICENSE NUMB	ER (or Affix So	<u></u>		
125 ±	onio Trago				LIT (OF AIIIX 36.	aij		
IITLE V	OHIO I FARGO C.7			2982				
The T			COMPA	NY NAME				
Prð	Fessional Land	Surveyor		A. Trigo	& Asso	ciates, 1	Inc.	
ADDRESS			CITY				ATE	ZIP
222	3 Trade Center	Way		Naples		$_{ m FL}$	34109	
SIGNATURE	ff.			July 24, 1	996	PHONE (941)594-		
Copies shou	le be made of this Certi	ficate for: 1) com	munity o	official, 2) insurance	e agent/con	npany, and 3) b	uilding own	er.
	//	ficate for: 1) com	munity c	official, 2) insurance	e agent/con	npany, and 3) b	uilding own	∍r.
COMMENTS	//	ficate for: 1) com	munity c	official, 2) insurance	e agent/con	npany, and 3) b	uilding own	er.
	//	ficate for: 1) com	munity c	official, 2) insurance	e agent/con	npany, and 3) b	uilding owne	er.



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.