99-3583

## **ELEVATION CERTIFICATE**

O.M.B. No. 3067-0077 Expires July 31, 1999

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not quired to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

***************************************			form can be found on	the following	g pag	es			
SECTION A PROPERTY INFORMATION						FOR INSURANCE COMPANY USE			
BUILDING OWNER'S NAME						POLICY NUMBER			
Dan Dufault, Enterprise Construction									
STREET ADDRESS (Including	g Apt., Unit, Suite and/or l	Bldg. Number) O	R P.O. ROUTE AND BOX	NUMBER	co	COMPANY NAIC NUMBER			
1124 Breakwater Co	ourt								
OTHER DESCRIPTION (Lot a	and Block Numbers, etc.)								
"Marco Beach Unit 7	7", Block 199, Lot	29							
CITY			STATI		····	ZIPCODE			
City of Marco Island FL 3		34145							
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	D INSURAN	CE RATE MAP (FIRM	) INFORMA	OIT				
Provide the following from	<del></del>								
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDE	C 5. FIRM Z	ONE	ONE 6. BASE FLOOD ELEVATION			
120426	0812	E	July 20, 1998	AE		(In AO Zones, use depth)			
7. Indicate the elevation da	tum system used on th	e FIRM for Ba	se Flood Elevations (BF	E): NGVD	'29 [	Other (describe on back)			
8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:									
the community's Dr.E.			B ELEVATION INFOR		tem /	Vivi Classon			
1 Using the Elevation Cost				***************************************		mm 2110100			
1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level1									
	<del>-</del> -								
					ected	diagram is at an elevation			
			um - see Section B, Iter	•					
(b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from									
the selected diagram, is at an elevation of Land Land Land Land Land Land Land Land									
(c). FIRM Zone A (without				diagram is	<u> </u>	_].[] feet above ☐ or			
	the highest grade adja		-						
(d) FIRM Zone AO. The floor used as the reference level from the selected diagram is feet above _ or below _ (check									
			depth number is availal						
			ain management ordina						
3. Indicate the elevation datum system used in determining the above reference level elevations:   NGVD '29  Other (describe									
under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on									
the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion									
equation under Commen	- ·								
4. Elevation reference mark used appears on FIRM: ☐ Yes ☒ No (See Instructions on Page 4)									
5. The reference level elevation is based on: 🛛 actual construction 🔲 construction drawings									
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which									
case this certificate will or	nly be valid for the build	ling during the	course of construction.	A post-const	ructio	n Elevation Certificate			
will be required once con-	• •								
6. The elevation of the lowe	st grade immediately a	djacent to the	building is: LLL	16_].[8_] fe	et NG	VD (or other FIRM datum-see			
Section B, Item 7).									
			MUNITY INFORMAT						
1. If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1									
is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest									
floor" as defined by the ordinance is:       feet NGVD (or other FIRM datum – see Section B, Item 7).  2. Date of the start of construction or substantial improvement \$\gamma - 3/-99\$									


## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 – Distinguishing Features – If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The Diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LIC	CENSE NUMBER (or Affix Se	al)				
T. Alan Neal	P.S.M. #4656						
TITLE	COMPANY NAME						
Vice President	American Engineering Consultants, Inc.						
ADDRESS	CITY		STATE	ZIP			
790 Harbour Drive	Naples		Florida	34103			
SIGNATURE		DATE	PHONE	01100			
- Frankine		11/23/99	941-649-1551				
Copies should be made of this Certificate for: 1) co	mmunity official, 2) in	surance agent/company, a	and 3) building owner.				
COMMENTS:							
Н							
				''			



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the towest horizontal structural member.