

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077 Expires December 31, 2005

## **ELEVATION CERTIFICATE**

SECTION A - PRO	e instructions	DAKATION		THE RESIDENCE OF THE PROPERTY OF THE PARTY O					
BUILDING OWNER'S NAME	PERIT INFOR	RIVIATION		For Insurance Company Use:					
John Buete				Policy Number					
BUILDING STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg.	Number\ OP D C	DOUTE AND E	OV NO	Common NAIC Number					
875 Caxambas Drive	Number) OK F.C	. ROUTE AND E	SOX NO.	Company NAIC Number					
CITY		STATE		ZIP CODE					
City of Marco Island		FL		34145					
PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Numb	er Legal Descrip	otion etc.)		34143					
Marco Beach Unit 13 Block 403 Lot 28 Plat Book									
BUILDING USE (e.g. Residential, Non-residential, Addition, Accessory,			cessary.)						
Residential									
LATITUDE/LONGITUDE (OPTIONAL) HORIZONTAL DATUM	SOURC	E: GPS (Ty	pe):						
(##° – ##' - ##.##" or ##.##°)		USGS Q		Other:					
SECTION B - FLOOD INSURAN	CE DATE MAD		•						
		(FIRIVI) INFOR	RIVIATION	Tee erase					
	UNTY NAME	- III		B3. STATE					
City of Marco Island 120426		ollier		FL					
! ! !	M PANEL	B8. FLOOD		ASE FLOOD ELEVATION(S)					
	E/REVISED	ZONE(S)	(In AO	Zones, use depth of flooding)					
	3, 1992	X		N/A					
B10. Indicate the source of the Base Flood Elevation (BFE) data of									
☐ FIS Profile ☐ FIRM ☐ Community Dete		☐ Other (De		~~~~					
B11. Indicate the elevation datum used for the BFE in B9: NG									
B12. Is the building located in a Coastal Barrier Resources System	n (CBRS) area	or Otherwise F	rotected A	rea (OPA)? ☐ Yes ☒ No					
Designation Date:									
SECTION C - BUILDING									
C1. Building elevations are based on:   Construction Drawing			truction*						
*A new Elevation Certificate will be required when construction									
C2. Building Diagram Number 1 (Select the building diagram most				tificate is being completed – see					
pages 6 and 7. If no diagram accurately represents the build									
				C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO					
Complete Items C3a-I below according to the building diagram specified in Item C2. State the datum used. If the datum is different from									
the datum used for the BFE in Section B, convert the datum to	that used for t	he BFE. Show	field measi	urements and datum conversion					
the datum used for the BFE in Section B, convert the datum to calculation. Use the space provided or the Comments area of S	that used for t	he BFE. Show	field measi	urements and datum conversion					
the datum used for the BFE in Section B, convert the datum to calculation. Use the space provided or the Comments area of S Datum NGVD 1929 Conversion/Comments	that used for t Section D or Sec	he BFE. Show ction G, as appr	field measi opriate to d	urements and datum conversion locument the datum conversion.					
the datum used for the BFE in Section B, convert the datum to calculation. Use the space provided or the Comments area of S Datum NGVD 1929 Conversion/Comments	that used for t Section D or Sec	he BFE. Show ction G, as appr	field measi opriate to d used appe	urements and datum conversion					
the datum used for the BFE in Section B, convert the datum to calculation. Use the space provided or the Comments area of S Datum NGVD 1929 Conversion/Comments	that used for t Section D or Sec	he BFE. Show ction G, as appr reference mark	field measi opriate to d used appe	urements and datum conversion locument the datum conversion.					
the datum used for the BFE in Section B, convert the datum to calculation. Use the space provided or the Comments area of SDatum NGVD 1929 Conversion/Comments  Elevation reference mark used 34.16' Doe   a) Top of bottom floor (including basement or enclosure)	o that used for t Section D or Sec s the elevation 34	he BFE. Show ction G, as appr reference mark	field measure opriate to decrease to decrease to decrease the decrease to decrease the decrease to decrease the decrease t	urements and datum conversion locument the datum conversion.					
the datum used for the BFE in Section B, convert the datum to calculation. Use the space provided or the Comments area of S Datum NGVD 1929 Conversion/Comments Elevation reference mark used 34.16' Doe   a) Top of bottom floor (including basement or enclosure)  b) Top of next higher floor	o that used for the Section D or Section D or Section D or Section state of the Section 144	the BFE. Show ction G, as appropriate the control of the control o	gused appe	urements and datum conversion locument the datum conversion.					
the datum used for the BFE in Section B, convert the datum to calculation. Use the space provided or the Comments area of S Datum NGVD 1929 Conversion/Comments  Elevation reference mark used 34.16' Doe  a) Top of bottom floor (including basement or enclosure)  b) Top of next higher floor  c) Bottom of lowest horizontal structural member (V zones only)	o that used for the Section D or Section D or Section D or Section 34	he BFE. Show ction G, as appropriate mark control of the control o	gused appe	urements and datum conversion locument the datum conversion.					
the datum used for the BFE in Section B, convert the datum to calculation. Use the space provided or the Comments area of S Datum NGVD 1929 Conversion/Comments  Elevation reference mark used 34.16' Doe  a) Top of bottom floor (including basement or enclosure)  b) Top of next higher floor  c) Bottom of lowest horizontal structural member (V zones only)  d) Attached garage (top of slab)	o that used for the Section D or Section D or Section D or Section state of the Section 144	the BFE. Show ction G, as appropriate the ction G as appropriate the ction G, as a cti	gused appe	urements and datum conversion locument the datum conversion.					
the datum used for the BFE in Section B, convert the datum to calculation. Use the space provided or the Comments area of S Datum NGVD 1929 Conversion/Comments  Elevation reference mark used 34.16'. Doe  a) Top of bottom floor (including basement or enclosure)  b) Top of next higher floor  c) Bottom of lowest horizontal structural member (V zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery and/or equipment	o that used for the Section D or Section D or Section D or Section 34	he BFE. Show ction G, as appropriate mark control of the control o	Empossed Sedi Sedi Sedi Sedi Sedi Sedi Sedi Se	urements and datum conversion locument the datum conversion.					
the datum used for the BFE in Section B, convert the datum to calculation. Use the space provided or the Comments area of S Datum NGVD 1929 Conversion/Comments  Elevation reference mark used 34.16' Doe  a) Top of bottom floor (including basement or enclosure)  b) Top of next higher floor  c) Bottom of lowest horizontal structural member (V zones only)  d) Attached garage (top of slab)	o that used for the Section D or Section D or Section D or Section 34	the BFE. Show ction G, as appropriate the control of the control o	Empossed Sedi Sedi Sedi Sedi Sedi Sedi Sedi Se	urements and datum conversion locument the datum conversion.					
the datum used for the BFE in Section B, convert the datum to calculation. Use the space provided or the Comments area of S Datum NGVD 1929 Conversion/Comments  Elevation reference mark used 34.16' Doe	o that used for the Section D or Section D or Section D or Section Section 34 44 24 24	the BFE. Show ction G, as appropriate of the control of the contro	Empossed Sedi Sedi Sedi Sedi Sedi Sedi Sedi Se	urements and datum conversion locument the datum conversion.					
the datum used for the BFE in Section B, convert the datum to calculation. Use the space provided or the Comments area of S Datum NGVD 1929 Conversion/Comments  Elevation reference mark used 34.16'. Doe  a) Top of bottom floor (including basement or enclosure)  b) Top of next higher floor  c) Bottom of lowest horizontal structural member (V zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery and/or equipment servicing the building  f) Lowest adjacent grade (LAG)	that used for to section D or Section D or Section D or Section B section 34 44 44 44 44 44 44 44 44 44 44 44 44	he BFE. Show ction G, as appropriate of the control	Empossed Sedi Sedi Sedi Sedi Sedi Sedi Sedi Se	urements and datum conversion locument the datum conversion.					
the datum used for the BFE in Section B, convert the datum to calculation. Use the space provided or the Comments area of S Datum NGVD 1929 Conversion/Comments  Elevation reference mark used 34.16' Doe  a) Top of bottom floor (including basement or enclosure)  b) Top of next higher floor  c) Bottom of lowest horizontal structural member (V zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery and/or equipment servicing the building  f) Lowest adjacent grade (LAG)  g) Highest adjacent grade (HAG)	that used for the Section D or Section D or Section D or Section D or Section Section Section Section Section Section Section D or Section Section D or Sec	he BFE. Show ction G, as appropriate to the ction G as appropriate to the ction G. as a cti	Empossed Sedi Sedi Sedi Sedi Sedi Sedi Sedi Se	urements and datum conversion locument the datum conversion.  ear on the FIRM? ☐ Yes ☒ No					
the datum used for the BFE in Section B, convert the datum to calculation. Use the space provided or the Comments area of S Datum NGVD 1929 Conversion/Comments  Elevation reference mark used 34.16'. Doe  a) Top of bottom floor (including basement or enclosure)  b) Top of next higher floor  c) Bottom of lowest horizontal structural member (V zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery and/or equipment servicing the building  f) Lowest adjacent grade (LAG)	that used for the Section D or Section D or Section D or Section D or Section Section Section Section Section Section Section D or Section Section D or Sec	he BFE. Show ction G, as appropriate of the control	Number, Embossed Seal, S	urements and datum conversion locument the datum conversion.  ear on the FIRM?   Yes   No  MARTIN D. PINCKNEY					
the datum used for the BFE in Section B, convert the datum to calculation. Use the space provided or the Comments area of S Datum NGVD 1929 Conversion/Comments  Elevation reference mark used 34.16' Doe  a) Top of bottom floor (including basement or enclosure)  b) Top of next higher floor  c) Bottom of lowest horizontal structural member (V zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery and/or equipment servicing the building  f) Lowest adjacent grade (LAG)  g) Highest adjacent grade (HAG)	that used for the section D or	he BFE. Show ction G, as appropriate to the ction G as appropriate to the ction G. as a cti	Empossed Sedi Sedi Sedi Sedi Sedi Sedi Sedi Se	urements and datum conversion locument the datum conversion.  ear on the FIRM? ☐ Yes ☒ No					
the datum used for the BFE in Section B, convert the datum to calculation. Use the space provided or the Comments area of S Datum NGVD 1929 Conversion/Comments  Elevation reference mark used 34.16' Doe  a) Top of bottom floor (including basement or enclosure)  b) Top of next higher floor  c) Bottom of lowest horizontal structural member (V zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery and/or equipment servicing the building  f) Lowest adjacent grade (LAG)  g) Highest adjacent grade (HAG)  h) No. of permanent openings (flood vents) within 1 ft. above adjacent i) Total area of all permanent openings (flood vents) in C3h  SECTION D – SURVEYOR, ENGIN	that used for the section D or Section D or Section D or Section D or Section Section Section Section Section Section D or Section Section D or Sect	the BFE. Show ction G, as appropriate of the control of the contro	field meast opriate to de cuse Number, Empossed appears Signature, and Date Signature of the Sig	MARTIN D. PINCKNEY P.E. # 38350					
the datum used for the BFE in Section B, convert the datum to calculation. Use the space provided or the Comments area of S Datum NGVD 1929 Conversion/Comments  Elevation reference mark used 34.16'. Doe  a) Top of bottom floor (including basement or enclosure)  b) Top of next higher floor  c) Bottom of lowest horizontal structural member (V zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery and/or equipment servicing the building  f) Lowest adjacent grade (LAG)  g) Highest adjacent grade (HAG)  h) No. of permanent openings (flood vents) within 1 ft. above adj  i) Total area of all permanent openings (flood vents) in C3h  SECTION D - SURVEYOR, ENGIN  This certification is to be signed and sealed by a land surveyor, e	that used for the section D or Section D or Section D or Section D or Section B or	the BFE. Show ction G, as appropriate of the mark of t	field meast opriate to de cuse opriate to de cuse Number. Empossed apper Signature, and Date Signature, and Date Date Oprior of Date Oprior o	MARTIN D. PINCKNEY P.E. # 38350  Certify elevation information.					
the datum used for the BFE in Section B, convert the datum to calculation. Use the space provided or the Comments area of S Datum NGVD 1929 Conversion/Comments  Elevation reference mark used 34.16' Doe  a) Top of bottom floor (including basement or enclosure)  b) Top of next higher floor  c) Bottom of lowest horizontal structural member (V zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery and/or equipment servicing the building  f) Lowest adjacent grade (LAG)  g) Highest adjacent grade (HAG)  h) No. of permanent openings (flood vents) within 1 ft. above adjacent i) Total area of all permanent openings (flood vents) in C3h  SECTION D - SURVEYOR, ENGIN  This certification is to be signed and sealed by a land surveyor, e I certify that the information in Section A, B, and C on this certifical	that used for the section D or	the BFE. Show ction G, as appropriate the BFE. Show ction G, as a specific the BFE. Show ction G,	field meast opriate to describe support of the supp	MARTIN D. PINCKNEY P.E. # 38350  Certify elevation information.					
the datum used for the BFE in Section B, convert the datum to calculation. Use the space provided or the Comments area of S Datum NGVD 1929 Conversion/Comments  Elevation reference mark used 34.16' Doe a) Top of bottom floor (including basement or enclosure)  b) Top of next higher floor  c) Bottom of lowest horizontal structural member (V zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery and/or equipment servicing the building  f) Lowest adjacent grade (LAG)  g) Highest adjacent grade (HAG)  h) No. of permanent openings (flood vents) within 1 ft. above adjacent i) Total area of all permanent openings (flood vents) in C3h  SECTION D - SURVEYOR, ENGIN  This certification is to be signed and sealed by a land surveyor, e I certify that the information in Section A, B, and C on this certifical understand that any false statement may be punishable by fine	that used for the section D or	the BFE. Show ction G, as appropriate the BFE. Show ction G, as appropriate for the BFE. Show ction G, as a propri	field meast opriate to describe to describe the described meast opriate the described meast opening the descri	MARTIN D. PINCKNEY P.E. # 38350  Certify elevation information.					
the datum used for the BFE in Section B, convert the datum to calculation. Use the space provided or the Comments area of S Datum NGVD 1929 Conversion/Comments  Elevation reference mark used 34.16' Doe a) Top of bottom floor (including basement or enclosure)  b) Top of next higher floor  c) Bottom of lowest horizontal structural member (V zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery and/or equipment servicing the building  f) Lowest adjacent grade (LAG)  g) Highest adjacent grade (HAG)  h) No. of permanent openings (flood vents) within 1 ft. above adjacent i) Total area of all permanent openings (flood vents) in C3h  SECTION D - SURVEYOR, ENGIN  This certification is to be signed and sealed by a land surveyor, e I certify that the information in Section A, B, and C on this certificat understand that any false statement may be punishable by fine CERTIFIER'S NAME	that used for the section D or	the BFE. Show ction G, as appropriate the BFE. Show ction G, as appropriate for the BFE. Show ction G, as a propri	field meast opriate to describe to describe to describe to describe to describe the described meast opriate the described meast opening the described meas	MARTIN D. PINCKNEY P.E. # 38350  Certify elevation information. It the data available. ction 1001.					
the datum used for the BFE in Section B, convert the datum to calculation. Use the space provided or the Comments area of S Datum NGVD 1929 Conversion/Comments  Elevation reference mark used 34.16' Doe  a) Top of bottom floor (including basement or enclosure)  b) Top of next higher floor  c) Bottom of lowest horizontal structural member (V zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery and/or equipment servicing the building  f) Lowest adjacent grade (LAG)  g) Highest adjacent grade (HAG)  h) No. of permanent openings (flood vents) within 1 ft. above adjacent i) Total area of all permanent openings (flood vents) in C3h  SECTION D – SURVEYOR, ENGIN  This certification is to be signed and sealed by a land surveyor, e I certify that the information in Section A, B, and C on this certifical understand that any false statement may be punishable by fine CERTIFIER'S NAME MARTIN D. PINCKNEY	that used for the section D or	the BFE. Show ction G, as appropriate to authorize my best efforts a position of the BFE. Show ction G, as appropriate to the BFE. Show ction G, as a propriate	field meast opriate to describe to describe to describe to describe to describe the described meast opriate the described meast opening the described meas	MARTIN D. PINCKNEY P.E. # 38350  Certify elevation information.					
the datum used for the BFE in Section B, convert the datum to calculation. Use the space provided or the Comments area of S Datum NGVD 1929 Conversion/Comments  Elevation reference mark used 34.16' Doe  a) Top of bottom floor (including basement or enclosure)  b) Top of next higher floor  c) Bottom of lowest horizontal structural member (V zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery and/or equipment servicing the building  f) Lowest adjacent grade (LAG)  g) Highest adjacent grade (HAG)  h) No. of permanent openings (flood vents) within 1 ft. above adjacent i) Total area of all permanent openings (flood vents) in C3h  SECTION D – SURVEYOR, ENGIN  This certification is to be signed and sealed by a land surveyor, e I certify that the information in Section A, B, and C on this certifical understand that any false statement may be punishable by fine CERTIFIER'S NAME MARTIN D. PINCKNEY	that used for the Section D or	the BFE. Show ction G, as appropriate the sample of the sa	field meast opriate to do a used appear in the superior of the	MARTIN D. PINCKNEY P.E. # 38350  Lear on the data available. ction 1001.					
the datum used for the BFE in Section B, convert the datum to calculation. Use the space provided or the Comments area of S Datum NGVD 1929 Conversion/Comments  Elevation reference mark used 34.16' Doe  a) Top of bottom floor (including basement or enclosure)  b) Top of next higher floor  c) Bottom of lowest horizontal structural member (V zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery and/or equipment servicing the building  f) Lowest adjacent grade (LAG)  g) Highest adjacent grade (HAG)  h) No. of permanent openings (flood vents) within 1 ft. above adjacent in Total area of all permanent openings (flood vents) in C3h  SECTION D - SURVEYOR, ENGIN  This certification is to be signed and sealed by a land surveyor, electify that the information in Section A, B, and C on this certificat understand that any false statement may be punishable by fine CERTIFIER'S NAME  MARTIN D. PINCKNEY	that used for the section D or	the BFE. Show ction G, as appropriate the sample of the sa	field meast opriate to do a used appear in the sused appear in the	MARTIN D. PINCKNEY P.E. # 38350  certify elevation information. the data available. ction 1001.  E. # 38350  ants of Marco Island, Inc.					
the datum used for the BFE in Section B, convert the datum to calculation. Use the space provided or the Comments area of S Datum NGVD 1929 Conversion/Comments  Elevation reference mark used 34.16' Doe  a) Top of bottom floor (including basement or enclosure)  b) Top of next higher floor  c) Bottom of lowest horizontal structural member (V zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery and/or equipment servicing the building  f) Lowest adjacent grade (LAG)  g) Highest adjacent grade (HAG)  h) No. of permanent openings (flood vents) within 1 ft. above adjacent i) Total area of all permanent openings (flood vents) in C3h  SECTION D – SURVEYOR, ENGIN  This certification is to be signed and sealed by a land surveyor, e I certify that the information in Section A, B, and C on this certifical understand that any false statement may be punishable by fine CERTIFIER'S NAME MARTIN D. PINCKNEY  TITLE  PRESIDENT  ADDRESS  CITY	that used for the section D or	the BFE. Show ction G, as appropriate the same of the	field meast opriate to do a used appear in the sused appear in the	MARTIN D. PINCKNEY P.E. # 38350  certify elevation information. the data available. ction 1001.  E. # 38350  ants of Marco Island, Inc. IP CODE					
the datum used for the BFE in Section B, convert the datum to calculation. Use the space provided or the Comments area of S Datum NGVD 1929 Conversion/Comments  Elevation reference mark used 34.16' Doe  a) Top of bottom floor (including basement or enclosure)  b) Top of next higher floor  c) Bottom of lowest horizontal structural member (V zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery and/or equipment servicing the building  f) Lowest adjacent grade (LAG)  g) Highest adjacent grade (HAG)  h) No. of permanent openings (flood vents) within 1 ft. above adjacent i) Total area of all permanent openings (flood vents) in C3h  SECTION D – SURVEYOR, ENGIN  This certification is to be signed and sealed by a land surveyor, e I certify that the information in Section A, B, and C on this certifical understand that any false statement may be punishable by fine CERTIFIER'S NAME  MARTIN D. PINCKNEY  TITLE  PRESIDENT  ADDRESS  CITY  573 BALD EAGLE DRIVE  MARCO ISLAND	that used for the section D or	the BFE. Show ction G, as appropriate to the second of the	field meast opriate to do a used appear in the sused appear in the	MARTIN D. PINCKNEY P.E. # 38350  certify elevation information. the data available. ction 1001.  E. # 38350  ants of Marco Island, Inc.					
the datum used for the BFE in Section B, convert the datum to calculation. Use the space provided or the Comments area of S Datum NGVD 1929 Conversion/Comments  Elevation reference mark used 34.16' Doe  a) Top of bottom floor (including basement or enclosure)  b) Top of next higher floor  c) Bottom of lowest horizontal structural member (V zones only)  d) Attached garage (top of slab)  e) Lowest elevation of machinery and/or equipment servicing the building  f) Lowest adjacent grade (LAG)  g) Highest adjacent grade (HAG)  h) No. of permanent openings (flood vents) within 1 ft. above adjacent i) Total area of all permanent openings (flood vents) in C3h  SECTION D – SURVEYOR, ENGIN  This certification is to be signed and sealed by a land surveyor, e I certify that the information in Section A, B, and C on this certifical understand that any false statement may be punishable by fine CERTIFIER'S NAME MARTIN D. PINCKNEY  TITLE  PRESIDENT  ADDRESS  CITY	that used for the section D or	the BFE. Show ction G, as appropriate to the second of the	field meast opriate to do a used appear in the sused appear in the	MARTIN D. PINCKNEY P.E. # 38350  certify elevation information. the data available. ction 1001.  E. # 38350  ants of Marco Island, Inc. IP CODE					

BUILDING STREET ADDRESS (Inclue			NO. Policy Number
875 Caxambas Drive CITY City of Marco Island	STATE FL	ZIP CODE 34145	Company NAIC Number
Copy both sides of this Elevation (COMMENTS	TION INFORMATION (SURVEY N	2) insurance agent/company,	and (3) building owner.  AO and ZONE A (WITHOUT BFE)
<ul> <li>E1. Building Diagram Number of see pages 6 and 7. If no diagrar</li> <li>E2. The top of the bottom floor (inclone) the highest adjacent grade</li> <li>E3. For Building Diagrams 6-8 with in.(cm) above the highest adjacet. The top of the platform of mach the highest adjacent grade. (Us</li> <li>E5. For Zone AO only: If no flood d floodplain management ordinance</li> </ul>	(Select the building diagram most in accurately represents the building uding basement or enclosure) of the company of the company of the company of the company of the next his acent grade. Complete items C3.1 inery and/or equipment servicing the natural grade, if available), epth number is available, is the topoe? Yes No Unknown	g, provide a sketch or photog ne building is ft. <del>(m)</del> i gher floor or elevated floor (el and C3.i on front of form. he building is ft.(m) in.(c o of the bottom floor elevated wn. The local official must ce	n. (cm) ☐ above or ☐ below (check evation b) of the building is ft.(m) cm) ☐ above or ☐ below (check one) in accordance with the community's riffy this information in Section G.
	- PROPERTY OWNER (OR OWI		
The property owner or owner's auth community-issued BFE) or Zone AC	) must sign here.		one A (without a FEMA-Issued of
PROPERTY OWNER'S OR OWNER'S	S AUTHORIZED REPRESENTATIVE'S	NAME	
ADDRESS	CITY	STATE	ZIP CODE
SIGNATURE	DATE	TELEPHONE	
COMMENTS			
	SECTION G - COMMUNITY	NEORMATION (OPTIONAL)	☐ Check here if attachments
elevation data in the Commo	by law or ordinance to administer to his Elevation Certificate. Complete was taken from other documentals authorized by state or local law to ents area below. ted Section E for a building located	ne community's floodplain ma the applicable item(s) and sig tion that has been signed and o certify elevation information. If in Zone A (without a FEMA-i	on below. embossed by a licensed surveyor, (Indicate the source and date of the ssued or community issued BFE) or
G4. PERMIT NUMBER	G5. DATE PERMIT ISSUED	G6. DATE CERTIFICATISSUED	TE OF COMPLIANCE/OCCUPANCY
G7. This permit has been issued for G8. Elevation of as-built lowest floor G9. BFE or (in Zone AO) depth of flo	(including basement) of the buildi	tantial Improvement	ft. <del>(m)</del> Datum: ft. <del>(m)</del> Datum:
LOCAL OFFICIAL'S NAME		TITLE	
COMMUNITY NAME		TELEPHONE	
SIGNATURE SAME	DATE	7-//-5	
COMMENTS:			
			☐ Check here if attachments