## **ELEVATION CERTIFICATE**

O.M.B. No. 3067-0077 Expires July 31, 1999

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME					POLICY NUMBER
SOUTHWEST FLORIDA HOME BUILDERS, INC.					
STREET ADDRESS (Including Ap 458 CLIFTON		COMPANY NAIC NUMBER			
OTHER DESCRIPTION (Lot and I	Block Numbers, etc.)	MARCO	BEACH UNIT TW		
MARCO ISL	arD			STATE FLORIDA	ZIP CODE 34145
	SECTION B FI	LOOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	A Company of the Comp
Provide the following from the proper FIRM (See Instructions):					
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
120067	0803	E	AU6. 3. 1992	AE	1:311.0
7. Indicate the elevation dat 8. For Zones A or V, where the community's BFE:	no BFE is provided o	n the FIRM, ar	nd the community has esta	ablished a BFE 1	Other (describe on back) for this building site, indicate
	SECTION	ON C BUILDI	NG ELEVATION INFORM	IATION	
<ul> <li>(b). FIRM Zones V1-V30, \ the selected diagram, i</li> <li>(c). FIRM Zone A (without below ☐ (check one)</li> <li>(d). FIRM Zone AO. The flone) the highest grade</li> </ul>	/E, and V (with BFE) is at an elevation of L BFE). The floor used the highest grade ad oor used as the refer adjacent to the build dance with the commum system used in de 2). (NOTE: If the 6 the 1, Item 7], then conversion Page 2.)	The bottom of the bottom of the level from the bottom of the elevation datument the elevation	of the lowest horizontal strain feet NGVD (or other FIR name level from the selected uilding.  In the selected diagram is depth number is available ain management ordinance above reference level elem used in measuring the ensity of the datum system uses to the datum system uses.	uctural member M datum—see S d diagram is	ection B, Item 7).  Light feet above or  above or below (check a's lowest floor (reference No Unknown  VD '29 Other (describe  arent than that used on
5. The reference level eleval (NOTE: Use of construct case this certificate will on will be required once cons	tion is based on: Ki tion drawings is only villy be valid for the buil truction is complete.)	actual constru valid if the build ilding during the	ction  construction dr fing does not yet have the e course of construction.	awings reference level A post-construc	floor in place, in which tion Elevation Certificate
5. The elevation of the lowes Section B, Item 7).	t grade immediately	adjacent to the	building is: 1 1 1 18	eet NGVD	(or other FIRM datum-see
	SE	CTION D CO	MMUNITY INFORMATIC	N	
I. If the community official reis not the "lowest floor" as floor" as defined by the ore. Date of the start of constru	defined in the comm dinance is:	unity's floodpla Ⅲ.[3] feet N	ain management ordinand GVD (or other FIRM datu	e, the elevation	of the building's lowest


REPLACES ALL PREVIOUS EDITIONS
TEXTILE 980476

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

	LICENSE NUMBER (or Affix Se	al)
STEPHEN A. HIGGINS III	LS 5194	
TITLE LAND SURVEYOR & MAPPER	COMPANY NAME MARCO ISLAND LA	ND SURVEYOR
ADDRESS .	CITY MARCO ISLAND	STATE FL. 34145
SIGNATURE DE LA COAD	MARCH 27, 1999	PHONE 941-389-2385
Copies should be made of his Certificate for: 1) of	community official, 2) insurance agent/co	mpany, and 3) building owner.
3		
COMMENTS:		



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.