## ELEVATION CERTIFICATE FED: AL EMERGENCY MANAGEMENT ENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077 Expires July 31, 1999

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

	FOR INSURANCE COMPANY USE					
BUILDING OWNER'S NAME	POLICY NUMBER					
STREET ADDRESS (Including Ap	COMPANY NAIC NUMBER					
OTHER DESCRIPTION (Lot and I Marco Beac	Block Numbers, etc.) h Unit 7, Block	c 204, Lot	6	Х		
Marco Isla	nd		Flori	STATE da	zip code 34134	
	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION		
ovide the following from t	he proper FIRM (See	Instructions):				
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	(in AO Zones, use depth)	
120067	0812	Е	Aug. 3, 1992	"AE"		
For Zones A or V, where	no BFE is provided of	n the FIRM, ar	ase Flood Elevations (BFE nd the community has esta FIRM datum-see Sectior	DISTIEU a DI L	o Diher (describe on back for this building site, indicate	
	SECTIO	ON C BUILDI	NG ELEVATION INFORM	IATION		
<ul> <li>the selected diagram,</li> <li>(c). FIRM Zone A (without below (check one)</li> <li>(d). FIRM Zone AO. The one) the highest grade level) elevated in according to the elevation da under Comments on Pagethe FIRM [see Section equation under Comment</li> </ul>	is at an elevation of L BFE). The floor used the highest grade ad floor used as the refer adjacent to the build ordance with the comm tum system used in do ge 2). (NOTE: If the elevation B, Item 7], then conver- ts on Page 2.)	as the referen- jacent to the b ence level from ing. If no flood nunity's floodpl etermining the elevation datur rt the elevation	feet NGVD (or other FIF) nce level from the selecte building. I depth number is availabl lain management ordinan above reference level ele n used in measuring the e ns to the datum system us	M datum-see S d diagram is e, is the building ce?Yes vations: X NG levations is difference sed on the FIRM	above corbelow corbelow corbelow corbelow corbelow corbelow corbelow corbelow corbelow corbe corbe corbe corbe	
Elevation reference mark	k used appears on FIF	RM: LI Yes L	No (See Instructions o	n Page 4)	×	
case this certificate will o will be required once con	tion drawings is only nly be valid for the bui struction is complete.)	valid if the build Ading during the Adding during the	ding does not yet have the ne course of construction.	A post-construc		
. The elevation of the lowe Section B, Item 7).	est grade immediately	adjacent to th	e building is:	. D feet NGVD	) (or other FIRM datum-see	
	SE	CTION D CO		DN		
is not the "lowest floor" a	is defined in the comn	nunity's floodpl	vations specifies that the lain management ordinan NGVD (or other FIRM date	ce, the elevation	indicated in Section C, Item 1 n of the building's "lowest I B, Item 7).	

Date of the start of construction or substantial improvement \_\_\_\_\_\_

REPLACES ALL PREVIOUS EDITIONS

#97-45/2


This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME		LICENSE NUMBER (or	Affix Seal)			
	T. Alan Neal	P.S.M. #4656				
TITLE		COMPANY NAME	•			
	Vice President	American Engineering (	Consultants,	Inc.		
ADDRESS		CITY		STATE		ZIP
	790 Harbour Drive	Naples	Flo	rida	34103	
SIGNATURE	Quan Jul	DATE <b>05/19/9</b>	PHONE 941	-649-15	551	

COMMENTS: \_



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.