

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.E. No. 3067-007 Expires July 31, 1999

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are no required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions	for	completing	this	form	can	be	found	on	the	following	pages
--------------	-----	------------	------	------	-----	----	-------	----	-----	-----------	-------

		FOR INSURANCE COMPANY USE			
BUILDING OWNER'S NAME	POLICY NUMBER				
Joseph & Ba	rbara Bazyk				,
STREET ADDRESS (Including Ap	COMPANY NAIC NUMBER				
576 Diploma	t Court				
OTHER DESCRIPTION (Lot and	Block Numbers, etc.)	- 1 r			
Lot 3, Bloc	<u>k 592, Marco</u>	Beach U	Init 23		
CITY Teller	STATE	ZIP CODE			
Marco Islan				L F	
••••••••••••••••••••••••••••••••••••••	SECTION B FI		ANCE RATE MAP (FIRM)	INFORMATION	
Provide the following from t	he proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION I in AO Zones, use depth)
120067	0803	Е	2-16-95	AE	+11.0'
	SECTIO			ATION	
. Using the Elevation Certi describes the subject bu 2(a). FIRM Zones A1-A30, a of 111110 fee (b). FIRM Zones V1-V30, V	ficate Instructions, inc ilding's reference leve AE, AH, and A (with E It NGVD (or other FIR VE, and V (with BFE).	dicate the diagr di_1 BFE). The top of M datum-see . The bottom o	am number from the diag of the reference level floo Section B, Item 7). If the lowest horizontal str	rams found on P r from the selecte ructural member o	ages 5 and 6 that best ed diagram is at an elevation of the reference level from
the selected diagram, i	is at an elevation of $igsqcup$,,	feet NGVD (or other FIR	M datum-see Se	ection B, Item 7).
(c). FIRM Zone A (without	BFE). The floor used	l as the referen	ice level from the selecter	d diagram is 🛄	feet above or
below 🗌 (check one)	the highest grade ad	jacent to the bi	uilding.		
(d). FIRM Zone AO. The f one) the highest grade level) elevated in accor	loor used as the refer adjacent to the buildi rdance with the comm	ence level from ng. If no flood nunity's floodpla	n the selected diagram is depth number is availabl ain management ordinard	ce? Yes	oove or below (check Newest floor (reference New Unknown
 Indicate the elevation dat 	um system used in de	etermining the a	above reference levégele	vations: X NGV	D 29 Other (describe

- under Comments on Page 2). (NOTE: If the elevation datum used in measuring file elevaters) ent than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used 2 nd sho w the conversion equation under Comments on Page 2.)
- 4. Elevation reference mark used appears on FIRM: ____ Yes X No (See Instructions on Page
- 5. The reference level elevation is based on: 🗵 actual construction 🗌 construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the there here level work in place, in which case this certificate will only be valid for the building during the course of construction. A post construction Elevation Certificate will be required once construction is complete.)
- 6. The elevation of the lowest grade immediately adjacent to the building is: 7.0 feet NGVD (or other FIRM datum-see Section B, Item 7).

SECTION D COMMUNITY INFORMATION

- 1. If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is: ______ feet NGVD (or other FIRM datum-see Section B, Item 7).
- 2. Date of the start of construction or substantial improvement

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE).V1–V30.VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features–If the certifier is unable to certify to breakaway non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER or Affix Sea							
Antonio Trigo	2982							
TITLE	COMPANY N	AME		///// 1/				
Professional Surveyor	& Mapper	A. Triq	o & As	sociates, Inc	•			
ADDRESS	CITY			STATE	ZIP			
2223 Trade Center Way	Naples			FL	34100			
SIGNATURE	A	DATE Uqust 28,	1997	PHONE (941)594-84	48			
	· · · ·	ial, 2) insurance	agent/con	npany. and 3) building	owner.			



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.