O.M.B. No. 3067-0077 Expires July 31, 1999

FEDERAL EMERGENCY MANAGEMENT AGENCY

NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

	Instructions for c	ompleting thi	s form can be found on	the following pa	iges.	
		FOR INSURANCE COMPANY USE				
BUILDING OWNER'S NAME		POLICY NUMBER				
Mr. & Mrs.		www.westanding.com/and/and/and/and/and/and/and/and/and/and				
STREET ADDRESS (Including Ap		COMPANY NAIC NUMBER				
418 Driftw				L		
OTHER DESCRIPTION (Lot and		_ ,				
	<u>ck 197, Marc</u>	o Beach	Unit 7	STATE	ZIP CODE	
CITY	FL	ZIP CODE				
<u>Marco Isla</u>			NCE RATE MAP (FIRM)		******	
Provide the following from t			· · · · · · · · · · · · · · · · · · ·		*****	
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION	
120067	0812	E	2/16/95	AE	(in AO Zones, use depth) +10.0'	
			1	*	Other (describe on back)	
	SECTIO	ON C BUILDI	NG ELEVATION INFORM	ATION		
of 1 0 0 fee (b). FIRM Zones V1-V30,	ilding's reference leve AE, AH, and A (with E et NGVD (or other FIF VE, and V (with BFE) is at an elevation of BFE). The floor used	BFE). The top BFE). The top M datum—see . The bottom c d as the referen	of the reference level floo Section B, Item 7). If the lowest horizontal str feet NGVD (or other FIR nce level from the selected	r from the selecte ructural member c M datum-see Se	d diagram is at an elevation of the reference level from ction B, Item 7).	
one) the highest grade level) elevated in acco 3. Indicate the elevation dat	adjacent to the build rdance with the comn um system used in do	ing. If no flood nunity's floodpla etermining the	depth number is availabl ain management ordinan above reference level ele	e, is the building's ce? Yes I vations: NGV	No 🗌 Unknown D '29 🗌 Other (describe	
under Comments on Pag the FIRM [see Section I equation under Commen	3, Item 7], then conve	elevation datun et the elevation	n used in measuring the e ns to the datum system us	elevations is differences and on the FIRM a	ent than that used on and show the conversion	

4. Elevation reference mark used appears on FIRM: Ves X No (See Instructions on Page 4)

- 5. The reference level elevation is based on: actual construction construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
- 6. The elevation of the lowest grade immediately adjacent to the building is: 4 , 8 feet NGVD (or other FIRM datum-see Section B, Item 7).

SECTION D COMMUNITY INFORMATION

If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is: ________ feet NGVD (or other FIRM datum-see Section B, Item 7).
 Date of the start of construction or substantial improvement _______ (2 - 16 - 9 3 ______).


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE).V1–V30.VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall. enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affix Seal)							
Antonio Trigo	2982							
TITLE	COMPANY		No. of the second s					
Professional Surveyor	& Mapper	Α.	Trigo	&	Associates,	Inc.		
ADDRESS	CITY					STATE	ZIP	
2223 Trade Gønter Way	Naples					FL	34109	
SIGNATURE		Febr	DATE	9 ,	1999 (941)	594-8448	1	
Copies should be made of this Certificate	for: 1) community of	ficial, :	2) insuran	ce a	agent/company, and	l 3) building ov	wner.	
COMMENTS:								



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

÷