993171 Youl

ELEVATION CERTIFICATE FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

. .

O.M.B. No. 3067-007 Expires July 31, 1995 99-11979

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are no required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following pages.

·····		FOR INSURANCE COMPANY USE							
BUILDING OWNER'S NAME MORIA E. CREAN		POLICY NUMBER							
STREET ADDRESS (Including Ar 463 ECHO CIRCI		COMPANY NAIC NUMBER							
OTHER DESCRIPTION (Lot and LOT 43 BLOCK		EACH UN	IT 1						
MARCO ISLAND,	FLORIDA	STATE	TE ZIP CODE						
	SECTION B FI	OOD INSURA	NCE HATE MAP (FIRM)	INFORMATION	,				
Provide the following from the	ie proper FIRM (See	Instructions):							
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION				
120067	0804	D	02-16-95	AE	(In AO Zones, use depth) 10 '				
 7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): ANGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's 'BFE: https://www.beteelevation.com 									
	SECTIO	DNC BUILDI	NG ELEVATION INFORM	ATION '					
of LIIII III III E fee (b). FIRM Zones V1-V30, V the selected diagram, Is (c). FIRM Zone A (without I below C (check one)	/E, and V (with BFE). s at an elevation of L BFE). The floor used	The bollom o	I the lowest horizontal str feet NGVD (or other FIR ice level from the selected	M datum-see Sec	ction B, Item 7).				
one) the highest grade level) elevated in accord 3. Indicate the elevation datu under Comments on Page the FIRM [see Section B, equation under Comments	adjacent to the build dance with the comm im system used in de 2). <i>(NOTE: If the e</i> <i>Item 7], then conver</i> s on Page 2.)	ng. If no flood unity's floodpia termining the a levation datum t the elevation.	depth number is available ain management ordinanc above reference level elev used in measuring the el s to the datum system us	e, Is the building's re? ☐ Yes ☐ N vations: ☑ NGVD levations is differe ed on the FIRM an	lo 🔲 Unknown) '29 🔲 Other (describe				
4. Elevation reference mark t									
5. The relerence level eleval (NOTE: Use of construction case this certificate will only will be required once constr	on drawings is only ve v be valid for the build	alid if the buildi	no does not vet have the	reference level flo	oor in place, in which n Elevation Certificate				
3. The elevation of the lowest Section B, Item 7).	grade Immediately a	djacent to the	building is:	4 leet NGVD (or	other FIRM datum-see				
	SE	CTION D CON	MUNITY INFORMATIO	V					
I. If the community official res is not the "lowest floor" as	sponsible for verifying	building eleva	lions specilies that the re	lerence level Indic	cated in Section C, Item 1				


floor" as defined by the ordinance is:

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME			LICE	CENSE NUMBER (or Affix Seal)					
JEFFRY H. HI	LLIGOSS								
TITLE			COMPAN'Y NAME						
P.L.S.	F.L.A. SURVEYS CORP.								
ADDRESS			CITY			STATE	ZIP		
4760 TAMIAMI	TRAIL NORTH	I, STE 2	22, NAPLES,	FLORIDA	34103				
SIGNATURE	hyers		NOVEMBER 3	19999	(941	NE 643-2822			
Copies should be mad		for: 1) com	munity official, 2)	insurance age	nt/company,	and 3) building ow	/ner.		
COMMENTS:									
	-								
			and a second						
	<u> </u>		navananan kati kan sa						



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones. Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.