ELEVATION CERTIFICATE

Expires July 31, 1999

FEDERAL EMERGENCY MANAGEMENT AGENCY

NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following

	e following pages.
SECTION A PROPERTY INFORMATION	FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME	POLICY NUMBER
ALL AMERICAN HOMES INC., MELVIN AND CONNIE DEB STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER ISCAFLAMINGO CIRCLE	COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and Block Numbers, etc.) LOT 17 BLOCK 171 MARCO BEACH UNIT SEVEN PL) CITY	
f = 4 . 4	STATE ZIP CODE FLORIDIA
SECTION B FLOOD INSURANCE RATE MAP (FIRM) IN	
Provide the following from the proper FIRM (See Instructions):	
1. COMMUNITY NUMBER 2. PANEL NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX 7 20 98	5. FIRM ZONE 6. BASE FLOOD ELEVATION (in AO Zones, use depth)
MARCO 120426 0812 E AUGUST 3, 1998	AE 11.00
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: feet NGVD (or other FIRM datum—see Section B, Item 7).	
SECTION C BUILDING ELEVATION INFORMATION	
 Using the Elevation Certificate Instructions, indicate the diagram number from the diagram describes the subject building's reference level FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor froof FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structure the selected diagram, is at an elevation of feet NGVD (or other FIRM d. FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is Check one) the highest grade adjacent to the building. FIRM Zone AO. The floor used as the reference level from the selected diagram is one) the highest grade adjacent to the building. If no flood depth number is available, is level) elevated in accordance with the community's floodplain management ordinance? Indicate the elevation datum system used in determining the above reference level elevation under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevation under Comments on Page 2.) 	aral member of the reference level from atum—see Section B, Item 7). agram is feet above or or or (check the building's lowest floor (reference Yes No Unknown ons: X NGVD '29 Other (describe tions is different than that used on on the FIRM and show the conversion
4. Elevation reference mark used appears on FIRM: Yes No (See Instructions on Page 4) 5. The reference level elevation is based on: A actual construction of construction drawings	
i. The reference level elevation is based on: A actual construction construction drawin (NOTE: Use of construction drawings is only valid if the building does not yet have the refecase this certificate will only be valid for the building during the course of construction. A powill be required once construction is complete.)	prence level fleer in place in which
The elevation of the lowest grade immediately adjacent to the building is: 7 0 Section B, Item 7).	feet NGVD (or other FIRM datum-see
SECTION D COMMUNITY INFORMATION	
If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is: feet NGVD (or other FIRM datum—see Section B, Item 7).	


SECTION E CERTIFICATION

This certification is to be signed by a land surveyed, engineer, or architect who is a thorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

LICENSE NUMBER (or Affix Seal) CERTIFIER'S NAME JOSEPH P. RUBINETTE 4944
COMPANY NAME LB 5982 PROFESIONAL LAND Surveyor ROBINETTE FEATON LAND SURVEYING INC. ZIP **ADDRESS** 3470 15+ AVE NW NAPLES FLORIDA PHONE SIGNATURE 9-23-99 941-353-0085 Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner. COMMENTS: 1) SITE UNDER CONSTRUCTION BENCH MARK BASE FLORIDA DEPARTMENT OF NATURAL RESOURCES COLLIER # 12



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.