## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

## **ELEVATION CERTIFICATE**

۶. ۲

040158

Important: Read the instructions on pages 1 - 7.

		SECTION A -	PROPERTY OWNER INFORM	IATION	For Insurance Company Use:
BUILDING OWNER'S NA	ME	SECTION A-			Policy Number
MICHEAL HENRY N	И.D				
834 Hideaway Circle Wes		Apt., Unit, Suite, and/or B Lideaway Cir	*****		Company NAIC Number
CITY Marco Island		,	STATE FL	ZIP COD 34145	E
PROPERTY DESCRIPTION		k Numbers, Tax Parcel N	umber, Legal Description, etc.)		
Lot 7, Block 15, Hideaway		dential Addition Accesso	ory, etc. Use a Comments area,	if necessary.)	
Residential				n necessary.y	
LATITUDE/LONGITUDE ( ##° - ##' - ##.##" or ##			TAL DATUM: NAD 1983	SOURCE:  GPS (Type USGS Qua	
	Ş	SECTION B - FLOOD IN	SURANCE RATE MAP (FIRM)	INFORMATION	
B1. NFIP COMMUNITY NAME a City of Marco Island	& COMMUNITY NUN 120426		COUNTY NAME Ilier		.STATE rida
B4. MAP AND PANEL NUMBER 120426 0803	B5. SUFFIX F	B6. FIRM INDEX DATE 7/20/98	B7. FIRM PANEL EFFECTIVE/REVISED DATE 7/20/98	B8. FLOOD ZONE(S) VE	B9. BASE FLOOD ELEVATION(S) (Zone AO, use depth of flooding) +12.0'
311. Indicate the elevation date	☐ FIRM um used for the BF	E in B9: NGVD 1929	nined Dther (Des	8 Dther (Describe):	
The is the building Water III a			EVATION INFORMATION (SU		
Complete Items C3a-i be	0, AE, AH, A (with E	BFE), VE, V1-V30, V (with B	FE), AR, AR/A, AR/AE, AR/A1-A30	), AR/AH, AR/AO	
Section D or Section G, as Datum Conversion Elevation reference mark ( o a) Top of bottom floor (ir o b) Top of next higher flo o c) Bottom of lowest horiz o d) Attached garage (top o e) Lowest elevation of m servicing the building o f) Lowest adjacent (finist o g) Highest adjacent (finist o h) No. of permanent ope	um to that used for appropriate, to doo n/Comments used <u>Site B.M.</u> Doe ncluding basement or zontal structural me of slab) nachinery and/or ec g (Describe in a Co hed) grade (LAG) shed) grade (HAG) enings (flood vents)	the BFE. Show field measure current the datum conversion is the elevation reference may or enclosure) ember (V zones only) quipment proment area)	rements and datum conversion calc on. ark used appear on the FIRM? □ <u>6.</u> <u>0</u> ft.(m) <u>17.</u> <u>4</u> ft.(m) <u>12.</u> <u>7</u> ft.(m) <u>5.</u> <u>7</u> ft.(m) <u>5.</u> <u>5</u> ft.(m) <u>6.</u> <u>0</u> ft.(m) grade <u>0</u>		
Section D or Section G, as Datum Conversion Elevation reference mark ( o a) Top of bottom floor (ir o b) Top of next higher flo o c) Bottom of lowest horiz o d) Attached garage (top o e) Lowest elevation of m servicing the building o f) Lowest adjacent (finist o g) Highest adjacent (finist o h) No. of permanent ope	um to that used for appropriate, to doo /Comments used <u>Site B.M.</u> Doe ncluding basement or zontal structural me of slab) nachinery and/or ec g (Describe in a Co hed) grade (LAG) shed) grade (LAG) anent openings (flood vents) anent openings (flood	the BFE. Show field measur current the datum conversion is the elevation reference ma or enclosure) ember (V zones only) quipment mments area) within 1 ft. above adjacent ( od vents) in C3.h <u>N/A</u> sq. in.	rements and datum conversion calc on. ark used appear on the FIRM? □ <u>6.</u> <u>0</u> ft.(m) <u>17.</u> <u>4</u> ft.(m) <u>12.</u> <u>7</u> ft.(m) <u>5.</u> <u>7</u> ft.(m) <u>5.</u> <u>5</u> ft.(m) <u>6.</u> <u>0</u> ft.(m) grade <u>0</u>	Ves INO Signature, Embossed Seal Signature, and Date Signature, and Date	PSM No. 2982
Section D or Section G, as Datum Conversion Elevation reference mark to o a) Top of bottom floor (ir o b) Top of next higher flo o c) Bottom of lowest horit o d) Attached garage (top o e) Lowest elevation of m servicing the building o f) Lowest adjacent (finist o g) Highest adjacent (finist o g) Highest adjacent (finist o h) No. of permanent ope o i) Total area of all perma	um to that used for appropriate, to doo n/Comments used <u>Site B.M.</u> Doe ncluding basement or zontal structural me of slab) nachinery and/or ec g (Describe in a Co hed) grade (LAG) shed) grade (LAG) shed) grade (HAG) enings (flood vents) anent openings (flood SE gned and sealed in Sections A, B, statement may b	the BFE. Show field measure current the datum conversion is the elevation reference may or enclosure) ember (V zones only) quipment imments area) within 1 ft. above adjacent ( bod vents) in C3.h <u>N/A</u> sq. in. <b>CTION D - SURVEYOR,</b> by a land surveyor, engine, and C on this certificate	rements and datum conversion calc ark used appear on the FIRM? <u>6</u> . <u>0</u> ft.(m) <u>17</u> . <u>4</u> ft.(m) <u>12</u> . <u>7</u> ft.(m) <u>5</u> . <u>7</u> ft.(m) <u>5</u> . <u>5</u> ft.(m) <u>6</u> . <u>0</u> ft.(m) <u>9</u> grade <u>0</u> (sq. cm)	Ves ⊠ No Yes ⊠ No Tespessed Sea Date Date CERTIFICATION w to certify elevation inform arpret the data available.	ed or the Comments area of PSM No. 2982 06/23/06
Section D or Section G, as Datum Conversion Elevation reference mark u o a) Top of bottom floor (ir o b) Top of next higher flo o c) Bottom of lowest hori: o d) Attached garage (top o e) Lowest elevation of m servicing the building o f) Lowest adjacent (finist o g) Highest adjacent (finist o h) No. of permanent ope o i) Total area of all perma This certification is to be sig <i>l certify that the information</i> <i>l understand that any false</i> CERTIFIER'S NAME_ANTO	um to that used for appropriate, to down/Comments used <u>Site B.M.</u> Doen including basement or zontal structural me of slab) nachinery and/or ec g (Describe in a Coched) grade (LAG) shed) grade (LAG) she	the BFE. Show field measure current the datum conversion is the elevation reference may or enclosure) ember (V zones only) quipment imments area) within 1 ft. above adjacent ( bod vents) in C3.h <u>N/A</u> sq. in. <b>CTION D - SURVEYOR,</b> by a land surveyor, engine, and C on this certificate	rements and datum conversion calc an. ark used appear on the FIRM? <u>6.</u> <u>0</u> ft.(m) <u>17.</u> <u>4</u> ft.(m) <u>12.</u> <u>7</u> ft.(m) <u>5.</u> <u>7</u> ft.(m) <u>6.</u> <u>0</u> ft.(m) <u>7.</u> (1.) (1.) (1.) (1.) (1.) (1.) (1.) (1.)	Ves ⊠ No Yes ⊠ No Tespessed autor Tespessed Tespe	ed or the Comments area of PSM No. 2982 06/23/06
Section D or Section G, as Datum Conversion Elevation reference mark u o a) Top of bottom floor (ir o b) Top of next higher flo o c) Bottom of lowest hori: o d) Attached garage (top o e) Lowest elevation of m servicing the building o f) Lowest adjacent (finist o g) Highest adjacent (finist o g) Highest adjacent (finist o h) No. of permanent ope o i) Total area of all perma This certification is to be sig <i>l certify that the information</i> <i>l understand that any false</i> CERTIFIER'S NAME ANTO TITLE Professional Surveyor	um to that used for appropriate, to down/Comments used <u>Site B.M.</u> Doen including basement or zontal structural me of slab) nachinery and/or ec g (Describe in a Coched) grade (LAG) shed) grade (LAG) she	the BFE. Show field measure current the datum conversion is the elevation reference may or enclosure) ember (V zones only) quipment imments area) within 1 ft. above adjacent ( bod vents) in C3.h <u>N/A</u> sq. in. <b>CTION D - SURVEYOR,</b> by a land surveyor, engine, and C on this certificate	rements and datum conversion calc ark used appear on the FIRM? <u>6.</u> <u>0</u> ft.(m) <u>17.</u> <u>4</u> ft.(m) <u>12.</u> <u>7</u> ft.(m) <u>5.</u> <u>7</u> ft.(m) <u>5.</u> <u>5</u> ft.(m) <u>6.</u> <u>0</u> ft.(m) grade <u>0</u> (sq. cm) <b>ENGINEER, OR ARCHITECT</b> there, or architect authorized by lar represents my best efforts to inter- terprisonment under 18 U.S. Code COMPANY NAME CITY	Yes       No         Yes       No         The space provid         Space         Spac	ed or the Comments area of PSM No. 2982 06/23/06 4-7-0 ation.
Section D or Section G, as Datum Conversion Elevation reference mark u o a) Top of bottom floor (ir o b) Top of next higher flo o c) Bottom of lowest hori: o d) Attached garage (top o e) Lowest elevation of m servicing the building o f) Lowest adjacent (finist o g) Highest adjacent (finist o h) No. of permanent ope o i) Total area of all perma This certification is to be sig <i>l certify that the information</i> <i>l understand that any false</i> CERTIFIER'S NAME ANTO	um to that used for appropriate, to down/Comments used <u>Site B.M.</u> Doen including basement or zontal structural me of slab) nachinery and/or ec g (Describe in a Coched) grade (LAG) shed) grade (LAG) she	the BFE. Show field measure current the datum conversion is the elevation reference may or enclosure) ember (V zones only) quipment imments area) within 1 ft. above adjacent ( bod vents) in C3.h <u>N/A</u> sq. in. <b>CTION D - SURVEYOR,</b> by a land surveyor, engine, and C on this certificate	rements and datum conversion calc ark used appear on the FIRM? <u>6.</u> <u>0</u> ft.(m) <u>17.</u> <u>4</u> ft.(m) <u>12.</u> <u>7</u> ft.(m) <u>5.</u> <u>7</u> ft.(m) <u>5.</u> <u>5</u> ft.(m) <u>6.</u> <u>0</u> ft.(m) grade <u>0</u> (sq. cm) <b>ENGINEER, OR ARCHITECT</b> there, or architect authorized by lar represents my best efforts to inter- prisonment under 18 U.S. Code	Yes       No         Yes       No         The space provid         Space	ed or the Comments area of <b>PSM No. 2982</b> 06/23/06 4 - 7 - 0 ation. ZIP CODE 34109-2035 NE

IMPORTANT: In these spaces, copy the corresponding	For Insurance Company Use:		
BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.	Policy Number		
834 Hideaway Circle West			· · · · · · ·
CITY	STATE	ZIP CODE	Company NAIC Number
Marco Island	FL	34145	· · · · · · · · · · · · · · · · · · ·
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)			

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

COMMENTS

The elevation of the elevator pit is +4.8'.

				] Check here if attachmen
SECTION E - BUILDING	ELEVATION INFORMATION (SURVEY	NOT REQUIRED) FOR ZO	NE AO AND ZONE A	(WITHOUT BFE)
	omplete Items E1 through E4. If the Elevation C	Certificate is intended for use as	supporting information for	a LOMA or LOMR-F,
Section C must be completed.				
	e building diagram most similar to the building fo	r which this certificate is being c	ompleted – see pages 6 a	and 7. If no diagram accuratel
represents the building, provide a sket				
	asement or enclosure) of the building isft.(	m)in.(cm) 🗌 above or 🔲	below (check one) the hig	hest adjacent grade. (Use
natural grade, if available).				
	gs (see page 7), the next higher floor or elevated	d floor (elevation b) of the buildir	ig isft.(m)in.(cm) a	above the highest adjacent
grade. Complete items C3.h and C3.i				
	nd/or equipment servicing the building isft.(	m)in.(cm) [_] above or [_]	below (check one) the hig	hest adjacent grade. (Use
natural grade, if available).				
	mber is available, is the top of the bottom floor e		community's floodplain ma	anagement ordinance?
	e local official must certify this information in Sec			
	TION F - PROPERTY OWNER (OR OWN			
	d representative who completes Sections A, B, C	· · ·		FEMA-issued or community-
issued BFE) or Zone AO must sign here.	The statements in Sections A, B, C, and E are	correct to the best of my knowle	edge.	
PROPERTY OWNER'S OR OWNER'S	AUTHORIZED REPRESENTATIVE'S NAME			
ADDRESS		CITY	STATE	ZIP CODE
SIGNATURE		DATE	TELEPHONE	Ξ
COMMENTS				
				Check here if attachments
***	SECTION G - COMMUNITY I			
be local official who is authorized by law o	r ordinance to administer the community's flood			C (or E) and G of this Elevat
Certificate. Complete the applicable item(s)		an management oran ande oa	in complete occions A, D	, 0 (01 E), and 0 01 mis Eleva
	aken from other documentation that has been si	aned and embossed by a licens	ed survevor, engineer, or	architect who is authorized by
	rmation. (Indicate the source and date of the ele			
•	ction E for a building located in Zone A (without a			
3. The following information (Items G4	LG9) is provided for community floodplain mana	gement purposes.		
G4. PERMIT NUMBER	G5. DATE PERMIT ISSUED	G6_DATE CER	TIFICATE OF COMPLIANCE	OCCUPANCY ISSUED
57. This permit has been issued for:	ew Construction 🔲 Substantial Improvement			
			ft.(m)	Datum:
9. BFE or (in Zone AO) depth of flooding a	at the building site is:		ft.(m)	Datum:
LOCAL OFFICIAL'S NAME		TITLE		
COMMUNITY NAME		TELEPHONE		
SIGNATURE		DATE		
COMMENTS				
			·	
				Check here if attachments

FEMA Form 81-31, January 2003

Replaces all previous editions

147 ON B.D 6-29-06



City of Marco Island Community Development Department 50 Bald Eagle Drive Marco Island, FL 34145

V-Zo	NE BREAKAWAY WALL	DESIGN CERTIFICA	ſĔ	
PRE-CONSTRUCTION	AS	804.T		
Name of Property Owner_Mich	rael Henry	Permit	#: 040158	
Building Address: 834 Hid	LAWAY Circle	west, Mar	ico Island 31	1145
Flood Insurance Rate Mop (FIRM) (	nformation			
Community Number 120426	Co	mmunity Name: Cit	y of Marco Island	
Panel Number: 6803	Suffix: F	Date of FIRM In	ndex: 7/20/98	_

## Elevation Information

- 1. BFE: "12.0' feet NGVD
- 2. Bottom of Lowest Horizontal Structural Member: 16.0 feet NGVD
- 3. Bevation of Lowest Adjacent Grade: 5.0 feet NGVD

## Breakawby Wall Certification Statement

Note: Certificate must be signed and sealed by a registered protessional engineer. A signed and sealed copy of this statement must also appear on the approved construction plans detailing breakaway wall construction.

I certify that I have developed or reviewed the structural design, plans and specifications for construction of breakaway wals. The design and methods of construction to be used for the breakaway wals are in accordance with accepted standards of practice for meeting the following provisions:

- Breakoway walls have a design safe loading resistance of not less than 10 and no more than 20 pounds per square foot.
- Breakaway wolls collapse shall result from a water load less than that which would occur during the base fload; and
- The elevated parties of the building and supporting foundation system shall not be subject to collapse, displacement, or other structural damage due to the combined effects of wind and water loads acting simultaneousty on all building comportents, structural and non-structural. Wind loading values used shall be those required by applicable state of local building standards. Water loading values shall be those associated with the base flood. Such enclosed space shall be useable solely for parking of vehicles, building access or limited storage of maintenance items.

For "As Built" certifications, I am certifying that the construction has been done in accordance with the design parameters indicated above.

CERTIFICA	ATION
Certifier's Name: Carlos A. Nodal, P.E.	Title: President
Company Name: No dalio Engincening	Registration Number: 49285
Address: 10316 NW AST Sty Sunrise	FL 33351, 1
signature: Carle gu	Date: 1/7/05
Seal:	

·