08/68/ ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires February 28. 2009

U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency

Important: Read the instructions on pages 1-8.

National Flood Insurance Pro	ogram 	important.	read the it	istructions on p	ayes 1-0.			
		SECTI	ON A - PRO	PERTY INFORM	IATION	For Insurance Company Use:		
A1. Building Owner's Nam	Policy Number							
A2. Building Street Address 1850 INLET DRIVE S	Company NAIC Number							
City MARCO ISLANI	O State FL ZIF	Code 34145						
A3. Property Description (LOT 6, BLOCK 406, MAR	Lot and Block Nu CO BEACH UNI	mbers, Tax Parcel Nu r 6 NOT FOR		escription, etc.) ION / NOT FOR D	ESIGN			
 A4. Building Use (e.g., Re A5. Latitude/Longitude: La A6. Attach at least 2 photo A7. Building Diagram Num A8. For a building with a ca a) Square footage of b) No. of permanent 	at. <u>25-54-35.2</u> Longraphs of the buildber <u>1</u> rawl space or endocrawl space or electrons.	ong. 81-41-50.8 Ilding if the Certificate closure(s), provide nclosure(s)		to obtain flood insu A9. For a a) So	building with an attac	ched garage, provide:		
	within 1.0 foot ab	ove adjacent grade	N/A N/A sq ir			ove adjacent grade <u>N/A</u> openings in A9.b <u>N/A</u> sq in		
c) Total net area of i		TION B - FLOOD IN						
B1. NFIP Community Nam			32. County Na	· · · · · · · · · · · · · · · · · · ·		B3. State		
CITY OF MARCO ISLAND			COLLIER			FL		
B4. Map/Panel Number 12021C0-0812	B5. Suffix	B6. FIRM Index Date 11/17/05	Effectiv	FIRM Panel e/Revised Date 11/17/05	B8. Flood Zone(s) AE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth)		
B10. Indicate the source of		<u> </u>						
☐ FIS Profile		☐ Community Deter		Other (Describe				
B11. Indicate elevation date B12. Is the building located Designation Date	in a Coastal Barr			☐ NAVD 1988 or Otherwise Prote ☐ OPA	☐ Other (Describe ected Area (OPA)?	e) □Yes ⊠No		
	SECTIO	N C - BUILDING E	LEVATION I	NFORMATION (SURVEY REQUIR	ED)		
 C1. Building elevations are based on:								
Conversion/Comments	<u>IN/A</u>				Check the measurer	ment used.		
d) Attached garage (ther floor st horizontal structor op of slab) of machinery or ecupation of the continuity inished) grade (L	ctural member (V Zon quipment servicing the iments) AG)	es only)	$N.A$ \boxtimes fe $N.A$ \boxtimes fe 8.0 \boxtimes fe 7.7 \boxtimes fe	meters (Puer meter meters (Puer	to Rico only)		
	SECTIO	ON D - SURVEYOR	, ENGINEER	R, OR ARCHITEC	T CERTIFICATIO	N \$ 114-08		
This certification is to be si information. I certify that the I understand that any false Check here if commen	gned and sealed ne information on statement may b	by a land surveyor, er this Certificate repres e punishable by fine c	ngineer, or arc ents my best e	hitect authorized by efforts to interpret th	r law to certify elevati ne data available.	on By Man		
Certifier's Name LELAND		License Number 3859						
Title PLS		Company Nam	e F.L.A. SUF	VEYS CORP.		= MATINGO		
Address 4360 CORPORATE SQ. BLVD City NAPLES State FL ZIP Code 34104								
Signature		Date 05-19-08	Telephor	ne 239-598-5936				
7 4 7 11	Comment					\		

		form One Charact		and the same of th
	copy the corresponding information , Unit, Suite, and/or Bldg. No.) or P.O. Rou			or Insurance Company Use: plicy Number
1850 INLET DRIVE S		LE AND DOX NO.		,
City MARCO ISLAND State FL ZIP (Code 34145		C	ompany NAIC Number
SECTION	D - SURVEYOR, ENGINEER, OR AF	RCHITECT CERTIFICATION	ON (CONTIN	IUED)
1 *	icate for (1) community official, (2) insurance			
CONSTRUCTION). NOT FOR FENCE PREPARED FOR HOME INSURANCE	ON, NOT FOR DESIGN. FLORIDA STATU CONSTRUCTION. FLOOD ZONE DETER PURPOSES ONLY. THE EQUIPMENT U IN C2(e) IS THE AIR CONDITIONING PAI	RMINATION PROVIDED BY F ISED IS GPS. THERE EXIST	FLOOD INSIG S A 0.2' (TWO	HTS. THIS DATA WAS) TENTHS) PLUS OR MINUS
Signature		Date 05-19-08		□ Check here if attachments
SECTION E - BUILDING ELE\	VATION INFORMATION (SURVEY N	OT REQUIRED) FOR ZO	NE AO AND	ZONE A (WITHOUT BFE)
 and C. For Items E1-E4, use natural g E1. Provide elevation information for grade (HAG) and the lowest adja a) Top of bottom floor (including b) Top of bottom floor (including clevation C2.b in the diagrams) E2. For Building Diagrams 6-8 with p (elevation C2.b in the diagrams) E3. Attached garage (top of slab) is E4. Top of platform of machinery and E5. Zone AO only: If no flood depth 	basement, crawl space, or enclosure) is basement, crawl space, or enclosure) is termanent flood openings provided in Secti of the building is feet	nt used. In Puerto Rico only, oxes to show whether the elevance of the show whether the elevance of the show whether the elevance of the show of the show or the s	enter meters. vation is above eters above eters above age 8 of Instru below the HAC c. rs above co e with the con	e or below the highest adjacent ve or below the HAG. ve or below the LAG. ctions), the next higher floor dr below the HAG.
SECTION	F - PROPERTY OWNER (OR OWNE	R'S REPRESENTATIVE) CERTIFICA	ATION
	zed representative who completes Sections ments in Sections A, B, and E are correct t		nout a FEMA-i	ssued or community-issued BFE)
Property Owner's or Owner's Authorize	ed Representative's Name			
Address	Cit	у	State	ZIP Code
Signature	Da	te	Telephone	
Comments				
				Chack hard if attachments
	SECTION G - COMMUNITY IN	FORMATION (OPTIONA	L)	Check here if attachments
	w or ordinance to administer the community	y's floodplain management o	rdinance can	
G1. The information in Section C w	plete the applicable item(s) and sign below was taken from other documentation that ha	as been signed and sealed by	y a licensed so	urveyor, engineer, or architect who
	elevation information. (Indicate the source d Section E for a building located in Zone A			
	ns G4G9.) is provided for community floor			ded bit L) of Zone AO.
G4. Permit Number	G5. Date Permit Issued	G6. Date Certificate	e Of Complian	ce/Occupancy Issued
G7. This permit has been issued for:	☐ New Construction ☐ Substan	utial Improvement		
G8. Elevation of as-built lowest floor (inc		feet ☐ meters (PF	R) Datum	and the same of th
G9. BFE or (in Zone AO) depth of flooding	ng at the building site:	feet	R) Datum	
Local Official's Name		Title		
Community Name		Telephone		
Signature		Date		
Comments				
				Check have the second
				Check here if attachments

Building Photographs See Instructions for Item A6.

	For Insurance Company Use:	
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1850 INLET DRIVE S	Policy Number	
City MARCO ISLAND State FL ZIP Code 34145	Company NAIC Number	


If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page,



Building Photographs Continuation Page

For Insurance Company Use: Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1850 INLET DRIVE S Policy Number City MARCO ISLAND State FL ZIP Code 34145 Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View."



FLOOD ELEVATION CERTIFICATE GENERAL NOTES TO BE ADDED UNDER SECTION "D", COMMENTS

- The determination of the date of construction or dates of substantial improvements or damages is not considered to be within the scope of services included in the preparation of this elevation certificate. Therefore, the Pre-FIRM, Post-FIRM or Grandfathered issues may be applicable and should be determined by others.
- 2. In the event photographs have not been included with this certificate, this certificate may NOT be used for the purpose of rating a flood insurance policy, per current National Flood Insurance regulations. Photographs may NOT be included with this certificate without the written consent of the professional certifying Section "C" of this certificate.
- 3. The certification in Section "D" does not address or certify that the building meets the National Flood Insurance Program's Free-Of-Obstruction Requirements. An inspection by building official, insurance agent, or others may reveal obstructions below the lowest horizontal structural member.
- 4. I am unsure of the correct building diagram. I have selected the diagram that in my opinion most closely resembles the building being certified. It is the responsibility of the reviewer of this certificate to inspect the property and concur or give notice to the preparer of the certificate upon non-concurrence regarding the diagram selection.
- 5. Elevations shown hereon are NGVD (National Geodetic Vertical Datum) unless stated otherwise.
- 6. The preparer of this certificate is not able to verify the type of foundation.
- 7. This certificate is NOT to be used for any future construction or design under any conditions unless stated otherwise in writing by the preparer.
- 8. The intent of this certificate is for the sole purpose of rating a flood insurance policy.

May 10, 2007 Flood Elevation General Notes to be added to Under Section "D", Comments Page Three of Five

- 17. The air conditioner's concrete pad on subject property was used to complete Section C2(e).
- 18. Find below a copy of additional General Notes and Abbreviations.

GENERAL NOTES and ABBREVIATIONS

N = NORTH

S = SOUTH

E = EAST

W = WEST, OR ANY COMBINATION THEREOF

- 1. °= DEGREES
- 2. '= MINUTES WHEN USED IN A BEARING
- 3. "= SECONDS WHEN USED IN A BEARING
- 4. '= FEET WHEN USED IN A DISTANCE
- 5. "= INCHES WHEN USED IN A DISTANCE
- 6. ±= "MORE OR LESS" OR "PLUS OR MINUS"
- 7. A = ARC DISTANCE
- 8. AC = ACRES
- 9. A/C = AIR CONDITIONING PAD
- 10. AE = ACCESS EASEMENT
- 11. B.E. = BUFFER EASEMENT
- 12. BM = BENCHMARK
- 13. BOB = BASIS OF BEARING
- 14. BRG = BEARING
- 15. C# = CURVE NUMBER
- 16. C = CALCULATED
- 17. CB = CATCH BASIN
- 18. CHB = CHORD BEARING
- 19. CHD = CHORD
- 20. CLF = CHAINLINK FENCE
- 21. CM = CONCRETE MONUMENT
- 22. C0 = CLEAN OUT
- 23. CONC = CONCRETE
- 24. CP = CONCRETE PAD
- 25. CSW = CONCRETE SIDEWALK
- 26. CTV= CABLE TV RISER
- 27. CUE= COLLIER COUNTY UTILITY EASEMENT
- 28. D = DEED
- 29. DE= DRAINAGE EASEMENT
- 30. DH = DRILL HOLE
- 31. DI = DROP INLET
- 32. ELEC= ELECTRIC

- 33. EOP = EDGE OF PAVEMENT
- 34. EOR = EDGE OF ROAD
- 35. EOW = EDGE OF WATER
- 36. F= AS LABELED OR FOUND IN THE FIELD
- 37. F.A.C. = FLORIDA ADMINISTRATIVE CODE
- 38. FB = FREE BOARD (PASCO COUNTY)
- 39. FCM = FOUND CONCRETE MONUMENT
- 40. FEMA = FEDERAL EMERGENCY MANAGEMENT AGENCY
- 41. FDH = FOUND DRILL HOLE
- 42. FFE = FINISH FLOOR ELEVATION
- 43. FH = FIRE HYDRANT
- 44. FIP = FOUND IRON PIPE
- 45. FIR = FOUND IRON ROD
- 46. FN = FOUND NAIL
- 47. FND = FOUND
- 48. FPK = FOUND PK NAIL
- 49. FPK&D = FOUND PK NAIL AND DISC
- 50. GTE = TELEPHONE RISER
- 51. LBE = LANDSCAPE BUFFER EASEMENT
- 52. LME = LAKE MAINTENANCE EASEMENT
- 53. LP = LIGHT POLE
- 54. M = MEASURED
- 55. ME = MAINTENANCE EASEMENT
- 56. MH = MANHOLE
- 57. N.A.V.D. = NORTH AMERICAN VERTICAL DATUM
- 58. N.G.V.D. = NATIONAL GEODETIC VERTICAL DATUM
- 59. NO ID = NO IDENTIFYING MARKINGS
- 60. NTS= NOT TO SCALE
- 61. OHP= OVERHEAD POWER

Flood Elevation General Notes to be added to Under Section "D", Comments Page Five of Five

- 121. F.E.M.A. FLOOD HAZARD MAPPING: THIS DATE PRODUCT WAS NOT DESIGNED TO MAKE PRECISE IN/OUT FLOOD RISK DETERMINATIONS. THIS PRODUCT IS NOT SUITABLE FOR ENGINEERING APPLICATIONS AND CANNOT BE USED TO DETERMINE ABSOLUTE DELINEATIONS OF FLOOD BOUNDARIES. CALL 1-877-FEMAMAP OR EMAIL A MAP SPECIALIST AT www.fema.org/mit/tsd/fq-map17.htm.
- 122. PROPERTY OWNER SHOULD OBTAIN WRITTEN FLOOD ZONE DETERMINATION FROM LOCAL PERMITTING, PLANNING AND BUILDING DEPARTMENT PRIOR TO ANY CONSTRUCTION PLANNING AND/OR CONSTRUCTION
- 123 IN COMPLIANCE WITH F.A.C. 61G17-6.0031 (4) (E) IF LOCATION OF EASEMENTS OR RIGHT-OF-WAY OF RECORD, OTHER THAN THOSE ON RECORD PLAT, IS REQUIRED, THIS INFORMATION MUST BE FURNISHED TO THE SURVEYOR AND MAPPER.
- 124. IF APPLICABLE, FENCES SHOWN MEANDER ON OR OFF LINES (APPROXIMATE LOCATION ONLY)
- 125. BASIS OF BEARING IS BASED ON THE RIGHT-OF-WAY LINE UNLESS NOTED OTHERWISE