994391

## **ELEVATION CERTIFICATE**

O.M.B. No. 3067-0077 Expires July 31, 1999

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

oquii o to to posta in a	Instructions for co	ompleting this	form can be found on	the following pag	ges.
	F	FOR INSURANCE COMPANY USE POLICY NUMBER			
BUILDING OWNER'S NAME	P				
Vimball Hil'	l Homes				
STREET ADDRESS (Including Ap	t., Unit, Suite and/or Bldg. N	lumber) OR P.O. R	OUTE AND BOX NUMBER		OMPANY NAIC NUMBER
847 Inlet Di	rive				
THER DESCRIPTION (Lot and I	Block Numbers, etc.)				* * * * * * * * * * * * * * * * * * *
Lot 21, Blog	ck 424, Marco	<u>Beach I</u>	<u> </u>	STATE	ZIP CODE
CITY				FL	34145
Marco Island	d		÷ #		
	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	
rovide the following from t	he proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
120426	0812	E	7/20/98	AE	+11.0'
		ha EIRM for Br	Flood Floyations (RFF	): 区 NGVD '29	Other (describe on back)
Indicate the elevation da	tum system used on the	n the FIRM ar	nd the community has est	ablished a BFE fo	r this building site, indicate
		IGVD for other	FIRM datum-see Section	B, Item 7)	
the community's BFE:				11.	10.10 E   10 100
. Using the Elevation Cert			NG ELEVATION INFORM		mg 5/19/00
(c). FIRM Zone A (withou below (check one) (check one) (d). FIRM Zone AO. The one) the highest grad level) elevated in accordance (comments on Pathe FIRM [see Section equation under Commed 4. Elevation reference mains (NOTE: Use of construction case this certificate will of the comments on Pathe FIRM [see Section equation under Commed 4. Elevation reference level elevation case this certificate will of the comments of the construction of the comments of the construction of the cons	t BFE). The floor used the highest grade and floor used as the reference adjacent to the build ordance with the compatum system used in a ge 2). (NOTE: If the B, Item 7], then converts on Page 2.)  The used appears on Floration is based on:   A ction drawings is only only be valid for the build appears to the page 2.	d as the refered diacent to the barence level from the ding. If no floor munity's flood pattermining the elevation datuert the elevation RM: Yes actual construction of the building during to	m the selected diagram is depth number is available alone management ordinare above reference level elements to the datum system of the course of construction of the course of construction.	feet at le, is the building levations: X NGV elevations is difference on the FIRM on Page 4) drawings are reference level A post-constructions and diagrams of the reservations are reference level as a post-construction of the reference level and reservations.	oove or below (check is lowest floor (reference) No Unknown 'D '29 Other (describe) rent than that used on and show the conversion floor in place, in which the control of
6. The elevation of the low Section B, Item 7).	rest grade immediatel	y adjacent to th	ne building is:	5.9 feet NGVD	(or other Finish datum-300
			OMMUNITY INFORMATI		
If the community official is not the "lowest floor" floor" as defined by the 2. Date of the start of constant is a second of the start of the start of the second of the start of the second o	as defined in the com	feet	NGVD (or other FIRM da	reference level in nce, the elevation tum-see Section	idicated in Section C, Item 1 of the building's "lowest B, Item 7).


## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE. and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	· LICENSE NUMBER (or Affix Seal)						
Antonio Trigo			2982				
TITLE	COMPANY						
Professional Surveyor	& Mapper	Α.	Trigo	&	Associates,	Inc.	
ADDRESS	CITY					STATE	ZIP
2223 Trade Center Way	Naples					FL	34109
SIGNATURE			DATE May 1		PHONE 2000 (941)	594-8448	
Copies should be made of this Certificate  COMMENTS:							
Symmetria.							



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.