## 992067

## **ELEVATION CERTIFICATE**

FEDERAL EMERGENCY MANAGEMENT AGENCY
NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077 Expires July 31, 1999

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

. • 1	Instructions for c	ompleting this	s form can be found on	the following pa	ages.	
SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE	
BUILDING OWNER'S NAME					POLICY NUMBER	
Bernard & Cary			DOLLTE AND DOV NUMBER		COMPANY NAIC NUMBER	
STREET ADDRESS (Including Ap 1541 Jamaica (		OUTE AND BOX NOWBER				
OTHER DESCRIPTION (Lot and E	Block Numbers, etc.)	aaah IIni	<b>+</b> 3			
Lot 1, Block	105, Marco B	each oni	L J	STATE	ZIP CODE	
Marco Island				FL		
Marco Ibiana	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION		
Provide the following from the	ne proper FIRM (See	Instructions):				
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION	
		_	7/20/09	AE	(in AO Zones, use depth) +10.0	
120426	0804	D	7/20/98			
7. Indicate the elevation dat	um system used on t	he FIRM for Ba	ase Flood Elevations (BFt and the community has esta	e): ANGVD 29	Other (describe on back) or this building site, indicate	
the community's BFE:	foot N	IGVD (or other	FIRM datum—see Section	B. Item 7)	<b>,</b>	
the community's BFE.						
1. Using the Elevation Certi			NG ELEVATION INFORM			
the selected diagram, (c). FIRM Zone A (without below (check one)  (d). FIRM Zone AO. The one) the highest grade level) elevated in account of the firm of the fir	VE, and V (with BFE) is at an elevation of BFE). The floor used the highest grade at floor used as the reference adjacent to the build ardance with the community turn system used in decay. (NOTE: If the B, Item 7], then converts on Page 2.)  It used appears on FII ation is based on: X in the struction is complete.	d as the reference level from the bottom of	of the lowest horizontal state of the NGVD (or other FIF nee level from the selected building.  In the selected diagram is a depth number is available lain management ordinant above reference level elements to the datum system used in measuring the elements to the datum system used in a construction of ding does not yet have the course of construction.	AM datum—see Sid diagram is feet a le, is the building ce? Yes evations: No	above or below (check is lowest floor (reference No Unknown VD '29 Other (describe erent than that used on and show the conversion I floor in place, in which etion Elevation Certificate	
6. The elevation of the lower Section B, Item 7).	est grade immediately	adjacent to th	e building is:	eet NGVD	(or other rimin datum-see	
	S	ECTION D CO	OMMUNITY INFORMATION	ON		
is not the "lowest floor" a	s defined in the commordinance is:	nunity's floodp feet f	lain management ordinan NGVD (or other FIRM dat	ce, the elevation	ndicated in Section C, Item 1 of the building's "lowest B, Item 7).	


## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE), V1–V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6. 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall. enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C. Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

	2002		LICENSE NUMBER (or Affix Seal)					
	2982							
COMPANY I	NAME							
Mapper A.	Trigo & Associa	ates, Inc.						
CITY		STATE	ZIP					
Naples		FL	34109					
	DATE June 9, 1999	PHONE (941)594-844	8					
c tor. Ty community on	olai, £, ilisaranse agentee.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						
	Mapper A.  CITY  Naples	CITY Naples June 9, 1999	Mapper A. Trigo & Associates, Inc.  CITY STATE  Naples FL  DATE PHONE					



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.