980740

O.M.B. NO. 3067-0077 Expires May 31, 1996

ELEVATION CERTIFICATE FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.


6	SECTION A PR	OPERTY INFO	ORMATION		FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME US HOME CORP					POLICY NUMBER
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER					
TAD JAMAICA CT					COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and Block Numbers, etc.)					
CITY CITY					
NAPLES, COLLIER COUNTS STATE					FL ZIP CODE
SECTION B _ FLOOD INSURANCE RATE MAP (FIRM) INFORMATION					
Provide the following from the proper FIRM (See Instructions):					
• 1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION
120067	0812	E	AUG. 3, 1992	AE	(in AO Zones, use depth)
 7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): XNGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: https://www.user.org the community's BFE: https://www.user.org feet NGVD (or other FIRM datum—see Section B, Item 7). 					
SECTION C BUILDING ELEVATION INFORMATION 1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level					
 describes the subject building's reference level _/ 2(a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of I/ I/_					
under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations: A NGVD '29 D Other (describe the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)					
4. Elevation reference mark used appears on FIRM: Yes No (See Instructions on Page 4)					
5. The reference level elevation is based on: 🖄 actual construction 🗍 construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)					
6. The elevation of the lowest grade immediately adjacent to the building is: 16. 3. feet NGVD (or other FIRM datum-see Section B, Item 7).					
- SECTION D COMMUNITY INFORMATION					
1. If the community official re Is not the "lowest floor" as floor" as defined by the pro-	soonsible for verifying	building eleva	tions specifies that the		cated in Section C, Item 1 the building's "lowest

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the community officials who are authorized by local law of offinance to provide incorptain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME LICENSE NUMBER (or Affix Seal) JOHN P. MALONEY 15 4493 TITLE COMPANY NAME PROFESSIONAL SURVEYOR MAPPER WILSON, MILLER, BARTON: ADDRESS <u>ARTON : PEEK, INC</u> STATE ZIP FL 34105 CITY 3200 BAIL EY LN. SUITE 200, NAPLES SIGNATUR FL ON DATE PHONE 3-25-99 opjes should be made of this Certificate for: 1) community official, 2) Insurance agent/company, and 3) building owner. F.B. N-2235 PALE 53, 2N-94 COMMENTS: REF



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones. Elevations for all A Zones should be measured at the top of the reference level floor. Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

. ~

. -

Page 2