FEMA Form 81-31, MAR 97

ELEVATION CERTIFICATE

O.M.B. No. 3067-0077 Expires July 31, 1999

SEE REVERSE SIDE FOR CONTINUATION

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE	
BUILDING OWNER'S NAME					POLICY NUMBER	
Risto & Lind	a Pafias	<u> </u>				
STREET ADDRESS (Including Ap	t., Unit, Suite and/or Bldg. N	Number) OR P.O. Re	OUTE AND BOX NUMBER		COMPANY NAIC NUMBER	
609 Nassau C	ourt	·				
OTHER DESCRIPTION (Lot and B	Block Numbers, etc.)					
Lot 37, Bloc	k 22, Marco	Beach Un	<u>it 1</u>			
CITY		•		STATE	ZIP CODE	
Marco Island				<u>FL</u>	34145	
	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION		
Provide the following from the	ne proper FIRM (See	înștructions):				
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)	
120426	0804	D	7/20/98	AE	+10.0'	
	no BFE is provided o	n the FIRM, and	d the community has est	ablished a BFE f	Other (describe on back) or this building site, indicate	
	SECTIO	ON C BUILDIN	IG ELEVATION INFORM	NATION	: ·	
of 10.0 fee (b). FIRM Zones V1-V30, V the selected diagram, i (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The fone) the highest grade level) elevated in account of the comments on Page 10.1 fee	AE, AH, and A (with Ent NGVD (or other FIRM VE, and V (with BFE) is at an elevation of BFE). The floor used the highest grade additional adjacent to the building redance with the communication system used in december 2). (NOTE: If the ent of the convergence of	M datum—see Some the bottom of the bottom of the button as the reference level from the button of the selevation datum of the selevation d	Section B, Item 7). Gard the lowest horizontal state feet NGVD (or other FIF ce level from the selected liding. I the selected diagram is depth number is available in management ordinant above reference level elected used in measuring the content of the selected in measuring the selection.	age Floor ructural member RM datum—see S d diagram is le, is the building ce? Yes evations: X NGV elevations is diffe	of the reference level from ection B, Item 7). feet above or bove or below (check 's lowest floor (reference No Unknown VD '29 Other (describe	
4. Elevation reference mark	used appears on FIF	RM: Yes X	No (See Instructions of	n Page 4)	VIAIAIA	
4. Elevation reference mark 5. The reference level eleva (NOTE: Use of construct case this certificate will or will be required once cons		_	ction construction ding does not yet have the course of construction.	rawings e reference level A post-construc	floor in place, in which tion Elevation Certificate	
6. The elevation of the lowe Section B, Item 7).	st grade immediately	adjacent to the	building is:	. O feet NGVD	(or other FIRM datum-see	
	SE	CTION D CO	MMUNITY INFORMATION	ON		
 If the community official r is not the "lowest floor" as floor" as defined by the of the start of construction. 	s defined in the commrdinance is:	nunity's floodpla	in management ordinan GVD (or other FIRM date	ce, the elevation um-see Section		

REPLACES ALL PREVIOUS EDITIONS


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affix, Sealy 37)				
Eric D. Kurtz	4163. \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\				
TITLE	COMPANY NAME				
Professional Surveyor	& Mapper A. Trigo & Associates Inc.				
ADDRESS	CITY				
2223 Trade_Center Way	Naples 50 FL 34109				
SIGNATURE ()	DATE Symme. January 26, 2000 pc G(941) 594-8448				
Copies should be made of this Certifica	te for: 1) community official, 2) insurance agent/company, and 3) building owner.				
COMMENTS:					



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.