98032288

FEMA Form 81-31, MAR 97

ELEVATION CERTIFICATE

O.M.B. No. 3067-007 Expires July 31, 1999

SEE REVERSE SIDE FOR CONTINUATION

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

Aftention: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are no required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

·					
SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME Donold C Marks DoCocts					POLICY NUMBER
Ronald & Myra DeCosta STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER 569 Nassau Rd.					COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and I	·				
Lot 32, Block 2	2, Marco Bea	ach U-1	· - · · · · · · · · · · · · · · · · · ·	STATE	ZIP CODE
Marco Island				FL	34145
	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	
Provide the following from the	he proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
120067	0804	D	2/16/95	AE	+10.0
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: feet NGVD (or other FIRM datum—see Section B, Item 7).					
SECTION C BUILDING ELEVATION INFORMATION 33141516777					
 (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below ☐ (check one) (d). FIRM Zone AO. The fone) the highest grade level) elevated in account ander Comments on Page the FIRM [see Section equation under Comments of Page 14. Elevation reference mark 	VE, and V (with BFE) is at an elevation of L BFE). The floor used the highest grade action used as the reference adjacent to the build redance with the community of the longer of the l	The bottom of as the reference level from ing. If no flood nunity's floodpletermining the elevation datument the elevation. RM: Yes 2	f the lowest horizontal strategies of the lowest horizontal strategies of the lowest horizontal strategies of the NGVD (or other FIF nee level from the selected uilding. In the selected diagram is depth number is available ain management ordinantal above reference level elementations of the datum system used in measuring the end to the datum system used. No (See Instructions of the level elementations of the level elemen	ructural member of M datum—see Se d diagram is le, is the building ce? Yes NGV elevations is different sed on the FIRM on Page 4)	feet above or or or or below (check s lowest floor (reference No Unknown O'29 Other (describe
5. The reference level elevation is based on: 🗵 actual construction 🗌 construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)					
6. The elevation of the lower Section B, Item 7).	est grade immediately	adjacent to the	e building is:5	•5 feet NGVD	or other FIRM datum-see
	S	ECTION D CO	MMUNITY INFORMATION	ON	
 If the community official is not the "lowest floor" at floor" as defined by the community official is not the "lowest floor" at floor. Date of the start of const. 	s defined in the commodinance is:	nunity's floodpl	ain management ordinan IGVD (or other FIRM date	ce, the elevation um-see Section I	


REPLACES ALL PREVIOUS EDITIONS

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6. 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.