Remode

U.S.*DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY

National Flood Insurance Program

ELEVATION CERTIFICATE

IMPORTANT: Follow the instructions on pages 1-9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

SECTION A – PROPERTY INFORMATION			FOR INSURANCE COMPANY USE
			Policy Number
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or PO. Route and Box No. 1209 ORANGE COURT			Company NAIC Number:
City MARCO ISLAND	State FL	Z	P Code 33914
A3. Property Description (Lot and Block Numbers, Tax Par LOT 27, BLOCK 128, MARCO BEACH UNIT	I, PLAT BOOK 6, PAGE 32-37,	PUBLIC RECORDS	
A4. Building Use (e.g., Residential, Non-Residential, Addit A5. Latitude/Longitude: Lat25°57'46.52"N	ion, Accessory, etc.) RESIDENTIA	\L	
A6. Attach at least 2 photographs of the building if the Co		Horizontal D	atum: ☐ NAD 1927 🗵 NAD 1983
A7. Building Diagram Number 1A			
A8. For a building with a crawlspace or enclosure(s): a) Square footage of crawlspace or enclosure(s)	NI/A	or a building with an atta Square footage of atta	404
 No. of permanent flood openings in the crawlspac enclosure(s) within 1.0 foot above adjacent grade 	e or N/A b)		flood openings in the attached garage
c) Total net area of flood openings in A8.b	N/A sq in c)	Total net area of flood	
d) Engineered flood openings? ☐ Yes ☒ No	d)	Engineered flood oper	nings? 🗌 Yes 🔀 No
SECTION B - FLO	OD INSURANCE RATE MAP (F	FIRM) INFORMATIO	N
B1. NFIP Community Name & Community Number MARCO ISLAND 120067	B2, County Name COLLIER COUNTY		B3. State
B4. Map/Panel Number B5. Suffix B6. FIRM Inde	x Date B7. FIRM Panel Effective	B8. Flood Zone(s)	B9. Base Flood Elevation(s) (Zone
12011C0828H H 05/16/2		AE	AO, use base flood depth) 8 FT.
B10. Indicate the source of the Base Flood Elevation (BFE) ☐ FIS Profile ☐ FIRM ☐ Community Determine	data or base flood depth entered in	Item B9:	
B11. Indicate elevation datum used for BFE in Item B9:	d ☐ Other/Source: ☐ NGVD 1929	B ☐ Other/Source:	N/A
B12. Is the building located in a Coastal Barrier Resources			Yes X No
Designation Date:/ / CI	BRS □ OPA		
SECTION C - BUILD	ING ELEVATION INFORMATION	(SURVEY REQUIRE	ED)
C1. Building elevations are based on: Construction	on Drawings*	er Construction*	▼ Finished Construction
*A new Elevation Certificate will be required when cor	struction of the building is complete	e.	S i maned construction
*A new Elevation Certificate will be required when cor C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, C2.a–h below according to the building diagram speci	struction of the building is complete /1–V30, V (with BFF) AR AR/A AR/	P. MAR AR/A1_ARN AR/AH	_
*A new Elevation Certificate will be required when cor C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, C2.a–h below according to the building diagram speci Benchmark Utilized: CCBM	struction of the building is complete V1-V30, V (with BFE), AR, AR/A, AR/ ied in Item A7. In Puerto Rico only, Vertical Datum:	e. AE, AR/A1–A30, AR/AH enter meters. NGVD 1988	, AR/AO. Complete Items
*A new Elevation Certificate will be required when cor C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, C2.a–h below according to the building diagram speci	struction of the building is complete 1-V30, V (with BFE), AR, AR/A, AR/ ied in Item A7. In Puerto Rico only, Vertical Datum: ms a) through h) below. NGVD 1	e. AE, AR/A1–A30, AR/AH enter meters. NGVD 1988 929 🛛 NAVD 1988	, AR/A0. Complete Items
*A new Elevation Certificate will be required when cor C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, C2.a–h below according to the building diagram speci Benchmark Utilized: <u>CCBM</u> Indicate elevation datum used for the elevations in ite Datum used for building elevations must be the same	struction of the building is complete V1-V30, V (with BFE), AR, AR/A, AR/ fied in Item A7. In Puerto Rico only, Vertical Datum: ms a) through h) below. NGVD 1 as that used for the BFE.	e. AE, AR/A1-A30, AR/AH enter meters. NGVD 1988 929 NAVD 1988 Check the mea	, AR/A0. Complete Items Other/Source:
*A new Elevation Certificate will be required when cor C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, C2.a–h below according to the building diagram speci Benchmark Utilized: CCBM Indicate elevation datum used for the elevations in ite Datum used for building elevations must be the same a) Top of bottom floor (including basement, crawlspace) b) Top of the next higher floor	struction of the building is complete /1-V30, V (with BFE), AR, AR/A, AR/ fied in Item A7. In Puerto Rico only, Vertical Datum: ms a) through h) below. BYGVD 1 as that used for the BFE. e, or enclosure floor) 7 N/A	e. AE, AR/A1-A30, AR/AH enter meters. NGVD 1988 .929 MAVD 1988 [Check the mea	, AR/A0. Complete Items
*A new Elevation Certificate will be required when cor C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, C2.a–h below according to the building diagram speci Benchmark Utilized: CCBM Indicate elevation datum used for the elevations in ite Datum used for building elevations must be the same a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member	struction of the building is complete V1-V30, V (with BFE), AR, AR/A, AR/ fied in Item A7. In Puerto Rico only, Vertical Datum: ms a) through h) below. NGVD 1 as that used for the BFE. e, or enclosure floor) N/A (V Zones only) N/A	AE, AR/A1—A30, AR/AH enter meters. NGVD 1988 929 NAVD 1988 [Check the meaning feet feet feet	AR/AO. Complete Items Other/Source: asurement used. meters
*A new Elevation Certificate will be required when cor C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, C2.a–h below according to the building diagram speci Benchmark Utilized: CCBM Indicate elevation datum used for the elevations in ite Datum used for building elevations must be the same a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member d) Attached garage (top of slab)	struction of the building is complete V1-V30, V (with BFE), AR, AR/A, AR/ fied in Item A7. In Puerto Rico only, Vertical Datum: ms a) through h) below. NGVD 1 as that used for the BFE. e, or enclosure floor) 7 N/A (V Zones only) N/A 6	AE, AR/A1—A30, AR/AH enter meters. NGVD 1988 929 NAVD 1988 Check the mea 62 Seet feet feet 60 Seet	AR/AO. Complete Items Other/Source: asurement used. meters meters
*A new Elevation Certificate will be required when cor C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, C2.a–h below according to the building diagram speci Benchmark Utilized: CCBM Indicate elevation datum used for the elevations in ite Datum used for building elevations must be the same a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment service (Describe type of equipment and location in Comm	struction of the building is complete V1-V30, V (with BFE), AR, AR/A, AR/ fied in Item A7. In Puerto Rico only, Vertical Datum: ms a) through h) below. AS TO NGVD 1 as that used for the BFE. e, or enclosure floor) N/A (V Zones only) M/A fing the building ents)	AE, AR/A1—A30, AR/AH enter meters. NGVD 1988 929 NAVD 1988 Check the meders. 62 Neet feet feet 60 Neet 86 Neet	, AR/AO. Complete Items Other/Source: assurement used. meters meters meters
*A new Elevation Certificate will be required when cor C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, C2.a–h below according to the building diagram speci Benchmark Utilized: CCBM Indicate elevation datum used for the elevations in ite Datum used for building elevations must be the same a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servic (Describe type of equipment and location in Comm f) Lowest adjacent (finished) grade next to building (L	struction of the building is complete V1-V30, V (with BFE), AR, AR/A, AR/ fied in Item A7. In Puerto Rico only, Vertical Datum: ms a) through h) below. NGVD 1 as that used for the BFE. e, or enclosure floor) V/A (V Zones only) M/A ing the building ents) AG) 6	AE, AR/A1—A30, AR/AH enter meters. NGVD 1988 929 NAVD 1988 Check the meters. 62 Seet feet feet 60 Seet feet 86 Seet	, AR/AO. Complete Items Other/Source: assurement used. meters meters meters meters meters meters meters
*A new Elevation Certificate will be required when cor C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, C2.a–h below according to the building diagram speci Benchmark Utilized: CCBM Indicate elevation datum used for the elevations in ite Datum used for building elevations must be the same a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servic (Describe type of equipment and location in Comm f) Lowest adjacent (finished) grade next to building (including the company of the company	struction of the building is complete V1-V30, V (with BFE), AR, AR/A, AR/ fied in Item A7. In Puerto Rico only, Vertical Datum: ms a) through h) below. NGVD 1 as that used for the BFE. e, or enclosure floor) 7 N/A (V Zones only) N/A for the building ents) AG) AG) AG) AG AGO AG AGA AGA AGA AGA AGA	AE, AR/A1—A30, AR/AH enter meters. NGVD 1988 929 NAVD 1988 Check the mea 62 Feet feet feet 60 M feet	, AR/AO. Complete Items Other/Source:
*A new Elevation Certificate will be required when cor C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, C2.a–h below according to the building diagram speci Benchmark Utilized: CCBM Indicate elevation datum used for the elevations in ite Datum used for building elevations must be the same a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment service (Describe type of equipment and location in Comm f) Lowest adjacent (finished) grade next to building (I g) Highest adjacent (finished) grade next to building (I h) Lowest adjacent grade at lowest elevation of deck structural support	struction of the building is complete /1-V3O, V (with BFE), AR, AR/A, AR/fied in Item A7. In Puerto Rico only, Vertical Datum: ms a) through h) below. As that used for the BFE. e, or enclosure floor) // N/A (V Zones only) // N/A // Of the building ents) AG) AG) AG) AG AG) AG AG AG A	AE, AR/A1—A30, AR/AH enter meters. NGVD 1988 .929 NAVD 1988 Check the meters. Get Get Get Get Get Get Get Get Get Get Get Get Get Get Get Get Get Get Get Get Get Get Get Get Get Get Get Get Get Get Get Get Get Get Get Get Get Get Get Get Get	, AR/A0. Complete Items Other/Source:
*A new Elevation Certificate will be required when cor C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, C2.a–h below according to the building diagram speci Benchmark Utilized: CCBM Indicate elevation datum used for the elevations in ite Datum used for building elevations must be the same a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment service (Describe type of equipment and location in Comm f) Lowest adjacent (finished) grade next to building (I g) Highest adjacent (finished) grade next to building (I h) Lowest adjacent grade at lowest elevation of deck structural support	struction of the building is complete /1-V30, V (with BFE), AR, AR/A, AR/fied in Item A7. In Puerto Rico only, Vertical Datum: ms a) through h) below. As that used for the BFE. e, or enclosure floor) // N/A (V Zones only) // Some stairs, including // N/A // N	AE, AR/A1—A30, AR/AH enter meters. NGVD 1988 929 NAVD 1988 Check the meders. 62 Seet feet feet feet 60 Seet feet 31 Seet feet 55 Seet feet	, AR/A0. Complete Items Other/Source:
*A new Elevation Certificate will be required when cor C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, C2.a–h below according to the building diagram speci Benchmark Utilized: CCBM Indicate elevation datum used for the elevations in ite Datum used for building elevations must be the same a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment service (Describe type of equipment and location in Comm f) Lowest adjacent (finished) grade next to building (L g) Highest adjacent (finished) grade next to building (L h) Lowest adjacent grade at lowest elevation of deck structural support SECTION D – SURY This certification is to be signed and sealed by a land survey information. I certify that the information on this Certificate re	struction of the building is complete /1-V30, V (with BFE), AR, AR/A, AR/fied in Item A7. In Puerto Rico only, Vertical Datum: ms a) through h) below. NGVD 1 as that used for the BFE. e, or enclosure floor) // N/A (V Zones only) // N/A // Of any the building ents) AG) AG) AG) AG) AG) AG) AG) A	AE, AR/A1—A30, AR/AH enter meters. NGVD 1988 929 NAVD 1988 Check the mean of the feet of fee	, AR/A0. Complete Items Other/Source:
*A new Elevation Certificate will be required when cor C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, C2.a–h below according to the building diagram speci Benchmark Utilized: CCBM Indicate elevation datum used for the elevations in ite Datum used for building elevations must be the same a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment service (Describe type of equipment and location in Comm f) Lowest adjacent (finished) grade next to building (I g) Highest adjacent (finished) grade next to building (I h) Lowest adjacent grade at lowest elevation of deck structural support SECTION D – SURY	struction of the building is complete /1-V30, V (with BFE), AR, AR/A, AR/fied in Item A7. In Puerto Rico only, Vertical Datum: ms a) through h) below. As that used for the BFE. e, or enclosure floor) // N/A (V Zones only) AG ing the building ents) AG AG AG AG AG AG AG AG AG A	AE, AR/A1—A30, AR/AH enter meters. NGVD 1988 929 NAVD 1988 Check the meders. 62 Feet 60 Feet 60 Feet 55 Feet 1 feet 55 Feet 1 feet 55 Feet 1 feet 55 Feet 1 feet 56 Peet 56 Peet 57 Feet 58 Peet 59 Feet 1 feet 59 Feet 50 Feet	, AR/A0. Complete Items Other/Source:
*A new Elevation Certificate will be required when cor C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, C2.a–h below according to the building diagram speci Benchmark Utilized: CCBM Indicate elevation datum used for the elevations in its Datum used for building elevations must be the same a) Top of bottom floor (including basement, crawlspace) Top of the next higher floor c) Bottom of the lowest horizontal structural member d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment service (Describe type of equipment and location in Comm f) Lowest adjacent (finished) grade next to building (I g) Highest adjacent (finished) grade next to building (I g) Howest adjacent grade at lowest elevation of deck structural support SECTION D – SURV Inis certification is to be signed and sealed by a land survey information. I certify that the information on this Certificate retunderstand that any false statement may be punishable by the Check here if comments are provided on back of form.	struction of the building is complete /1-V30, V (with BFE), AR, AR/A, AR/ fied in Item A7. In Puerto Rico only, Vertical Datum: ms a) through h) below. as that used for the BFE. e, or enclosure floor) // N/A (V Zones only) // N/A fing the building ents) AG) AG) AG) AG) AG) AG) AG) A	AE, AR/A1—A30, AR/AH enter meters. NGVD 1988 929 NAVD 1988 Check the meders. 62 Feet 60 Feet 60 Feet 55 Feet 1 feet 55 Feet 1 feet 55 Feet 1 feet 55 Feet 1 feet 56 Peet 56 Peet 57 Feet 58 Peet 59 Feet 1 feet 59 Feet 50 Feet	, AR/A0. Complete Items Other/Source:
*A new Elevation Certificate will be required when cor C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, C2.a–h below according to the building diagram speci Benchmark Utilized: CCBM Indicate elevation datum used for the elevations in ite Datum used for building elevations must be the same a) Top of bottom floor (including basement, crawlspace) Top of the next higher floor c) Bottom of the lowest horizontal structural member d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment service (Describe type of equipment and location in Comm f) Lowest adjacent (finished) grade next to building (Light) Highest adjacent (finished) grade next to building (Light) Howest adjacent grade at lowest elevation of deck structural support SECTION D – SURY This certification is to be signed and sealed by a land survey information. I certify that the information on this Certificate resunderstand that any false statement may be punishable by the Check here if comments are provided on back of form. Certifier's Name JOHN A. IBARRA Title PRESIDENT	struction of the building is complete /1–V30, V (with BFE), AR, AR/A, AR/fied in Item A7. In Puerto Rico only, Vertical Datum: ms a) through h) below. As that used for the BFE. e, or enclosure floor) // N/A (V Zones only) // N/A // N/A // N/A // N/A // A // N/A // A // N/A // N/A // N/A // A // N/A // N/A // A // N/A // N	AE, AR/A1—A30, AR/AH enter meters. NGVD 1988 .929 NAVD 1988 Check the meders. 62 feet feet feet feet .86 feet .85 feet .95 feet feet .95 feet feet .95 feet feet .96 feet feet .97 feet feet .98 feet feet .99 feet feet feet .99 feet feet feet	, AR/A0. Complete Items Other/Source:
*A new Elevation Certificate will be required when cor C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, C2.a–h below according to the building diagram speci Benchmark Utilized: CCBM Indicate elevation datum used for the elevations in ite Datum used for building elevations must be the same a) Top of bottom floor (including basement, crawlspace) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment service (Describe type of equipment and location in Comm f) Lowest adjacent (finished) grade next to building (L) g) Highest adjacent (finished) grade next to building (L) b) Lowest adjacent grade at lowest elevation of deck structural support SECTION D – SURY This certification is to be signed and sealed by a land survey information. I certify that the information on this Certificate resunderstand that any false statement may be punishable by the Check here if comments are provided on back of form. Certifier's Name JOHN A. IBARRA Title	struction of the building is complete /1-V30, V (with BFE), AR, AR/A, AR/ fied in Item A7. In Puerto Rico only, Vertical Datum: ms a) through h) below. as that used for the BFE. e, or enclosure floor) // N/A (V Zones only) // N/A fing the building ents) AG) AG) AG) AG) AG) AG) AG Presents, including Increased and longitude in Selicensed land surveyor? Vertical Datum: NGVD 1 NGVD 1 N/A N/A N/A	AE, AR/A1—A30, AR/AH enter meters. NGVD 1988 .929 NAVD 1988 Check the meders. 62 feet feet feet feet .86 feet .85 feet .95 feet feet .95 feet feet .95 feet feet .96 feet feet .97 feet feet .98 feet feet .99 feet feet feet .99 feet feet feet	, AR/A0. Complete Items Other/Source:

ELEVATION CERTIFICATE, page 2

IMPORTANT: In these spaces, copy the corr	esponding information from Sect	lon A.		FOR INISTIDANO	E COMPANY USE
Building Street Address (including Apt., Unit,				Policy Number	- SOMERITE USE
1209 ORANGE COURT					
MARCO ISLAND	State FL	ZIP Code 33914		Company NAIC Nu	mber
	SURVEYOR, ENGINEER, OR /				
Copy both sides of this Elevation Certificate f	or (1) community official, (2) insur	ance agent/compa	ny, and (3) buildir	ng owner.	
Comments SECTION C2(E) LOWEST E SURVEYOR USING GOOGL	LEVATION OF MACHINERY E EARTH	= THE A/C PAD	LATITUDE AN	ID LONGITUDE	DETERMINED BY
$ \Omega$ Ω					
Signature		Date 03/04/20	013		
SECTION E - BUILDING ELEVATIO	N INFORMATION (SURVEY I			AND ZONE A	(WITHOUT BFE)
For Zones AO and A (without BFE), complete I For Items E1–E4, use natural grade, if availab	tems E1-E5. If the Certificate is in	tended to support	a LOMA or LOMB		
E1. Provide elevation information for the followarde (HAG) and the lowest adjacent grade	e (LAG).	exes to show wheth	er the elevation is	s above or below t	ne highest adjacent
a) Top of bottom floor (including basemen			☐ feet ☐ met		below the HAG.
b) Top of bottom floor (including basemen			☐ feet ☐ met		☐ below the LAG.
E2. For Building Diagrams 6–9 with permanenthe the next higher floor (elevation C2.b in the		on A Items 8 and/	_		
E3. Attached garage (top of slab) is	diagrams) of the building is _	 ,	☐ feet ☐ met		☐ below the HAG. ☐ below the HAG.
E4. Top of platform of machinery and/or equip	- ment servicing the building is		☐ feet ☐ met		below the HAG.
E5. Zone AO only: If no flood depth number is					
ordinance? ☐ Yes ☐ No ☐ Unknow	n. The local official must certify th	is information in S	ection G.		- apiani managaman
SECTION F - P	ROPERTY OWNER (OR OWN	VER'S REPRESE	NTATIVE) CER	TIFICATION	
The property owner or owner's authorized repr Zone AO must sign here. The statements in S	esentative who completes Section	ns A, B, and E for Z	one A (without a l	FEMA-issued or co	mmunity-issued BFE) or
Property Owner or Owner's Authorized Represe			wiedge.		
Address	Entative's Name KARL OLOK	City		-t- 710.0	
1209 ORANGE COURT			ISLAND	ate FL ZIP C	33914
Signature		Date 03/0	04/2013 Te	lephone	
Comments					
				_	
				Chec	k here if attachments.
	SECTION G - COMMUNITY				
The local official who is authorized by law or ord G of this Elevation Certificate. Complete the ap	linance to administer the communi plicable item(s) and sign below. Ch	ty's floodplain mana eck the measureme	agement ordinance	can complete Sec	tions A, B, C (or E), and
G1. The information in Section C was talk	en from other documentation that	at has been signed	and sealed by a	licensed surveyor	endineer or architect
who is authorized by law to certify ei	evation information, (Indicate the	source and date	of the elevation d	ata in the Comme	nts area below.)
G2. ☐ ☐ The following information (Items G4-	-G9) is provided for community fla	nodolain manadem	ent nurnaces		
G4. Permit Number	G5. Date Permit Issued			Compliance/Occu	pancy Issued
G7. This permit has been issued for:	ew Construction Substanti				
G8. Elevation of as-built lowest floor (includin		al Improvement	☐ feet ☐ mete	are Datum	
G9. BFE or (in Zone AO) depth of flooding at a	=		☐ feet ☐ mete		
G10.Community's design flood elevation:			☐ feet ☐ mete	ers Datum	
Local Official's Name		Title			
Community Name		Telephone	<u> </u>		
Signature		Date 03/0	4/2013		
Comments				_	<u> </u>
1/					
V					
				□Check	chere if attachments.

BUILDING PHOTOGRAPHS

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the co	responding information from	Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit 1209 ORANGE COURT	, Suite, and/or Bldg. No.) or PC	D. Route and Box No.	Policy Number
City MARCO ISLAND	State FL	ZIP Code 33914	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.

FRONT VIEW 03/04/2013



REAR VIEW 03/04/2013



BUILDING PHOTOGRAPHS

Continuation Page

IMPORTANT: In these spaces, copy the o	orresponding information from	Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Ur 1209 ORANGE COURT	it, Suite, and/or Bldg, No.) or PO	D. Route and Box No.	Policy Number
City MARCO ISLAND	State FL	ZIP Code 33914	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.

LEFT VIEW 03/04/2013



RIGHT SIDE 03/04/2013





JOHN IBARRA & ASSOCIATES, INC.

Professional Land Surveyors & Mappers

777 (4.6. 72.00 (82.00)) (4.01) (42.0) (8.00) (7.00) (8.0) (12.0) (7.00)

ABBREVIATIONS







LOCATION SKETCH

SCALE WALLS

VIEW OF SUBJECT PROPERTY

(209 DRANGE CO., MARCO BLAND FI. 12614

A = ABC. A = ABC. DEVITEDAMEN LAD A C = ARE CONVETTOMEN LAD A C = AREACOM ARRESTS F T = RACCE CANGER BOOM - BOULDERS BOOM - BOULDERS BOOM - BOULDERS CO = CANCELLERS C

ABBREVATIONS

1.3 = LIGHT POLE

1.7 = LIGHT POLE

1.7 = LIGHT POLE

1.7 = LIGHT POLE

1.8 = LIGHT POLE

1.9 = LIGHT POLE

LEGEND O CONTROLL RELIEF LAND.
CONTROLL RECORD BALLS
CONTROLL RECORD
CONTROLL RECORD
LINES SERVICE
LINES SE SURVEYOR'S NOTES.

If JUMN SURVEYS THE KNOWN IN THE NUMBER OF SURPLIES OF THE RAIN O RAINTENNER
RAIN RAINT ON RAINT
RAIN RAINT ON ROTAL
RAIN RAINT ON ROTAL
RAIN RAINT
RAINT ON ROTAL
RAINT
RAIN

LEGAL NOTES TO ACCOMPANY SKETCH OF SURVEY:

FIRST A REPORTED TO THE STREET OF THE STREET

- THE PARTY OF THE P

- THE REPORT OF THE PROPERTY OF

SURVEYOR'S CERTIFICATION:

THE WAY A STATE OF THE ADMINISTRATION OF THE PLANT AND THE PROPERTY OF THE PROPERTY

BY Annual Volume Control of the Cont

03/05/2013

CARLOS BARRA

CONTROL RELIEVED AND THE STATE OF THE STATE OF THE WARRANT CONTRACTOR OF THE STATE OF THE STATE

TITLE COMPANY

First Title & Abstract, Inc.

DRAWN RV-AHV FIELD DATE: 03/05/2013 JOB NO: 13-000811-1 SHEET: 1 OF 2

UNDERWRITER





L.B.# 7806

SEAL

JOHN IBARRA & ASSOCIATES, INC.


Professional Land Surveyors & Mappiers

77° DAN TEIM KOINE AND YOUR TOOTHE LIFTING SPACE YOUR HOUSE LOOK STEERS I AMERICAN POSSESS AND MEMBERS AND ADDRESS OF THE STEERS



MAP OF BOUNDARY SURVEY

1209 ORANGE CT., MARCU ISLAND, FL. 33914



ENCROACHMENT NOTES:

- EXTENSION OF THE POLICY CONTROL OF THE POLICY OF THE POLIC
- IN TACHAR SOURCE INSURED PROPERTY WHICH MEDICAL PROPERTY WHICH AND PROPERTY OF THE PROPERTY OF

CALOS BAA ALLAND SE SEAL

L.B.# 7806

LEGAL DESCRIPTION:
LOT 27 BLOCK 12H MARCO BEACH UNIT FOUR, ACCORDING TO THE PLAT THEREOF AS RECORDED IN PLAT BOOK 6 PAGE 32 THROUGH 37 OF THE PUBLIC RECORDS OF COLLIER COUNTY FLORIDA.

CERTIFICATION:
KAR, OLOKSIUK TRUSTEE OF THE ARLO TRUST DATED 6-11-2011
FIRST TITLE & ABSTRACT, INC.
CHICAGO TITLE INSURANCE COMPANY

SCALE.	1"=20"
FIELD DATE.	03/05/2013
JOB NO:	13-000811-1
SHEET:	2 OF 2

AHV

DRAWN BY