

ELEVATION CERTIFICATE

O.M.B. No. 3067-0077 Expires July 31, 1999

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

رويي المراجعيين الأخرية في المراجعة والمراجعة والمراجعة في المراجعة المراجعة المراجعة والمراجعة المراجعة المراجعة	SECTION A PRO				فعينوا الانزور والمستهدة بالمسي الاقتصارات بمسيرين المستقد فعيري بمراجعات والمستقد والمستقد والمستوادة مي	
·	FOR INSURANCE COMPANY USE					
BUILDING OWNER'S NAME	POLICY NUMBER					
Kimball Hil						
STREET ADDRESS (Including Ap 1298 Riverh	COMPANY NAIC NUMBER					
OTHER DESCRIPTION (Lot and E Lot 4, Bloc	Block Numbers, etc.) k 10, Marco	Beach Un	it 1			
CITY				STATE	ZIP CODE	
Marco Islan	d		<u></u>	FL	34145	
	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION		
Provide the following from the	ne proper FIRM (See	Instructions):				
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)	
120426	0804	D	7/20/98	AE	+10.0'	
7. Indicate the elevation dat 8. For Zones A or V, where the community's BFE:	no BFE is provided or	the FIRM, an	d the community has esta	ablished a BFE fo	Other (describe on back) or this building site, indicate	
	SECTIC	NC BUILDI	NG ELEVATION INFORM	IATION		
of 10,1 fee (b). FIRM Zones V1-V30, V the selected diagram, i (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The foone) the highest grade level) elevated in accordance in the elevation data and the FIRM [see Section Elevation under Comments on Page the Elevation under	t NGVD (or other FIRMUE, and V (with BFE). Is at an elevation of BFE). The floor used the highest grade additional used as the reference adjacent to the building ance with the commum system used in december 1. (NOTE: If the end, Item 7], then converts on Page 2.)	The bottom of as the reference level from a fino flood funity's floodpic termining the elevation datument the elevation	Section B, Item 7). If the lowest horizontal strated feet NGVD (or other FIRmore level from the selected uilding. In the selected diagram is depth number is available ain management ordinance above reference level element of the datum system using the datum system system system using the datum system sy	ructural member of M datum—see Sed diagram is feet above is the building's vations: X NGV elevations is different and the FIRM an	ction B, Item 7). J feet above or ove or below (check s lowest floor (reference No Unknown D '29 Other (describe ent than that used on	
4. Elevation reference mark	used appears on FIR	M: Yes	No (See Instructions of	n Page 4)		
5. The reference level eleval (NOTE: Use of construct case this certificate will or will be required once cons	ion drawings is only vally be valid for the buil	alid if the build ding during the	ling does not yet have the	reference level f		
6. The elevation of the lower Section B, Item 7).	st grade immediately	adjacent to the	building is: 19	3 feet NGVD (or other FIRM datum-see	
	SE	CTION D CO	MMUNITY INFORMATIC	N		
1. If the community official resistance is not the "lowest floor" as floor" as defined by the or 2. Date of the start of constr	defined in the comm	unity's floodpla	ain management ordinand GVD (or other FIRM datu	e, the elevation of m–see Section B	of the building's "lowest	


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C. Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME Antonio Trigo			LICENSE NUMBER	R (or Affix Seal	1)		
		· · ·					
Professional Surveyor		COMPANY NAME					
		& Mapper	A. Trigo &	Associates,		Inc.	
ADDRESS		CITY				STATE	ZIP
2223 Tr	de Center Way	Naples		•		FL	34109
SIGNATURE			March 28,	2000	PHONE (941)	594-8448	
copies should be	made of this Certificate	for: 1) community offi	icial, 2) insurance	agent/com	pany, and	3) building ow	ner.
COMMENTS:							
·	- · · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		<u></u>		<u>.</u>



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.