ELEVATION CERTIFICATE 99-2266 O.M.B. No. 3067-0077

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

Expires July 31, 1999

99 - 10195

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following pages.

	FOR INSURANCE COMPANY USE									
BUILDING OWNER'S NAME CARLOS H. ROUGI	POLICY NUMBER									
STREET ADDRESS (Including Ap 1391 SALVADORE		COMPANY NAIC NUMBER								
OTHER DESCRIPTION (Lot and Block Numbers, etc.) LOT 8 BLOCK 321 MARCO BEACH UNIT 9										
MARCO ISLAND			FJ	STATE	ZIP CODE					
	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION						
Provide the following from the proper FIRM (See Instructions):										
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)					
120067	0812	E	2/16/95	AE	10'					
8. For Zones A or V, where	no BFE is provided or	the FIRM, an		ablished a BFE fo	Other (describe on back) or this building site, indicate					
SECTION C BUILDING ELEVATION INFORMATION										
of	AE, AH, and A (with B of NGVD (or other FIRING). WE, and V (with BFE). It at an elevation of the highest grade adjusted to the highest grade adjusted to the building rance with the community of the elevation of the building of the elevation. (NOTE: If the elevation of the building of the elevation of the elevat	FE). The top of the bottom of the bottom of the best from the bottom of the best from the flood of the best from t	of the reference level floor Section B, Item 7). of the lowest horizontal structed level from the selected uilding. In the selected diagram is a depth number is available ain management ordinance above reference level element of the datum system using the datum system syst	r from the selected uctural member M datum—see Set diagram is diagram is different sed on the FIRM.	ed diagram is at an elevation of the reference level from ection B, Item 7). feet above or bove or below (check 's lowest floor (reference No Unknown VD '29 Other (describe					
 4. Elevation reference mark used appears on FIRM: ☐ Yes ☒ No (See Instructions on Page 4) 5. The reference level elevation is based on: ☒ actual construction ☐ construction drawings 										
(NOTE: Use of constructions case this certificate will of will be required once constructions.)	tion drawings is only verility be valid for the build struction is complete.)	alid if the build ding during the	ding does not yet have the e course of construction.	reference level A post-construc	tion Elevation Certificate					
6. The elevation of the lowest grade immediately adjacent to the building is: feet NGVD (or other FIRM datum-see Section B, Item 7).										
SECTION D COMMUNITY INFORMATION										
is not the "lowest floor" a	s defined in the commodule of the commod	unity's floodpla L feet N	ain management ordinand IGVD (or other FIRM date	ce, the elevation						
2. Date of the Staff of Collst	ו טיטווטוו טוי שטטשנמוווומו ו	INDIOVERIBLIE.			· · · · · · · · · · · · · · · · · · ·					


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME		LICENSE NUMBER (or Affix Seal)				
JEFFRY HILLIGOSS		4488				
ΓITLE	COMPAN	IY NAME	· .		-	
P.L.S.	F.L.A.	SURVEY CORP.				
ADDRESS	CITY			STATE	ZIP	
4760 TAMIAMI TRAIL	NORTH STE 22	NAPLES	FLORIDA	34103		
IGNATURE		2/4/99 ^{ATE} 941-643 ^E				
opies should be made of this Ce	rtificate for: 1) community o	official, 2) insurance a	gent/company, ar	nd 3) building owr	er.	
	······································		gent/company, ar	nd 3) building own	er.	
Copies should be made of this Cercomments: NOT FOR CO	rtificate for: 1) community of the NSTRUCTION - NOT		gent/company, ar	nd 3) building owr	er.	



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.