FEMA Form 81-31, MAR 97

ELEVATION CERTIFICATE

O.M.B. No. 3007-007 Expires July 31, 1999

SEE REVERSE SIDE FOR CONTINUATION

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are no required to respond to this collection of information unless a valid OMB control number is displayed in the under reduced form.

Instructions for completing this form can be found on the following pages.

	SECTION A PRO	PERTY INFO	RMATION	A F	OR INSURANCE COMPANY USE
BUILDING OWNER'S NAME				157	OLICYMOMBER
Pinnacle Ho	me Builders,	Inc.			RECEIL
STREET ADDRESS (Including Ap	_	lumber: OR P.O. F	ROUTE AND BOX NUMBER	/62 C	OMPANSPACINUMBER
866 San Mar				<u>/ct</u>	• · · · · · · · · · · · · · · · · · · ·
OTHER DESCRIPTION (Lot and 8	·	The seek t	·I~ · ·		(010 c. 1)
CITY LOC 3, BLOC	k 239, Marco	Beach (JHLCO	STATE	ZIP CODE
Marco Islan	nd	,		FL	
		OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	
Provide the following from the	ne proper FIRM (See	Instructions):		·	
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
120067	0812	E	2-16-95	AE	+11.0'
3. For Zones A or V, where	no BFE is provided or	n the FIRM, an		ablished a BFE for	Other (describe on back) this building site, indicate
· · · · · · · · · · · · · · · · · · ·	SECTIO	NC BUILDI	NG ELEVATION INFORM	IATION	<u>. </u>
of 111,0 fee (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The fone) the highest grade level) elevated in account and an under Comments on Page	AE, AH, and A (with Both NGVD) (or other FIR VE, and V (with BFE). Is at an elevation of BFE). The floor used the highest grade additional to the building reaches with the community of the element of t	M datum—see The bottom of the bottom of the level from the bottom of the	Section B, Item 7). If the lowest horizontal strain feet NGVD (or other FIRmore level from the selected uilding. In the selected diagram is a depth number is available ain management ordinance above reference level element of the end of the	uctural member of M datum—see Second diagram is feet above, is the building's ce? Yes NGVI vations: X NGVI elevations is different feet and the second control of	ction B, Item 7). J feet above or ove or below (check lowest floor (reference No Unknown D '29 Other (describe)
4. Elevation reference mark	used appears on FIF	lM: 🔲 Yes 🛚	No (See Instructions o	n Page 4)	
5. The reference level eleval (NOTE: Use of construct case this certificate will or will be required once cons	tion drawings is only valued the valued to the valid for the built	alid if the build Iding during th	ding does not yet have the	reference level fi	oor in place, in which on Elevation Certificate
6. The elevation of the lowe Section B, Item 7).	st grade immediately	adjacent to the	e building is:	.17 feet NGVD (d	or other FIRM datum-see
	SE	CTION D CO	OMMUNITY INFORMATIO	N	
1. If the community official rousest floor" as floor" as defined by the ocupant. 2. Date of the start of construction.	s defined in the commrdinance is:	unity's floodpl	ain management ordinand IGVD (or other FIRM date	ce, the elevation of the see Section B	f the building's "lowest

REPLACES ALL PREVIOUS EDITIONS


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code. Section 1001.

CERTIFIER'S NAME	LICEN	SE NUMBER (or Affix Seal)	
Antonio Trigo		2982		
TITLE	COMPANY NAME	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·
Professional Surveyor & Ma	pper A. Trigo	& Associate	es, Inc.	•
ADDRESS	CITY		STATE	ZiP
2223 Trade Center Way	Naples		FL	34109
SIGNATURE	August	DATE 20, 1997	PHONE (941)594-84	48
Copies should be made of this Certificate fo	r: 1) community official, 2) ir	surance agent/com	pany, and 3) building	owner.
Copies should be made of this Certificate fo	r: 1) community official, 2) in	surance agent/com	pany, and 3) building	owner.
	r: 1) community official, 2) ir	surance agent/com	pany, and 3) building	owner.



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.