94-7343

ELEVATION CERTIFICATE

O.M.B. NO. 3067-0077 Expires May 31, 1996

化氯丁基EMPSE SSF TCR 人名拉克斯斯特尔 本托

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMA).

Instructions for completified this form can be found on the following pages.

	Instructions for con	pleting this fo	orm can be found on th	e following pag	ges.
	SECTION A PRO	PERTY INFO	RMATION 3		FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME		A Druci	1994		POLICY NUMBER
FCI HOMES STREET ADDRESS (Including A		umaber of etc. R	OU E ND BOX NUMBER	<u></u>	COMPANY NAIC NUMBER
	pruce Avc)	5pr	uze si		
OTHER DESCRIPTION (Lot and	block Numbers, etc.) ck 183, Marc	Te On m			
CITY LOT 3, BLO	ck 183, Marc	o Regons		STATE	ZIP COCE
Marco Island				FL 33937	
	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	
Provide the following from t	he proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6 BASE FLOCO BLE ATION IN AO Zones use septiti
120067	0812	E	8/3/92	<u>AE</u>	11'
8. For Zones A or V, where	no BFE is provided or	n the FIRM, an		ablished a EFE	Other (describe on back) for this building site. Indicate
	SECTIO	ON C BUILDI	NG ELEVATION INFORM	1ATION	<u>. </u>
of 11 0 fe (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below (check one (d). FIRM Zone AO. The one) the highest grad level) elevated in acc 3. Indicate the elevation da under Comments on Pa the FIRM [see Section equation under Comme 4. Elevation reference mail 5. The reference level elev (NOTE: Use of construct case this certificate will	et NGVD (or other FIR VE, and V (with BFE) is at an elevation of the BFE). The floor used in the highest grade action used as the refer le adjacent to the build ordance with the commatum system used in dage 2). (NOTE: If the least on Page 2.) If the least on Page 2.) If the least on Page 2.) If the least on Page 3. It was appears on FIR vation is based on: A least only only be valid for the build only build the build only build the build only build the build only build the build build build build build build build build build bu	IM datum—see The bottom of the bottom of the level from the elevation dature elevation dature elevation. If no flood etermining the elevation dature elevation dature elevation dature elevation. Yes actual construction of the building during the elevation dature elevation.	Section B, Item 7). of the lowest horizontal struction B (or other FIF) nee level from the selected diagram is depth number is available lain management ordinant above reference level elemn used in measuring the lons to the datum system used in long the long to the datum system used in long the long the long to the datum system used in long the long the long the long the long to the long the lon	ructural member RM datum—see Stational diagram is eet let is the building reference level	above or below check g's lowest floor (reference) No Unknown GVD '29 Other (describe ferent than that used on Mand show the conversion
will be required once co. 6. The elevation of the low Section B, Item 7).			ne building is: 6	‡.2 _feet N.GVI	D (or other FIRM dature see
					·
			OMMUNITY INFORMATI	.,_,_,_,_,_,_,_,_,_,_,,	
Is not the "lowest floor"	as delined in the come ordinance is:	munity's flood;	dain management ordinal NGVD (or other FIRM da	ico, the elevatio	indicated in Section C. Item is in of the Landing's "lowest in B. Item 7):

REPLACES ALL PREVIOUS EDEIGNIS

HMA Lornett 31, MAY 93.


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings for unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1.001.

LICENSE NUMBER (or Affix Seal) CERTIFIER'S NAME 2982 __Antonio Trigo_ TITLE COMPANY NAME A. Trigo & Associates, Inc. __Professional Land_Surveyor **ADDRESS** CITY STATE 2223 Trada Center Way Naples 33942 SIGNATURE September 13, 1994 PHONE 594-8448 Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner. COMMENTS:



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.