ELEVATION CERTIFICATE 96-134// O.M.B. No. 3067-007; Expires July 31, 1999

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following pages.

SECTI	ON A PRO	PERTY INFO	RMATION		FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME		POLICY NUMBER			
STREET ADDRESS (Including Apt., Unit, Suite Tahiti Road (2)		lumber) OR P.O. R	OUTE AND BOX NUMBER		COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and Block Numbe Lot 7 Block 110	·	. Beach II	Init 3		
CITY DIOCK IIU	riarce	, <u>Deach</u>	<u> </u>	STATE	ZIP CODE
Marco Island			·	FL	34145
SEC	TION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	
Provide the following from the proper	FIRM (See	Instructions):			
1. COMMUNITY NUMBER 2. PANEL	NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use cepth)
120067	0804	D	2/16/95	AE	+10.00'
7. Indicate the elevation datum system 8. For Zones A or V, where no BFE is the community's BFE:	provided of	n the FIRM, an	d the community has esta	ablished a BFE fo	Other (describe on back) or this building site, indicate
	<u></u>		NG ELEVATION INFORM		
describes the subject building's ref 2(a). FIRM Zones A1-A30, AE, AH, a of 10.0 feet NGVD (c). FIRM Zones V1-V30, VE, and V the selected diagram, is at an elected diagram, is	nd A (with End of other FIR) (with BFE) evation of letter do the build that the common of the build that the converge 2.) Sears on FIR sed on: X ngs is only of for the build that the complete.	M datum—see M datum—see The bottom of the bottom of the billion of the billion of the elevation datument datu	Section B, Item 7). If the lowest horizontal strated feet NGVD (or other FIRENCE level from the selected uilding. In the selected diagram is depth number is available ain management ordinance above reference level element of the datum system used in measuring the element of the datum system used in a construction of the datum ding does not yet have the ecourse of construction.	ructural member of the datum—see Set diagram is feet at le, is the building ce? Yes vations: X NGV elevations is difference on the FIRM on Page 4) rawings e reference level A post-construct	of the reference level from ection B, Item 7). pove or below (check atowest loor (reference No introove or below in the second and show the conversion etch Elevation Certificate
			NAME OF THE ORDER OF THE	^N	· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·		OMMUNITY INFORMATION	<u> </u>	
 If the community official responsible is not the "lowest floor" as defined floor" as defined by the ordinance Date of the start of construction or 	in the comr	nunity's floodpl feet N	ain management ordinan IGVD (or other_FIRM date	ce, the elevation	of the building's lowest
FFMA Form 81-31 ALIG 96	DEDI ACES	ALL PREVIOUS ED	SITIONS	SEE REY	VERSE SIDE FOR CONTINUATION

REPLACES ALL PREVIOUS EDITIONS

FEMA Form 81-31, AUG 96


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	L	CENSE NUMBER (or Af	fix Seal)
Antonio Trigo		2982	
TITLE	COMPANY NAME		
Professional Surveyors 8	Mappers	A. Trigo	& Associates, Inc.
ADDRESS	CITY		STATE
2223 Trade Center Way		Naples,	Florida 34109
SIGNATURE	December	20, DATE 20, 1996	PHONE (941) 594-8448
Copies should be made of this Certificate for	or: 1) community official,	2) insurance agen	t/company, and 3) building owner.
	والمراجع		
COMMENTS:			
COMMENTS:			



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.