96-3738

ELEVATION CERTIFICATE

FED. AL EMERGENCY MANAGEMENT. ENCY

the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision 2000 OMA or 1000 MR). You are not

Instructions for completing this form can be found on the following pages.

required to respond to this collection of information unless a valid OMB control number is displayed in the topper right corner of this look.

O.M.B. No. 3067-0077 Expires July 31, 1999

SEE REVERSE SIDE FOR CONTINUATION

NATIONAL FLOOD INSURANCE PROGRAM
ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This pair is used by to provide elevation information necessary to ensure compliance with applicable community floodplain management or distribution.

SECTION A PROPERTY INFORMATION POCCY NUMBER BUILDING OWNER'S NAME Dacruz STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER OTHER DESCRIPTION (Lot and Block Numbers, etc.) Lot 31, Block 109, Marco Beach, Unit 3 ZIP CODE STATE CITY Florida Marco Island SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION Provide the following from the proper FIRM (See Instructions): 2. PANEL NUMBER 3. SUFFIX 5. FIRM ZONE 6. BASE FLOOD ELEVATION . COMMUNITY NUMBER 4. DATE OF FIRM INDEX (in AO Zones, use depth) 120067 0804 2-16-95 +10.0' AE D 7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): 🗵 NGVD '29 🗀 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, incicate the community's BFE: _______ feet NGVD (or other FIRM datum-see Section B, Item 7). SECTION C BUILDING ELEVATION INFORMATION 1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level $\perp \perp$. 2(a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of 10.0 feet NGVD (or other FIRM datum-see Section B, Item 7). (b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of Life Life feet NGVD (or other FIRM datum-see Section B. Item 7). (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is _____ feet above ___ or below (check one) the highest grade adjacent to the building. (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is _____. feet above ___ or below ___ (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance? 📃 Yes 🔛 No 🔔 Unknown 3. Indicate the elevation datum system used in determining the above reference level elevations: 🗴 NGVD '29 __ Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion 🔊 equation under Comments on Page 2.) 4. Elevation reference mark used appears on FIRM: LYes X No (See Instructions on Page 4) 5. The reference level elevation is based on: 🔯 actual construction 🛄 construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, a which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.) 7.5 feet NGVD (or other FIRM dature-see 6. The elevation of the lowest grade immediately adjacent to the building is: Section B, Item 7). SECTION D COMMUNITY INFORMATION 1. If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C. Item: is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is: _______ feet NGVD (or other FIRM datum-see Section B. Item 7). 2. Date of the start of construction or substantial improvement

REPLACES ALL PREVIOUS EDITIONS

FEMA Form 81-31, AUG 96


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification of lighting case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6. and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affix Seal)
Antonio Trigo	2982
	IY NAME
Professional Surveyors & Mappers	A. Trigo & Associates, Inc.
ADDRESS	STATE ZIP
2223 Trade Center Way	Naples, Florida 34109
SIGNATURE	DATE PHONE Mar. 5, 1997 (941) 594-8448
Copies should be made of this Certificate for: 1) community o	fficial, 2) insurance agent/company, and 3) building owner.
COMMENTS:	
	······································



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.