ELEVATION CERTIFICATE

O.M.B. No. 3067-0077 Expires July 31, 1999

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

			form can be found on the					
	FOF	FOR INSURANCE COMPANY USE						
BUILDING OWNER'S NAME	POL	POLICY NUMBER						
Palm Paradise Cond	· · · · · · · · · · · · · · · · · · ·							
STREET ADDRESS (Including	MBER CON	COMPANY NAIC NUMBER						
Tallwood Street, Bu								
OTHER DESCRIPTION (Lot a								
"Marco Beach Unit (One", Block 33, L	ots 1,2,10,	· 	ions of Lots				
CITY		•	STATE		ZIPCODE			
City of Marco Island			FL		34145			
· · · · · · · · · · · · · · · · · · ·	SECTION B FLOC	DINSURAN	CE RATE MAP (FIRM) I	NFORMATION	1			
Provide the following from	and the state of t		T					
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (In AO Zones, use depth)			
120426	0803	F	July 20, 1998	AE	10			
7. Indicate the elevation da	turn system used on th	e FIRM for Ba	se Flood Elevations (BFE):	⊠NGVD '29 [Other (describe on back)			
8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: _								
the community's BFE: [<u>}· </u>			
SECTION C BUILDING ELEVATION INFORMATION								
 Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 1. 								
			f the reference level floor fr	om the colocted	diagram is at an elevation			
2(a). FIRM Zones A1-A30,	•	· · · · · ·	tum – see Section B, Item 7		uiagrain is at an elevation			
	•		•	r	the reference level from			
(b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of feet NGVD (or other FIRM datum – see Section B, Item 7).								
_			ce level from the selected d					
• •) the highest grade adj			idgidiii is <u>Li</u>				
	•			ı i.i ifeet a	above [] or below [] (check			
• •			l depth number is available		·			
, -			lain management ordinance					
3. Indicate the elevation da		•			-			
			used in measuring the elev					
		•	to the datum system used					
equation under Commer								
4. Elevation reference mark used appears on FIRM: ☐ Yes ☒ No (See Instructions on Page 4) 5. The reference level elevation is based on: ☒ actual construction ☐ construction drawings								
5. The reference level elevation is based on: ⊠ actual construction □ construction drawings ← → 18100								
(NOTE: Use of construc	ction drawings is only v	alid if the build	ing does not yet have the r	eference level flo	oor in place, in which			
case this certificate will d	only be valid for the bui	ilding during th	e course of construction. A	post-construction	on Elevation Certificate			
will be required once co								
6. The elevation of the lowest grade immediately adjacent to the building is: [18 2 feet NGVD (or other FIRM datum-s								
Section B, Item 7).		, ₁ , 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,		<u>· · · · · · · · · · · · · · · · · · · </u>	·			
:			MUNITY INFORMATIO					
1. If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest								
is not the "lowest floor" a	as defined in the comm	unity's floodpla	ain management ordinance	, the elevation of I datum — see Se	ction R Item 7)			
floor" as defined by the ordinance is: L L L L L feet NGVD (or other FIRM datum – see Section B, Item 7). 2. Date of the start of construction or substantial improvement 6-28-99								
		•	to the state of th					


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME		L	ICENSE NUMBER (or Allix Se	al)					
	T. Alan Neal	\mathbf{P}	.S.M. #4656						
TITLE		COMPANY NAME	······································	•					
	Vice President	American E	American Engineering Consultants, Inc.						
ADDRESS		CITY		STATE	ZIP				
· · · · · · · · · · · · · · · · · · ·	790 Harbour Drive	Naples_		Florida	34103				
SIGNATURE	Lean Reac		08/10/99	PHONE 941-649-1	551				
Copies shou	uld be made of this Certificate for: 1)	community official,	2) insurance agent/co	mpany, and 3) build	ling owner.				
COMMENTS		•							
•				(•				
	• · · · · · · · · · · · · · · · · · · ·		•						
				· · · · · · · · · · · · · · · · · · ·					



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.