ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077 Expires July 31, 1999

SEE REVERSE SIDE FOR CONTINUATION

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION	FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME	POLICY NUMBER
したしまっている エル STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMB	ER COMPANY NAIC NUMBER
200 (132316) CRC/E	
OTHER DESCRIPTION (Lot and Block Numbers, etc.)	
LOTS 4.7 BLK. 799 REPAT T.L MELOBEN. U	<u> </u>
CITY	STATE ZIP CODE
MAZIO TE RIUS SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION
rovide the following from the proper FIRM (See Instructions):	
1. COMMUNITY NUMBER 2. PANEL NUMBER 3. SUFFIX 4. DATE OF FIRM IN	DEX 5. FIRM ZONE 6. BASE FLOOD ELEVATION
120426	(in AO Zones, use depth)
12000 - CO	<u>45</u> <u>(0.00</u>
'. Indicate the elevation datum system used on the FIRM for Base Flood Elevation 3. For Zones A or V, where no BFE is provided on the FIRM, and the community h	s (BFE): KNGVD '29 Uther (describe on back
the community's BFE:	
SECTION C BUILDING ELEVATION IN	· ·
. Using the Elevation Certificate Instructions, indicate the diagram number from the	· , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
 (b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizon the selected diagram, is at an elevation of	er FIRM datum-see Section B, Item 7). elected diagram is feet above or ram is feet above or below (check vailable, is the building's lowest floor (reference rdinance? Yes No Unknown vel elevations: X NGVD '29 Other (describe g the elevations is different than that used on stem used on the FIRM and show the conversion
4. Elevation reference mark used appears on FIRM: 🗌 Yes 🕰 No (See Instruc	ions on Page 4)
5. The reference level elevation is based on: A actual construction construction (NOTE: Use of construction drawings is only valid if the building does not yet he case this certificate will only be valid for the building during the course of construction is complete.)	ave the reference level floor in place, in which action. A post-construction Elevation Certificate
6. The elevation of the lowest grade immediately adjacent to the building is: LLL Section B, Item 7).	17.2 feet NGVD (or other FIRM datum-see
SECTION D COMMUNITY INFOR	MATION
1. If the community official responsible for verifying building elevations specifies the is not the "lowest floor" as defined in the community's floodplain management of floor" as defined by the ordinance is:	rdinance, the elevation of the building's "lowest IM datum-see Section B, Item 7).

REPLACES ALL PREVIOUS EDITIONS

FEMA Form 81-31, MAR 97


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	E	#			IUMBER (or Affix Seal)				
Doug 45	R. CATOCI	#FS480	· LB598 2	·					
P.S. M	÷ 4.0.	Poblue	HE COMPANY	NAME	- C				
ADDRESS 3470	1 STAYE	44	Wholes	FC	34120	STATE	ZIP		
SIGNATURE		——————————————————————————————————————		D	ATE 8 .7 .99	PHONE 941.35	3·0085		
Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.									
COMMENTS: _	BEUCH M	A21L PA	رة ال	C. Depi	· of LATO	Mr Resons	ريے		
.	collie	. 12							
	BLOS. C	کسی ک	Coxes T						



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.