BLE 199 ELE

ELEVATION CERTIFICATE

O.M.B. No. 3067-0077 Expires July 31, 1999

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

······································	SECTION A PR	OPERTY INFO	RMATION	f	FOR INSURANCE COMPANY USE	
BUILDING, OWNER'S NAME					POLICY NUMBER	
CTDEET ADDRESS (Including A						
STREET ADDRESS (Including A)		COMPANY NAIC NUMBER				
OTHER DESCRIPTION (Lot and	Block Numbers, etc.)		~ .01/	1		
CITY GAP EN	VACATICA POSTION	1 CONTRES CO	Say S DR. MA	STATE	ZIP CODE	
MARCO 7	-5 (4 cus	F	· · · · · · · · · · · · · · · · · · ·			
	SECTION B	LOOD INSURA	NCE RATE MAP (FIRM)	INFORMATION		
rovide the following from t	the proper FIRM (See	Instructions):				
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)	
120426	0 8c0d	1	7/20/98	AE	(117.65 201.05, 050 00 00 0.11)	
		he FIRM for Ra		F)· K NGVD '29	Other (describe on back)	
				_	r this building site, indicate	
the community's BFE: L	feet N	IGVD (or other	FIRM datum-see Section	n B, item 7)		
	SECTION	ON C BUILDI	NG ELEVATION INFORM	IATION		
(c). FIRM Zone A (without below (check one) (check one) (d). FIRM Zone AO. The one) the highest gradelevel) elevated in access. Indicate the elevation day	t BFE). The floor use the highest grade at floor used as the reference adjacent to the build ordance with the compatum system used in a ge 2). (NOTE: If the	d as the reference diacent to the barence level from ling. If no flood munity's floodpater determining the elevation datured	m the selected diagram is depth number is availablain management ordinant above reference level element of the contract of the	d diagram isled diagram is	. feet above or or ove or below (check s lowest floor (reference No Unknown D '29 Other (describe tent than that used on	
equation under Comme	B, เtem 7], tnen conve nts on Page 2.)	en tne elevatio	ns to the datum system u	sea on the Firth	and show the conversion	
. Elevation reference mar	k used appears on Fl	RM: 🔲 Yes 🔏	No (See Instructions of	n Page 4)		
NOTE: Use of construc	ction drawings is only only be valid for the bu	ractual constituents walld if the build in a during the solution in the building during the solution in the s	ding does not yet have the course of construction.	e reference level f	floor in place, in which	
6. The elevation of the low Section B, Item 7).	est grade immediately	adjacent to th	e building is:	l. leet NGVD (or other FIRM datum-see	
· · · · · · · · · · · · · · · · · · ·	S	ECTION D C	OMMUNITY INFORMATI	ON		
is not the "lowest floor" a	as defined in the comportance is:	munity's floodp	lain management ordinan NGVD (or other FIRM dat	ice, the elevation of		


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUME	BER (or Affix Seal)		
Douglas C. Cator 45480 CB 598	32		· ·	
TITLE COMPANY NAME				
PSM ! V.P. KOBIUETTE ! CATOU	1-46	·		
ADDRESS 3470 1 ST AVE NW KAD/EL	FL	34120	STATE	ZIP
SIGNATURE	DATE	PHC	NE 941-353:0085	
		7.22.99	941-353	.0087
Copies should be made of this Certificate for: 1) community official,		7.22.79	941-353	<u>*@&\$</u> wner.
		7.22.79	941-353	vner.



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.