## ELEVATION CERTIFICATE

O.M.B. No. 3057-0077 Expires July 31, 1999

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of the form.

Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY UTT
BUILDING OWNER'S NAME VILLAS AT WATERSIDE					POLICY NUMBER
STREET ADDRESS (Including Apt., Unit, Suite and/or Bidg. Number) OR PO ROUTE AND BOX NUMBER					COMPANY NAIC NUMBER
	عور لعدالد	BLD			
		e Pozno	u Waterway	<u>De</u>	·
Meco Islama					ZIF CODE
	SECTION B FL	COD INSUR/	NCE RATE MAP (FIRM)	INFORMATION	<del></del>
Provide the following from the	ne proper FIRM (See	Instructions):		<u> </u>	
COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5, FIRM ZONE	6. BASE FLOOD ELEVATION (M NO Zanas, use depti)
120067	<b>0804</b>	J	6.3.86	45	10
7. Indicate the elevation dat					Other (describe on lauck)
					or this building site, indicate
the community's BFE	feet N	GVD (or other	FIRM datum-see Section	1 B, Item 7).	
	SECTIO	M C BUILDI	NG ELEVATION INFORM	MOITA	
of LD. fee (b) FIRM Zones V1-V30, the selected diagram, for FIRM Zone A (without below (check one) (d) FIRM Zone AO. The fone) the highest grade level) elevated in account under Comments on Pag	of NGVO (or other FIRVE, and V (with BFE), is at an elevation of BFE). The floor used the highest grade adding used as the refer adjacent to the building reaches with the community and system used in decay (NOTE: If the early to the property of the page 2).	The bottom of as the reference level from the elevation datumnt the elevation	Section B, Item 7). If the lowest horizontal straight the lowest horizontal straight left NGVD (or other FIR noe level from the selected diagram is utiliding.  In the selected diagram is a depth number is available ain management ordinance above reference level element of the datum system uses to the datum system uses t	ructural member  IM datum-see Sed diagram is  de! a  e, is the building oe? Yes  vations: \( \times \) NG\( \times \) ed on the FIRM	bove or below (check is lowest floor (reference No Other (describe
				<b>-</b>	
5. The reference level eleval (NOTE Use of construct case this certificate will or will be required once cons	tion drawings is only vally be valid for the buil	alid if the build Iding during th	ding does not yet have the	reference level	floor in place, in which ion Elevation Certification
6. The elevation of the lower Section 8, Item 7).	st grade immediately	adjacent to the	a building is:	OVDIteet PC.	(or other FIRM datum-sie
	SE	CTION D CC	MMUNITY INFORMATIC	<b>₩</b>	······································
If the community official resistant the "lowest floor" as floor" as defined by the or 2. Date of the start of constr	defined in the comm	unity's floodpla	ain management ordinance (GVD (or other FIRM date	e, the elevation of the section (	dicated in Section C. Him is of the building's "lowes: 3, Item 7).

FEMA Form 81-31, MAR 97

REPLACES ALL PREVIOUS EDITIONS

SEE REVERSE SIDE FOR CONTINUINTION


## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE),V1-V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code. Section 1001.

CERTIFIER'S NAME  CERTIFIER'S NAME  CERTIFIER'S NAME  CERTIFIER'S NAME  CERTIFIER'S NAME
DOUGLAS COMPANY NAME
PSM & V.P. ROBWEHER GATOU LUL
ADDRESS 15TOUR LLW LADIES FL 34126
SIGNATURE 2.8.55 PHONE 941.35 -0085
Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building (wher.
COMMENTS: BELL MARC 18486 CO! - 12
FL. Dept. Langue Personeuse 1926
The state of the s
** , which are a marked to a particular to the marked to t



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones-should be measured at the bottom of the lowest horizontal structural member.