ELEVATION CERTIFICATE

O.M.B. No. 3067 0077 Expires July 31, 1999

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE		
BUILDING OWNER'S NAME ULATERS SIGE 4.1/AS 144					POLICY NUMBER		
STREET ADDRESS (Including Ap	be chack	•	COUTE AND BOX NUMBER	where the same of	COMPANY NAIC NUMBER		
	, TTO ₁₁	etion of) WINTERCORY				
CITY NACO TS	٧. ()			STATE	ZIP CODE		
	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION			
Provide the following from t	he proper FIRM (See	Instructions):					
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4, DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)		
[20067	0804		6-386	A] (=			
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): XNGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:							
	SECTIO	ON C BUILDI	NG ELEVATION INFORM	IATION			
the selected diagram, (c). FIRM Zone A (without below (check one)	VE, and V (with BFE) is at an elevation of L. BFE). The floor used the highest grade at	The bottom of as the reference to the b	of the lowest horizontal st lifeet NGVD (or other FIF ince level from the selecte building.	M datum⊷see Se d diagram is L_L			
one) the highest grade level) elevated in accommodate the elevation da	adjacent to the build ordance with the comm turn system used in d	ing. If no flood nunity's floodo etermining the	depth number is availab lain management ordinan	e, is the building oe? [] Yes [] vations: K NG\	's lowest floor (reference No [] Unknown /D '29 [] Other (describe		
the FIRM [see Section equation under Commer	B, Item 7], then conve nts on Page 2.)	ent the elevatio	ns to the datum system u	sed on the FIRM	and show the conversion		
4. Elevation reference mark	k used appears on Fif	RM: D Yes	No (See Instructions of	n Page 4)			
5. The reference level elevation is based on: actual construction construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)							
6. The elevation of the lower Section B, Item 7).	est grade immediately	adjacent to th	e building is: L.L	feet NGVD	(or other FIRM datum-see		
	S	ECTION D C	OMMUNITY INFORMATI	ON	, <u></u>		
is not the "lowest floor" a	as defined in the commondinance is:	nunity's floodp	lain management ordinar NGVD (or other FIRM dat	ice, the elevation um-see Section	•		


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE),V1-V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME COCOCIAS C. L.4TOM	5.M. #5480	NSE NUMBER (or Affix Seal) CB 5782		
P.S.M. & V.P POB	COMPANY NAME	·——· ·——· ·——· ·——· ·——· ·——· ·——· ·——		
ADDRESS	JAPIES FC	34(20	STATE	ZIP
SIGNATURE STATE		DATE 7.31-98 PH	ONE 941-353 15	<u>283</u>
Copies should be made of this Certificate for	r: 1) community official, 2)	insurance agent/company	, and 3) building cav	ner.
COMMENTS: BELICH MARK	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			·
FC CECT LATLE	M. (25502)	ES 61/	/ 2	
				•
<u> </u>	UNGER GX	A A PARA DE LE LA SERVICIO DE LA SERVICIO DEL SERVICIO DE LA SERVICIO DE LA SERVICIO DEL SERVICIO DE LA SERVICIO DEL SERVICI	in in the second of the second	al a ¹ 1 ¹ 1 3 1 1 1
				•



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.