ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No 3067-0077 Expires July 31, 1999

SEE REVERSE SIDE FOR CONTINUATION

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following pages.

	FOR INSURANCE COMPANY USE					
CULDING OWNERS	POLICY NUMBER					
STREET ADDRESS (I	······································					
255 WATE	:25 be	Cects	BUD 5	TODIE YING BOY MOMORA		COMPANY NAIC NUMBER
OTHER DESCRIPTION			****		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
CITY	<u> </u>	ep Remou		DAY (_AZ.	Maco Ben	LJ-Ca
MARCO	ISG	443			STATE	ZIP CODE
	-	SECTIONS F	LOOD INSURA	NCE PATE MAP (FIR	M) INFORMATION	V
Provide the following	ng from the	proper FIRM (See	Instructions):			
T. COMMUNITY NU	JMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION
120067		O201			45	6. BASE FLOOD ELEVATION (in AO Zones, use dep#)
	zation datum	4-M		<u>6386</u>		
8. For Zones A or \	V, where no	r system used on t BFE is provided o	ne FIRM for 58 n the FIRM, ar	RSC Hlood Elevations (E Id the community has a	SFE): XINGVD 129	Other (describe on back) for this building site, indicate
the community's	BFE:	[] [] feet N	GVD (or other	FIRM datum—see Sec	ion R. Item 71	ror uns puncing site, indicate
						
				NG ELEVATION INFO		
2(a). FIRM Zones (b). FIRM Zones (c). FIRM Zone A	A1-A30, AE A1-A30, AE V1-V30, VE Viagram, is a (without BF	ing's reference level, AH, and A (with E) (GVD) (or other FIF), and V (with BFE) at an elevation of	SFE). The top M datum-see The bottom of the last the reference of the last the l	of the reference level for Section B, Item 7). If the lowest horizontal feet NGVD (or other force level from the selection the selection.	oor from the select structural member	Pages 5 and 6 that best ted diagram is at an elevation of the reference level from tection B, Item 7).
(d), FIRM Zone Atone (d), FIRM Zone Atone (d), FIRM Zone Atone (d), FIRM Elevated (d), FI	O. The floo est grade ac d in accorda ation datum	ir used as the refer djacent to the build ance with the comm	ence level from ing. If no flood tunity's floodpl etermining the	n the selected diagram depth number is availa ain management ordina above reference level	able, is the building ance? The Yes The No.	VD '29 Dinar (describe
the FIRM [see : equation under C	s on Page 2 Section B, l Comments l	2). (NOTE: If the a tem 7], then conve on Page 2.)	elevation datum nt the elevation	n used in measuring the ns to the datum system	e elevations is diffe used on the FIRM	rent than that used on and show the conversion
				No (See Instructions	**	
(NOTE: Use of coase this certification will be required or	construction ate will only ance constru	n drawings is only to be valid for the bul action is complete.)	ralid if the build Iding during the	e course of construction	the reference level n. A post-construc	floor in place, in which tion Elevation Certificate
6. The elevation of Section B, Item 7	the lowest (7).	grade immediately	adjacent to the	building is: L	B. L. feet NGVD	(or other FIRM datum-see
		SE	CTION D CC	MMUNITY INFORMAT	TON	· · · · · · · · · · · · · · · · · · ·
is not the "lowest floor" as defined	t floor" as do by the ordin	efined in the commande is:	unity's floodpla Liliteet N	ations specifies that the ain management ordinal GVD (or other FIRM d.	ence, the elevation stum—see Section	ndicated in Section C, Item 1 of the building's "lowest B, Item 7).
FEMA Form 81-31			UL PREVIOUS ED			VERSE SIDE FOR CONTINUES

REPLACES ALL PREVIOUS EDITIONS


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE),V1-V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME COST AS	- Eatou	PSM	S4SO	ENUMBER (or Affix Seal)	> <u></u>				
TITES, M.	V.P	208/	OMPANY NAME インプ(こ)	- Cared					
ADDRESS 3420) ST AYE	MW.	Caples		STATE	Z)P			
SIGNATURE		· · · · · · · · · · · · · · · · · · ·		DATE 7.7.98	PHONE 741-3 5.	> 0085			
Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.									
COMMENTS: BEW	H MRCL	545C							
FC. Dept.	MATURA	L CES	حيعيوب	Co//	12.	The state of the s			
· «»\	·	t om de er bleek beskert vælt til de be			- · · · · · · · · · · · · · · · · · · ·				
<u> </u>	SIE	1/40ee	ر حيدي ر	ع در ۲۲ حمد	· N d · 4 (1) (1) 1 1 1	Participant of the second of t			
•									



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.