98-051411

## ELEVATION CERTIFICATE

O:M.B. No. 3067-007 Expires July 31, 1999

SEE REVERSE SIDE FOR CONTINUATION

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management or differences, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA). You are no required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

	11134140410113 101 0	ompicing this	5 IOIIII CAII DE IOUIIU OII	10.	
SECTION A PROPERTY INFORMATION				: CO	OR JUNURANCE COMPANY USE
BUILDING OWNER'S NAME  STREET ADDRESS (Including Apt  ZOS USA	., Unit, Suite and/or Bldg. I		OUTE AND BOX NUMBER A TERSIDE	Six Fig.	CRECEINASO  Inspections  COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and B	lock Numbers, etc.)		resusson	MASCOJ	BC14. O.Co
CITY	1			STATE	ZIP CODE
			NCE RATE MAP (FIRM)	INFORMATION	· · · · · · · · · · · · · · · · · · ·
Provide the following from the	e proper FIRM (See	Instructions):	- ·		
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
12000	0804		6.38.86	1E	(0)
7. Indicate the elevation data 8. For Zones A or V, where the community's BFE:	no BFE is provided o	n the FIRM, an	d the community has est	ablished a BFE for	•
	SECTION	ON C BUILDI	NG ELEVATION INFORM	/ATION	
<ul> <li>(c). FIRM Zone A (without below (check one)</li> <li>(d). FIRM Zone AO. The flone) the highest grade level) elevated in accordance</li> <li>3. Indicate the elevation dat under Comments on Page</li> </ul>	t NGVD (or other FIFT) /E, and V (with BFE) is at an elevation of BFE). The floor used the highest grade at loor used as the referadjacent to the build redance with the commum system used in decay. (NOTE: If the B, Item 7], then converts on Page 2.)  used appears on FIFT then is based on: Letton is based on: Letton drawings is only ally be valid for the build struction is complete.	The bottom of the bottom of the diacent to the bottom diacent to the bottom diacent to the bottom diacent to flood munity's floodpletermining the elevation daturner diding during the building during the elevation daturner diding during the elevation daturner did elevation daturner daturner did elevation daturner datur	Section B, Item 7).  If the lowest horizontal state of the selected diagram is a depth number is available ain management ordinant above reference level element of the datum system of the lowest of the datum system of the lowest lo	ructural member of the datum—see See diagram is feet above is the building's evations: Yes NGVerence on the FIRM on Page 4 rawings e reference level of A post-constructions.	of the reference level from ction B, Item 7) feet above or  love or below (check is lowest floor (reference) No Unknown D '29 Other (cescrice) ent than that used on and show the conversion and show the conversion for a place, in which is the place of the conversion of th
Jechon D, Helli / ).	· · · · · · · · · · · · · · · · · · ·	<u>, , , , , , , , , , , , , , , , , , , </u>		· · · · · · · · · · · · · · · · · · ·	<u>, , , , , , , , , , , , , , , , , , , </u>
			OMMUNITY INFORMATION	<del></del>	
<ol> <li>If the community official residual is not the "lowest floor" as floor" as defined by the or</li> <li>Date of the start of construction</li> </ol>	s defined in the commodinate is:	nunity's floodpl	lain management ordinar NGVD (or other FIRM dat	ice, the elevation of	of the building's "lowest

REPLACES ALL PREVIOUS EDITIONS

FEMA Form 81-31, MAR 97

## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME

DOUG AS R. EATON PSM 5480 (B 5982

TITLE
P.S.M. S. V.P. ROBINEHE & CATON TON

ADDRESS

STATE OFF

STATE OFF

STATE OFF


STATE OFF

ALAPIES DATE (122.98 PHONE 911-353.0085)

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS: BENCH MARK BASE Collies 12 NGND 1929

FL. DEPT. of NATURAL RESOURCES



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.