#000432

## ELEVATION CERTIFICATE

O.M.B. No. 3067-0077 Expires July 31, 1999

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMP). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION	FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME	POLICY NUMBER
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER 34/ WORTHIUSTOU ST	COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and Block Numbers, etc.)  L. 4 BLK. 288 MARCO BCH	
MARCO JSALO FO	STATE ZIP CODE
SECTION B FLOOD INSURANCE RATE MAP (F	RM) INFORMATION
Provide the following from the proper FIRM (See Instructions):	
1. COMMUNITY NUMBER 2. PANEL NUMBER 3. SUFFIX 4. DATE OF FIRM IND	5. FIRM ZONE 6. BASE FLOOD ELEVATION (in AO Zones, use depth)
120 426 0812 E 18.3.92	15.0
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has the community's BFE: feet NGVD (or other FIRM datum—see Se	s established a BFE for this building site, indicate
SECTION C BUILDING ELEVATION INF	ORMATION 643- 5900
<ul> <li>2(a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level of LID 2 feet NGVD (or other FIRM datum—see Section B, Item 7).</li> <li>(b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizon the selected diagram, is at an elevation of LID 6 feet NGVD (or other Co.). FIRM Zone A (without BFE). The floor used as the reference level from the see below (check one) the highest grade adjacent to the building.</li> <li>(d). FIRM Zone AO. The floor used as the reference level from the selected diagration one) the highest grade adjacent to the building. If no flood depth number is available elevated in accordance with the community's floodplain management or all comments on Page 2). (NOTE: If the elevation datum used in measuring the FIRM [see Section B, Item 7], then convert the elevations to the datum system and convert the elevations to the datum system and convert the elevation of the datum system and convert the elevation to the datum system and convert the elevation of t</li></ul>	tal structural member of the reference level from ar FIRM datum—see Section B, Item 7).  Ilected diagram is feet above or below 'check ailable, is the building's lowest floor (reference dinance? Yes No Unknown el elevations: X NGVD '29 Other (describe the elevations is different than that used on em used on the FIRM and show the conversion
5. The reference level elevation is based on: A actual construction construct (NOTE: Use of construction drawings is only valid if the building does not yet had case this certificate will only be valid for the building during the course of construction will be required once construction is complete.)	ve the reference level floor in place, in which stion. A post-construction Elevation Certificate
6. The elevation of the lowest grade immediately adjacent to the building is: Lill Section B, Item 7).	LI.D feet NGVD (or other FIRM datum-see
SECTION D COMMUNITY INFOR	MATION
<ol> <li>If the community official responsible for verifying building elevations specifies the is not the "lowest floor" as defined in the community's floodplain management or floor" as defined by the ordinance is:  feet NGVD (or other FIRI 2. Date of the start of construction or substantial improvement  3-2-00</li> </ol>	dinance, the elevation of the building's "lowest datum—see Section B, Item 7).

## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

BLOGI & SITE COUST

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

CERTIFIER'S NAME (AS R. E4TOKI #5480 (	LICENSE NUMBER (or Affix Seal)		<u>,</u>		
PSM & U.P. ROBILEHE & COMPANY NAM	Te Luc				
ADDRESS 3470 / ST AVE WW KADIES	FL 34120	STATE	ZIP		
SIGNATURE	DATE 4.10.00	PHONE 941-353-008	5		
Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.					
COMMENTS: B.M. BASE CO//102 12		<b>₩</b>			

