U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

SECTION A – PROPERTY INFORMATION					FOR I	NSURANCE COMPANY USE	
A1. Building Owner's Name Lu Ann Schiefedecker					Policy	Number:	
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 850 Banyan Court						Compa	any NAIC Number:
City Marco Island			State FL	ZIP Code 3	4145		
A3. Property Description (Lot 27, Block 335, Marco I	Lot and Block No Beach Unit 10, a	umbers, Tax Parcel Numl s recorded in PB 6, Pg(s)	ber, Legal Descripti 74-79, Collier Cou	on, etc.) nty, Florida			
 A4. Building Use (e.g., Re A5. Latitude/Longitude: La A6. Attach at least 2 photo A7. Building Diagram Num A8. For a building with a c a) Square footage of 	sidential, Non-Ro at. <u>N25°54'56.5"</u> ographs of the bu aber <u>1B</u> rawlspace or end	esidential, Addition, Acce Long. <u>W81°43'18.3"</u> illding if the Certificate is closure(s):	ssory, etc.) <u>Reside</u> being used to obtai	ntial n flood insur A9. For a b	Horizontal Datu ance. uilding with an at are footage of at	tached ga	
b) Number of perman or enclosure(s) with c) Total net area of flot d) Engineered flood of	ent flood openin hin 1.0 foot abov ood openings in	gs in the crawlspace e adjacent grade 0	sq in	b) Nurwithc) Tot	mber of permanei nin 1.0 foot above al net area of floo gineered flood op	nt flood op adjacent d opening	penings in the attached garage grade 0
	SEC	TION B - FLOOD INS	URANCE RATE			•	
B1. NFIP Community Name CITY OF MARCO ISLAND		lumber B2.	County Name LLIER			B3. Sta	
B4. Map/Panel Number 12021C0836	B5. Suffix	B6. FIRM Index Date 5/16/2012	B7. FIRM I Effective/Revis	sed Date	B8. Flood Zone(s) AE	B9.	Base Flood Elevation(s) (Zone AO, use base flood depth)
B10. Indicate the source of the FIS Profile B11. Indicate elevation datu B12. Is the building located beginning Designation Date:		☐ Community Determir in Item B9: ☐ NGVD 19 ier Resources System (C	ned	er/Source: 'D 1988 rwise Protec	B9.	:	☐ Yes ⊠ No
		N C – BUILDING ELE		OPA	UDVEV BEAU	DED)	
C1. Building elevations are b	ased on:	Construction Drawing	ns* □ Bui	Idina I Inder	Construction*		inished Construction
C2. Elevations – Zones A1– below according to the b Benchmark Utilized: AC; Indicate elevation datum	A30, AE, AH, A (uilding diagram : 3264 used for the ele	Specified in Item A7. In Provider A7. In Provi	V (with BFE), AR, A uerto Rico only, ent ertical Datum: <u>NAV</u>	olete. AR/A, AR/AE er meters. D88			
C2. Elevations – Zones A1– below according to the b Benchmark Utilized: AC3 Indicate elevation datum Datum used for building	A30, AE, AH, A (uilding diagram : 3264 used for the ele elevations must	with BFE), VE, V1–V30, specified in Item A7. In Pour Versien in Items a) throughe the same as that used	V (with BFE), AR, A puerto Rico only, entertical Datum: NAV in h) below. □ NG if for the BFE.	olete. AR/A, AR/AE er meters. D88	NAVD 1988 🗆 0	Other/Sou	
C2. Elevations – Zones A1– below according to the b Benchmark Utilized: ACC Indicate elevation datum Datum used for building a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest h d) Attached garage (top of e) Lowest elevation of many	A30, AE, AH, A (uilding diagram : 3264 used for the ele elevations must cluding basement floor corizontal structur of slab) achinery or equir	with BFE), VE, V1–V30, specified in Item A7. In Power of the Very vations in items a) through the the same as that used int, crawlspace, or enclosural member (V Zones only prent servicing the building specified in the same as the control of the c	V (with BFE), AR, A puerto Rico only, entertical Datum: NAV hh h) below. ☐ NG for the BFE. Ure floor)	olete. AR/A, AR/AE er meters. D88	NAVD 1988 🗆 0	Other/Sou	rce:
C2. Elevations – Zones A1–J below according to the b Benchmark Utilized: ACC Indicate elevation datum Datum used for building a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest h d) Attached garage (top of	A30, AE, AH, A (uilding diagram a 3264 used for the ele elevations must cluding basemen floor orizontal structur of slab) achinery or equip ment and locati ned) grade next thed) grade next e at lowest elevate	with BFE), VE, V1–V30, specified in Item A7. In Pour Versions in items a) through the the same as that used at, crawlspace, or enclosural member (V Zones only present servicing the building in Comments) to building (LAG) to building (HAG) to of deck or stairs, including of the same version of deck or stairs, including the same version of deck or stairs, including of the same version of the same version in the same version of the same version	V (with BFE), AR, A uerto Rico only, ent ertical Datum: NAV th h) below. □ NG for the BFE. ure floor) y) uding structural sup	Dete. IR/A, AR/AE er meters. D88 VD 1929 ☑ 9.9 23.2 N.A 7.2 9.9 6.8 7.4 port N.A	NAVD 1988 🔲 🤇	other/Sou k the mea feet feet feet feet feet feet feet f	rce: surement used. meters meters meters meters meters meters
C2. Elevations – Zones A1– below according to the b Benchmark Utilized: ACC Indicate elevation datum Datum used for building a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest h d) Attached garage (top of e) Lowest elevation of ma (Describe type of equif f) Lowest adjacent (finist g) Highest adjacent grade	A30, AE, AH, A (uilding diagram a 3264 used for the ele elevations must cluding basement floor corizontal structur of slab) achinery or equip pment and locati ned) grade next thed) grade next e at lowest elevat	with BFE), VE, V1–V30, specified in Item A7. In Power of the same as that used that, crawlspace, or enclosural member (V Zones only oment servicing the building in Comments) to building (LAG) to building (HAG) to building (HAG) to of deck or stairs, inclusion of deck or stairs, inclusion of Deck or Surveyor, END — SU	V (with BFE), AR, A uerto Rico only, entertical Datum: NAV h h) below. NG for the BFE. Ure floor) y) ng uding structural sup	Dete. IR/A, AR/AE er meters. D88 VD 1929 9.9 23.2 N.A 7.2 9.9 6.8 7.4 port N.A RCHITECT	NAVD 1988 Chec	other/Sou k the mea feet feet feet feet feet feet feet f	rce: surement used. meters meters meters meters meters meters meters
C2. Elevations – Zones A1– below according to the b Benchmark Utilized: ACC Indicate elevation datum Datum used for building a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest h d) Attached garage (top of e) Lowest elevation of man (Describe type of equination of the lowest adjacent (finisting) Highest adjacent (finisting) Highest adjacent grade This certification is to be signiformation. I certify that the I understand that any false signiformation. Check here if attachment	A30, AE, AH, A (uilding diagram a 3264 used for the ele elevations must cluding basement floor corizontal structur of slab) achinery or equip ment and locati ned) grade next thed) grade next at lowest elevate set at lowest elevate set and sealed be information on the tatement may be a are provided on this.	with BFE), VE, V1–V30, specified in Item A7. In Power of the same as that used the same as the same	V (with BFE), AR, A puerto Rico only, entertical Datum: NAV hh h) below. □ NG h for the BFE. Ure floor) y) ng VGINEER, OR All the per, or architect autions whest efforts to in the puerto of the per, or architect autions whest efforts to in the per of the per	olete. IR/A, AR/AE er meters. D88 VD 1929 9.9 23.2 N.A 7.2 9.9 6.8 7.4 port N.A RCHITECT Prorized by laterpret the d8 U.S. Code	CERTIFICATIOn to certify elevation available. Section 1001. A provided by a	other/Sou k the mea feet feet feet feet feet feet feet	rce: surement used. meters meters meters meters meters meters meters
C2. Elevations – Zones A1– below according to the b Benchmark Utilized: AC: Indicate elevation datum Datum used for building a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest h d) Attached garage (top of e) Lowest elevation of man (Describe type of equip f) Lowest adjacent (finist g) Highest adjacent (finist h) Lowest adjacent grade This certification is to be sign information. I certify that the I understand that any false si Check here if comments Check here if attachmer Certifier's Name David J. Hyan	A30, AE, AH, A (uilding diagram is 3264 used for the ele elevations must cluding basement floor iorizontal structur of slab) achinery or equip pment and locati ned) grade next thed) grade next thed) grade next thed) grade next the at lowest elevate SECTION and and sealed be information on the tatement may be to are provided on the.	with BFE), VE, V1–V30, specified in Item A7. In Power of the Same as that used the same as the s	V (with BFE), AR, A uerto Rico only, entertical Datum: NAV hh) below. NG for the BFE. In a floor) MGINEER, OR All the person of the person o	Dete. IR/A, AR/AE er meters. D88 VD 1929 9.9 23.2 N.A 7.2 9.9 6.8 7.4 port N.A RCHITECT Norized by laterpret the d8 U.S. Code ude in Section Yes Number 58:	CERTIFICATION w to certify elevation available. Section 1001. n A provided by a	bother/Sou	rce: isurement used. meters meters
C2. Elevations – Zones A1– below according to the b Benchmark Utilized: ACC Indicate elevation datum Datum used for building a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest h d) Attached garage (top of e) Lowest elevation of mic (Describe type of equilif) Lowest adjacent (finisting) Highest adjacent grade This certification is to be signiformation. I certify that the I understand that any false si Check here if comments Check here if attachmer Certifier's Name David J. Hyd Title P.S.M.	A30, AE, AH, A (uilding diagram a 3264 used for the ele elevations must cluding basement floor prorizontal structure of slab) achinery or equip prent and location and) grade next to the d) grade next to the d) grade next to the diagram and sealed be and sealed be finformation on the fatement may be the are provided on the content.	with BFE), VE, V1–V30, specified in Item A7. In Power of the same as that used the same as the same	V (with BFE), AR, A uerto Rico only, entertical Datum: NAV hh) below. NG for the BFE. In a floor) MGINEER, OR All the person of the person o	Dete. IR/A, AR/AE er meters. D88 VD 1929 9.9 23.2 N.A 7.2 9.9 6.8 7.4 port N.A RCHITECT Norized by laterpret the d8 U.S. Code ude in Section Yes Number 58:	CERTIFICATION w to certify elevation available. Section 1001. n A provided by a	bother/Sou	rce: isurement used. meters meters
C2. Elevations – Zones A1– below according to the b Benchmark Utilized: AC: Indicate elevation datum Datum used for building a) Top of bottom floor (in b) Top of the next higher c) Bottom of the lowest h d) Attached garage (top of e) Lowest elevation of man (Describe type of equip f) Lowest adjacent (finist g) Highest adjacent (finist h) Lowest adjacent grade This certification is to be sign information. I certify that the I understand that any false si Check here if comments Check here if attachmer	A30, AE, AH, A (uilding diagram a 3264 used for the ele elevations must cluding basement floor provided and sealed by achinery or equip provided and sealed by achinery must SECTION SECTION and sealed by are provided on the are provided on t	with BFE), VE, V1–V30, specified in Item A7. In Power of the Same as that used the same as the s	V (with BFE), AR, A perto Rico only, entertical Datum: NAV with h) below. NG for the BFE. Aure floor) MGINEER, OR All per, or architect autimy best efforts to increase and longitude and longitude and surveyor? License Surveying & Mappi	Dete. IR/A, AR/AE er meters. D88 VD 1929 9.9 23.2 N.A 7.2 9.9 6.8 7.4 port N.A RCHITECT Prorized by late terpret the de 8 U.S. Code Jude in Section Wes Number 58: Ing, LLC	CERTIFICATION W to certify elevation available. Section 1001. In A provided by a large No. A provided by a large No. A de 34145	bother/Sou	rce: surement used. meters meters meters meters meters meters meters

LEVATION CERTIFICATE, pa			
IMPORTANT: In these spaces, co	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., 850 Banyan Court	Policy Number:		
City Marco Island	State FL ZIP Code 34		Company NAIC Number:
SECTION	D – SURVEYOR, ENGINEER, OR ARCHITECT CERT	TIFICATION (CO	ONTINUED)
Copy both sides of this Elevation Certif	ficate for (1) community official, (2) insurance agent/company,	and (3) building o	wner.
Comments A9a Square footage was of the structure. C2e is the A/C pad (E signature).	derived from the Collier County Property Appraiser's website. de). According to the Collier County Property Appraiser structu	C2a is the front do re was built in 19	oor threshold as there was no access to 38.
Dunil All			
Signature	Date 02/22/2016		
SECTION E - BUILDING ELE	EVATION INFORMATION (SURVEY NOT REQUIRED)	FOR ZONE AO	AND ZONE A (WITHOUT BFE)
 and C. For Items E1–E4, use natural § E1. Provide elevation information for grade (HAG) and the lowest adja a) Top of bottom floor (including b) Top of bottom floor (including E2. For Building Diagrams 6–9 with (elevation C2.b in the diagrams) E3. Attached garage (top of slab) is E4. Top of platform of machinery and E5. Zone AO only: If no flood depth 	basement, crawlspace, or enclosure) is	er the elevation is feet meters [feet meters [or 9 (see pages 8- ove or below to w the HAG. meters a accordance with the	above or below the highest adjacent above or below the HAG. above or below the LAG. 9 of Instructions), the next higher floor he HAG. bove or below the HAG.
	F - PROPERTY OWNER (OR OWNER'S REPRESE!		TIFICATION
The property owner or owner's authori	rized representative who completes Sections A, B, and E for Zo ements in Sections A, B, and E are correct to the best of my kn	one A (without a F	
Property Owner's or Owner's Authorize			
Address	City	State	ZIP Code
Signature	Date	Telepi	none
Comments			
			Chack here if attachmen
			Check here if attachmen
	SECTION G - COMMUNITY INFORMATION (C	OPTIONAL)	
The local official who is authorized by law of this Elevation Certificate, Complete the	w or ordinance to administer the community's floodolain manage	ment ordinance ca	an complete Sections A, B, C (or E), and 0
of this Elevation Certificate. Complete the G1. The information in Section C is authorized by law to certify	w or ordinance to administer the community's floodplain manage te applicable item(s) and sign below. Check the measurement us was taken from other documentation that has been signed and e elevation information. (Indicate the source and date of the ele	ment ordinance ca sed in Items G8–G d sealed by a licer evation data in the	an complete Sections A, B, C (or E), and 0 10. In Puerto Rico only, enter meters. used surveyor, engineer, or architect who comments area below.)
of this Elevation Certificate. Complete the G1. The information in Section C is authorized by law to certify G2. A community official complete	w or ordinance to administer the community's floodplain manage to applicable item(s) and sign below. Check the measurement us was taken from other documentation that has been signed and elevation information. (Indicate the source and date of the election E for a building located in Zone A (without a FEMA-	ment ordinance ca sed in Items G8–G d sealed by a licer evation data in the issued or commu	an complete Sections A, B, C (or E), and 0 10. In Puerto Rico only, enter meters. used surveyor, engineer, or architect who comments area below.)
of this Elevation Certificate. Complete the G1. The information in Section Complete is authorized by law to certify G2. A community official complete G3. The following information (Iter	w or ordinance to administer the community's floodplain manage applicable item(s) and sign below. Check the measurement us was taken from other documentation that has been signed and elevation information. (Indicate the source and date of the elevation E for a building located in Zone A (without a FEMARMS G4—G10) is provided for community floodplain management	ement ordinance cased in Items G8–G d sealed by a licer evation data in the issued or commu nt purposes.	an complete Sections A, B, C (or E), and 0 10. In Puerto Rico only, enter meters. used surveyor, engineer, or architect who comments area below.) nity-issued BFE) or Zone AO.
of this Elevation Certificate. Complete the G1. The information in Section C is authorized by law to certify G2. A community official complete	w or ordinance to administer the community's floodplain manage applicable item(s) and sign below. Check the measurement us was taken from other documentation that has been signed and elevation information. (Indicate the source and date of the elevation E for a building located in Zone A (without a FEMARMS G4—G10) is provided for community floodplain management	ement ordinance cased in Items G8–G d sealed by a licer evation data in the issued or commu nt purposes.	an complete Sections A, B, C (or E), and 0 10. In Puerto Rico only, enter meters. used surveyor, engineer, or architect who comments area below.)
of this Elevation Certificate. Complete the G1. The information in Section Color is authorized by law to certify G2. A community official complete G3. The following information (Itel G4. Permit Number G7. This permit has been issued for: G8. Elevation of as-built lowest floor (in G9. BFE or (in Zone AO) depth of floor	w or ordinance to administer the community's floodplain manage to applicable item(s) and sign below. Check the measurement us was taken from other documentation that has been signed and relevation information. (Indicate the source and date of the elected Section E for a building located in Zone A (without a FEMARMS G4–G10) is provided for community floodplain management G5. Date Permit Issued G6. Date New Construction Substantial Improvement including basement) of the building:	ement ordinance cased in Items G8–G d sealed by a licer evation data in the dissued or communit purposes. e Certificate Of Co	an complete Sections A, B, C (or E), and of 10. In Puerto Rico only, enter meters. Insed surveyor, engineer, or architect who comments area below.) Inity-issued BFE) or Zone AO.
of this Elevation Certificate. Complete the G1. The information in Section Co- is authorized by law to certify G2. A community official complete G3. The following information (Itel G4. Permit Number G7. This permit has been issued for: G8. Elevation of as-built lowest floor (in G9. BFE or (in Zone AO) depth of floor	w or ordinance to administer the community's floodplain manage to applicable item(s) and sign below. Check the measurement us was taken from other documentation that has been signed and relevation information. (Indicate the source and date of the elected Section E for a building located in Zone A (without a FEMARMS G4–G10) is provided for community floodplain management G5. Date Permit Issued G6. Date New Construction Substantial Improvement including basement) of the building:	ement ordinance cased in Items G8–G d sealed by a licer evation data in the dissued or communit purposes. e Certificate Of Co	an complete Sections A, B, C (or E), and a 10. In Puerto Rico only, enter meters. used surveyor, engineer, or architect who comments area below.) nity-issued BFE) or Zone AO. mpliance/Occupancy Issued Datum Datum
of this Elevation Certificate. Complete the G1. The information in Section Consists authorized by law to certify G2. A community official complete G3. The following information (Itel G4. Permit Number G7. This permit has been issued for: G8. Elevation of as-built lowest floor (in G9. BFE or (in Zone AO) depth of floor G10. Community's design flood elevation	w or ordinance to administer the community's floodplain manage to applicable item(s) and sign below. Check the measurement us was taken from other documentation that has been signed and relevation information. (Indicate the source and date of the elected Section E for a building located in Zone A (without a FEMARMS G4–G10) is provided for community floodplain management G5. Date Permit Issued G6. Date New Construction Substantial Improvement including basement) of the building: feet ording at the building site: feet ording feet ording at the provided for community floodplain management feet ording at the building site: feet ording feet	ement ordinance cased in Items G8–G d sealed by a licer evation data in the dissued or communit purposes. e Certificate Of Co	an complete Sections A, B, C (or E), and of 10. In Puerto Rico only, enter meters. Used surveyor, engineer, or architect who comments area below.) Inity-issued BFE) or Zone AO. Impliance/Occupancy Issued Datum Datum
of this Elevation Certificate. Complete the G1. The information in Section Complete is authorized by law to certify G2. A community official complete G3. The following information (Itel G4. Permit Number G7. This permit has been issued for: G8. Elevation of as-built lowest floor (in G9. BFE or (in Zone AO) depth of floor G10. Community's design flood elevation Local Official's Name	w or ordinance to administer the community's floodplain manage to applicable item(s) and sign below. Check the measurement us was taken from other documentation that has been signed and relevation information. (Indicate the source and date of the elevation information. (Indicate the source and date of the elevation information. (Indicate the source and date of the elevation information. (Indicate the source and date of the elevation information.) (Indicate the source and date of the elevation information.) (Indicate the source and date of the elevation information.) (Indicate the source and date of the elevation information.) (Indicate the source and date of the elevation information.) (Indicate the source and date of the elevation information.) (Indicate the source and date of the elevation information.) (Indicate the source and date of the elevation information.) (Indicate the source and date of the elevation information.) (Indicate the source and date of the elevation information.) (Indicate the source and date of the elevation information.) (Indicate the source and date of the elevation information.) (Indicate the source and date of the elevation information.) (Indicate the source and date of the elevation information.) (Indicate the source and date of the elevation information.) (Indicate the source and date of the elevation information.) (Indicate the source and date of the elevation information.) (Indicate the source and date of the elevation information.) (Indicate the source and date of the elevation information information.) (Indicate the source and date of the elevation information information.) (Indicate the source and date of the elevation information.) (Indicate the source and date of the elevation information.) (Indicate the source and date of the elevation information.) (Indicate the source and date of the elevation information.) (Indicate the source and date of the elevation information.) (Indicate the source and date of the elevation information.) (Indicate the source and date of the elevation	ement ordinance cased in Items G8–G d sealed by a licer evation data in the dissued or communit purposes. e Certificate Of Co	an complete Sections A, B, C (or E), and a 10. In Puerto Rico only, enter meters. used surveyor, engineer, or architect who comments area below.) nity-issued BFE) or Zone AO. mpliance/Occupancy Issued Datum Datum

through vent installation c

ELEVATION CERTIFICATE, page 3

Building Photographs

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.

FOR INSURANCE COMPANY USE

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 850 Banyan Court

Policy Number:

City Marco Island

State FL


ZIP Code 34145

Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



02/22/2016



02/22/2016

Fb:123; Pg:59; 02/22/2016; WO# 16-107

ELEVATION CERTIFICATE, page 4	Building Photographs	
	Continuation Page	
IMPORTANT: In these spaces, copy t	FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., Unit, 850 Banyan Court	, Suite, and/or Bldg. No.) or P.O. Route and Box No.	Policy Number:
City Marco Island	State FL ZIP Code 34145	5 Company NAIC Number:
with: date taken; "Front View" and "	vill fit on the preceding page, affix the additional pho Rear View"; and, if required, "Right Side View" a with representative examples of the flood openings o	and "Left Side View." When applicable,
Surveyor's Note:		
4		y 2

FELIA F. ... 000 0 00 (7/40)