-15-504

U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008

Expiration Date: November 30, 2018

# **ELEVATION CERTIFICATE**

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

	SECTION A - P	ROPERTY INF	ORMATION		FOR INSU	RANCE COMPANY USE
A1. Building Owne ECKELS, DENNIS					Policy Nun	nber:
A2. Building Street Box No. 1635 BARBADOS (	Address (including Apt.	Unit, Suite, ar	d/or Bldg. No.) or P.C	). Route and	Company I	NAIC Number:
City MARCO ISLAN			State Florida		ZIP Code 34145	
	iption (Lot and Block Nu MARCO BEACH UNIT		rcel Number, Legal D	escription, etc.)		
A4. Building Use (e	.g., Residential, Non-Re	sidential, Addit	ion, Accessory, etc.)	RESIDENTIAL		
A5. Latitude/Longiti	ude: Lat. 25° 56' 38.55	48" Long	g. <u>-81° 42' 13.3128"</u>	Horizontal Datum	: NAD	1927 × NAD 1983
A6. Attach at least	2 photographs of the bu	lding if the Cer	tificate is being used t	to obtain flood insura	ince.	
A7. Building Diagra	m Number1B					
A8. For a building w	rith a crawlspace or enc	osure(s):				
a) Square foota	age of crawlspace or en	closure(s)	0 sq ft			
b) Number of p	ermanent flood opening	s in the crawlsp	pace or enclosure(s) v	vithin 1.0 foot above	adjacent gr	ade 0
	a of flood openings in A		sq in			
d) Engineered	flood openings?	es 🗵 No	_			
A9. For a building w	ith an attached garage:					
a) Square foots	ge of attached garage	617	_ sq ft			
b) Number of p	ermanent flood opening	s in the attache	d garage within 1.0 fo	ot above adjacent g	rade	3
	a of flood openings in A		sq in		***	
	lood openings?					
	050510115					
R1 NEID Community	Name & Community N		RANCE RATE MAP	<del>`                                    </del>	TION	50.00
CITY OF MARCO IS	5	umber	B2. County Name COLLIER			B3. State Florida
B4. Map/Panel Number	B5. Suffix B6. FIRM Date	Index B7	FIRM Panel Effective/ Revised Date	B8. Flood Zone(s)	(Zor	se Flood Elevation(s) ne AO, use Base nd Depth)
12021 C 0829	H 05/16/201	2 05/	16/2012	AE		7.0'
B10. Indicate the so	urce of the Base Flood I	Elevation (BFE)	data or base flood de	epth entered in Item	B9:	
FIS Profile		ity Determined	Other/Source:	-	998 10	
B11. Indicate elevati	on datum used for BFE	in Item B9:	NGVD 1929 ⊠ NA	VD 1988	er/Source:	
B12. Is the building	ocated in a Coastal Bar	rier Resources	System (CBRS) area	or Otherwise Protect	ted Area (C	PPA)? ☐ Yes ☒ No
Designation Da		☐ CBRS			(X	
	-					

# **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding informa	tion from Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No 1635 BARBADOS CT	.) or P.O. Route and Box No.	Policy Number:
City State MARCO ISLAND Florida	ZIP Code 34145	Company NAIC Number
SECTION C – BUILDING ELEVATION	NINFORMATION (SURVEY R	EQUIRED)
C1. Building elevations are based on: Construction Drawin  *A new Elevation Certificate will be required when constructio  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V Complete Items C2.a–h below according to the building diagr Benchmark Utilized: COL 11  Indicate elevation datum used for the elevations in items a) th  NGVD 1929 NAVD 1988 Other/Source:  Datum used for building elevations must be the same as that  a) Top of bottom floor (including basement, crawlspace, or er b) Top of the next higher floor  c) Bottom of the lowest horizontal structural member (V Zone d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the (Describe type of equipment and location in Comments)  f) Lowest adjacent (finished) grade next to building (LAG)  g) Highest adjacent (finished) grade next to building (HAG)	gs*	Check the measurement used.    X   Finished Construction
<ul> <li>h) Lowest adjacent grade at lowest elevation of deck or stairs structural support</li> </ul>	, including0	x feet meters
SECTION D – SURVEYOR, ENGINE	ER, OR ARCHITECT CERTIFI	CATION
This certification is to be signed and sealed by a land surveyor, englicertify that the information on this Certificate represents my best estatement may be punishable by fine or imprisonment under 18 U.S. Were latitude and longitude in Section A provided by a licensed land	efforts to interpret the data availa S. Code, Section 1001. 	law to certify elevation information.  ble. I understand that any false   Check here if attachments.
Certifier's Name ANTONIO TRIGO (15.0084) License Ls 2982		
Company Name A.TRIGO & ASSOCIATES INC.  Address 2223 TRADE CENTER WAY  City State NAPLES Florida	ZIP Code 34109	Place Seal Here
Signature Date 02/15/20	Common , many or access to access	
Copy all pages of this Elevation Certificate and all attachments for (1) of Comments (including type of equipment and location, per C2(e), if a ASD CRAWL SPACE DOOR SYSTEMS 1 816CS CERTIFIED FOR A/C UNIT	pplicable)	

### **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding			FOR INSURANCE	E COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or 1635 BARBADOS CT	Bldg. No.) or P.O. Ro	oute and Box No.	Policy Number:	
City Stat MARCO ISLAND Flori	NATION INTERNATION	Code 145	Company NAIC N	umber
SECTION E – BUILDING ELEVA FOR ZONE A	ATION INFORMATION ATION INFORMATION (WI	ON (SURVEY NOT THOUT BFE)	REQUIRED)	
For Zones AO and A (without BFE), complete Items E1–E5 complete Sections A, B,and C. For Items E1–E4, use nature enter meters.	5. If the Certificate is in	ntended to support a	LOMA or LOMR-F ment used. In Puer	request, to Rico only,
E1. Provide elevation information for the following and che the highest adjacent grade (HAG) and the lowest grade (HAG) and the l	eck the appropriate bo cent grade (LAG).	xes to show whethe	r the elevation is ab	ove or below
<ul> <li>a) Top of bottom floor (including basement, crawlspace, or enclosure) is</li> <li>b) Top of bottom floor (including basement,</li> </ul>		feet meter	s above or	below the HAG.
crawlspace, or enclosure) is		☐ feet ☐ meter		below the LAG.
E2. For Building Diagrams 6–9 with permanent flood open the next higher floor (elevation C2.b in the diagrams) of the building is	ings provided in Secti	on A Items 8 and/or		f Instructions),
E3. Attached garage (top of slab) is		☐ feet ☐ meters		below the HAG.
E4. Top of platform of machinery and/or equipment servicing the building is		☐ feet ☐ meters	above or $\Box$	below the HAG.
E5. Zone AO only: If no flood depth number is available, is floodplain management ordinance? Yes No	the top of the bottom Unknown. The		cordance with the co	ommunity's
SECTION F - PROPERTY OWNER	(OR OWNER'S REP	RESENTATIVE) CE	RTIFICATION	
The property owner or owner's authorized representative who community-issued BFE) or Zone AO must sign here. The st	no completes Section atements in Sections	s A, B, and E for Zor A. B. and E are corr	ne A (without a FEN	1A-issued or
Property Owner or Owner's Authorized Representative's Na				, imemouge.
Address	City	Sta	te	ZIP Code
Signature	Date	Tele	ephone	
Comments				
				a 26
				25

# **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expiration Date: November 30, 2018 .

IMPORTANT: In these spaces, copy the corresponding information from	om Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P. 1635 BARBADOS CT	O. Route and Box No.	Policy Number:
City State MARCO ISLAND Florida	ZIP Code 34145	Company NAIC Number
SECTION G - COMMUNITY INFO	RMATION (OPTIONAL)	
The local official who is authorized by law or ordinance to administer the consections A, B, C (or E), and G of this Elevation Certificate. Complete the aused in Items G8–G10. In Puerto Rico only, enter meters.	ommunity's floodplain mar pplicable item(s) and sign	nagement ordinance can complete below. Check the measurement
G1. The information in Section C was taken from other documentation engineer, or architect who is authorized by law to certify elevation data in the Comments area below.)		
G2. A community official completed Section E for a building located i or Zone AO.	n Zone A (without a FEMA	a-issued or community-issued BFE)
G3. The following information (Items G4–G10) is provided for commu	unity floodplain manageme	ent purposes.
G4. Permit Number $15-5041$ G5. Date Permit Issued		ate Certificate of ompliance/Occupancy Issued
G7. This permit has been issued for: New Construction Sub	stantial Improvement	
G8. Elevation of as-built lowest floor (including basement) of the building:	feet	meters Datum
G9. BFE or (in Zone AO) depth of flooding at the building site:	feet	meters Datum
G10. Community's design flood elevation:	feet	meters Datum
04: 64:	-	pordinater
Signature	2-21-1-	7
Comments (including type of equipment and location, per C2(e), if applicable	е)	
		Check here if attachments.

#### **BUILDING PHOTOGRAPHS**

#### - ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008 Expiration Date: November 30, 2018

		ALEXANDER PRODUCTION OF THE PRODUCT		
IMPORTANT: In these spaces, copy the corresponding information from Section A.				
Unit, Suite, and/or Bldg. No.)	or P.O. Route and Box No.	Policy Number:		
State	ZIP Code	Company NAIC Number		
Florida	34145			
	, Unit, Suite, and/or Bldg. No.) State	Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.  State ZIP Code		

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption FRONT VIEW 2/15/2017



Photo Two Caption REAR VIEW 2/15/2017

### **BUILDING PHOTOGRAPHS**

#### **ELEVATION CERTIFICATE**

Continuation Page

OMB No. 1660-0008

Expiration Date: November 30, 2018

IMPORTANT: In these spaces, cop	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1635 BARBADOS CT			Policy Number:
City	State	ZIP Code	Company NAIC Number
MARCO ISLAND	Florida	34145	1 ' '

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo Three

Photo Three Caption LEFT SIDE VIEW 2/15/2017



Photo Fou

Photo Four Caption RIGHT SIDE VIEW 2/15/2017

#### **BUILDING PHOTOGRAPHS**

#### **ELEVATION CERTIFICATE**

Continuation Page

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy	FOR INSURANCE COMPANY USE Policy Number:		
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1635 BARBADOS CT			
City MARCO ISLAND	State Florida	ZIP Code 34145	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo Five Caption 1616CS 2/15/2017




Photo Six

816CS 2/15/2017 Photo Six Caption

# Certification of Engineered Flood Openings

In accordance with NFIP, FEMA TB 1-08, and ASCE/SEI 24-05

I hereby certify that the Crawl Space Door Systems flood vents 816CS, 122OCS, 123CS, 1616CS, 1624CS, 1632CS, 2032CS, 2424CS, and 2436CS are designed in accordance with the requirements of the NFIP "Flood Insurance Manual" (2011) to provide automatic equalization of hydrostatic flood forces by allowing for the entry and exit of floodwaters, when properly installed and sized as set forth below. This certification follows the design requirements and specifications established in FEMA Technical Bulletin 1-08, "Openings in Foundation Walls and Walls of Enclosures Below Elevated Buildings in Special Flood Hazard Areas", and the ASCE Standard for "Flood Resistant Design and Construction" (ASCE/SEI 24-05).

### **Design Characteristics**

Section 2.6.2.2 of ASCE 24 provides an equation to determine the required <u>net area</u> of engineered openings (A<sub>o</sub>) for a given <u>enclosed area</u> (A<sub>e</sub>). This equation is based on the hydraulic formula for the flow rate across sharp edged orifices. I have utilized this equation to calculate 1) the respected flow rate through the individual openings between louvers; 2) the flow rate through the main frame opening in case the louver is blown out during a flood event; and 3) the flow rate of water flowing through louver blades following hydraulic short tube theory. The ultimate maximum total enclosed area (A<sub>e</sub>) that can be serviced by a single vent has then been determined by utilizing the lowest flow rate of the three assessed scenarios for each vent and is listed in Table 1.

- In absence of reliable data, the rates of rise and fall have been assumed with 5 feet/hour;
- The (maximum) difference between the exterior and interior floodwater levels has been assumed with 1 foot during base flood conditions;
- A factor of safety of 5 has been assumed, which is consistent with design practices related to protection of life and property;
- The net area of openings (A<sub>o</sub>) as provided by the manufacturer.

		-	
Installation	Requirements	and	Limitations

This certification will be voided if the following installation requirements and limitations are not enforced:

- There shall be a minimum of two openings on different sides of each enclosed area;
- The bottom of each required opening shall be no more than 1ft above the adjacent ground level;
- No temporary (e.g. during cold weather) or permanent solid cover may be placed into or over the flood vent that would block the automatic entry or exit of floodwaters at any time;
- Where analysis indicates rates of rise and fall greater than 5 ft/hr, the total enclosed area as given in Table 1 shall be reduced accordingly to account for the higher rates of rise and fall.

*)	Model	H x W [in]	A <sub>o</sub> [in <sup>2</sup> ]	A <sub>e</sub> [ft <sup>2</sup> ]
	816CS	8 x 16	105	205
	1220CS	12 x 20	235	500
	1232CS	12 x 32	305	645
	1616CS	16 x 16)	180	(395)
	1624CS	16×24	310	670
	1632CS	16 x 32	405	835
	2032CS	20 x 32	630	1240
	2424CS	24 x 24	570	1230
	2436CS	24 x 36	850	1765

**Table 1** Maximal total <u>enclosed area</u> (A<sub>e</sub>) that can be served by each individual model based on the given <u>net area</u> of engineered openings (A<sub>o</sub>)

# Identification of the Building and Installed Flood Vents

The flood vent models marked in Table 1\*) are being installed at the following building:

Building Address

# Certifying Design Professional

Name Christopher Mark Loney

Title Mechanical Engineer

Address 1675 Mcredith Road, Virginia Beach, VA 23455

Type of License Professional Engineer

License # 0402029000 Signature

Issuing State Virginia

