12-4798

U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

## FLOODPROOFING CERTIFICATE

FOR NON-RESIDENTIAL STRUCTURES

OMB No. 1660-0008 Expiration Date: July 31, 2015

The floodproofing of non-residential buildings may be permitted as an alternative to elevating to or above the Base Flood Elevation; however, a floodproofing design certification is required. This form is to be used for that certification. Floodproofing of a residential building does not alter a community's floodplain management elevation requirements or affect the insurance rating unless the community has been issued an exception by FEMA to allow floodproofed residential basements. The permitting of a floodproofed residential basement requires a separate certification specifying that the design complies with the local floodplain management ordinance.

STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER  THE CONTRACT OF SEREN SE				FOR INSURANCE CO	FOR INSURANCE COMPANY USE POLICY NUMBER	
				DOLICA MIMPEO		
				POLICY NUMBER		
OTHER DESCRIPTION (Lot and Block Numbers, etc.)				COMPANY NAIC NUM	COMPANY NAIC NUMBER	
LOT	13 BLX	k 348 M	BU 10			
CITY				STATE ZIP C		
101,1418	LED ISCAND				14-5	
		FLOOD INSURANCE	RATE MAP (FIRM) IN	FORMATION	<u></u>	
Provide the following fro						
COMMUNITY NUMBER	PANEL NUMBER	SUFFIX	DATE OF FIRM INDEX	FIRM ZONE	BASE FLOOD ELEVATION (In AQ Zones, Use Depth)	
120426	0836	#	5-16-2012	AE	9	
Indicate elevation datum used for Base Flood Elevation shown above: NGVD 1929 NAVD 1988 Other/Source:						
SECTION	I II – FLOODPROOFIN	G INFORMATION (B	y a Registered Profes	sional Engineer or	Architect)	
	Construction Drawings					
Floodproofing Design Elevation Information:						
Building is floodproofed to an elevation of 10 feet (In Puerto Rico only: , meters) NGVD 1929						
(Elevation datum used must be the same as that used for the Base Flood Elevation.)						
Height of floodproofing on the building above the lowest adjacent grade is feet (In Puerto Rico only: meters).						
For Unnumbered A Zones Only:						
Highest adjacent (finished) grade next to the building (HAG) feet (In Puerto Rico only: meters)						
is floodproofed only to the Ba	ase Flood Elevation, then the bi	obled design elevation must uilding's insurance rating will	be at least 1 foot above the Bas result in a higher premium.)	e Flood Elevation to receive	e rating credit. If the building	
	SECTION III — CERTIF	ICATION (By a Regi	stered Professional E	ngineer or Architec	et)	
Non-Residential Floodproofed Construction Certification:						
I certify that, based upon development and/or review of structural design, specifications, and plans for construction, the design and methods of construction are in accordance with accepted standards of practice for meeting the following provisions:						
The structure, together with attendant utilities and sanitary facilities, is watertight to the floodproofed design elevation indicated above, with walls that are substantially impermeable to the passage of water.						
All structural components are capable of resisting hydrostatic and hydrodynamic flood forces, including the effects of buoyancy, and anticipated debris impact forces.						
i certify that the informa by fine or imprisonment (	tion on this certificate represen under 18 U.S. Code, Section 10	its my best efforts to interpre 101.	t the data available. I understar	d that any false statement i	may be punishable	
CERTIFIER'S NAME	at Rosser.	Savaae LICENSE	NUMBER (or Affix Seal)	000 1654	1.	
TITLE SRCH	ITOCT	COMPAI	Yerbert Ross	er Savag	re	
ADDRESS C51 So Collier Blod. MARCO 152, FLA 34145						
SIGNATURE FILES	Hosserlaur	age 4/4	1/2013 2	10NE 39-394-1	580	
Cop	oies should be made of this Co	er(ificate for: 1) community	official, 2) Insurance agent/co	mpany, and 3) building ov	vner.	
FEMA Form 086-0-34 (7/12)		REPLACES ALL PR	EVIOUS EDITIONS		F-056	
					_	