

ELEVATION CERTIFICATE
FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

EXPIRES: JUNE 30 1990

This form is to be used for: 1) Post-FIRM construction when the base flood information is available for the building site. 2) Pre-FIRM buildings rated using Post-FIRM rules. Instructions for completing this form can be found on the reverse side.

Slocum/Christian

BUILDING OWNER'S NAME

POLICY NUMBER

STREET ADDRESS

Apt.-A/Unit-U Suite-S/Bldg.-B

NO.

ROUTE

BOX NUMBER

Lot 21/ Block 57/ Unit 2--Marco Beach (Stillwater Ct.)

OTHER DESCRIPTION (Block and lot numbers., etc.)

Marco Beach-Marco Island

FL. 33937

CITY

STATE

ZIP CODE

This form is to be completed by a land surveyor, engineer, or architect who is authorized by state law to certify elevation information when the elevation information for zones A1-A30, AE, AH, A(with BFE), V1-V30, VE, and V(with BFE) is required. In the case of zone AO, the building official, the property owner, or the owner's representative should complete the information in Section I and may also complete the certification. Community officials who are authorized by local law or ordinance to provide floodplain management information may also complete this form.

SECTION I BUILDING ELEVATION INFORMATION

- Using the Flood Insurance Manual or the NFIP Flood Insurance Application—Part 2 Worksheet, indicate the proper diagram number **1**
- FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of **10.07** feet NGVD. (or other datum—see #5)
- FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level floor from the selected diagram is at an elevation of _____ feet NGVD (or other datum—see #5).
- FIRM Zone AO. The floor used as the reference level from the selected diagram is feet above highest natural grade next to the building (also enter in line 8). This value must be equal to or greater than the AO Zone flood depth number listed below. If no flood depth number is available, is the building's lowest floor (or reference level) elevated in accordance with the community's floodplain management ordinances? Yes No Unknown
- Indicate the elevation datum system used in determining the above reference level elevations: NGVD Other (describe on back)
- Indicate the elevation datum system used on the FIRM for base flood elevations: NGVD Other (describe on back)
(ATTENTION: If the elevation datum used in measuring the elevations is different than that used on the FIRM, then the elevations provided must be converted to the datum system used on the FIRM.)
- Is the reference level based on actual construction? Yes No*
 * A "No" answer is only valid if the building does not have the reference level floor in place. Fill in the elevation based on construction drawings and do not complete question #8. If "No" is checked, this certification will be valid only for buildings in the course of construction. After construction of the reference level floor is completed, a post-construction elevation certificate will be required for continued flood insurance coverage.
- Provide the following measurements using the natural grade next to the building (round to the nearest foot).
 - The reference level is: feet above below (check one) the highest grade. feet above below (check one) the lowest grade.
 - The garage floor (if applicable) is: feet above below (check one) the highest grade. feet above below (check one) the lowest grade.

SECTION II FLOOD INSURANCE RATE MAP INFORMATION

Provide the following from the proper FIRM (see Instructions on back—Date of FIRM) and accompanying insurance application:

COMMUNITY NO.	PANEL NO.	SUFFIX	DATE OF FIRM	FIRM ZONE	BASE FLOOD ELEV. (in AO Zone, use depth)	COMMUNITY ESTIMATED BASE FLOOD ELEVATION ESTABLISHED FOR ZONE A OR ZONE V, IF AVAILABLE
120067	0804	D	6-3-86	AE	10.0'	

Elevation reference mark used appears on FIRM Yes No (See reverse side for details)

SECTION III CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state law to certify elevation information when the elevation information for zones A1-A30, AE, AH, A(with BFE), V1-V30, VE, and V(with BFE) is required. In the case of zone AO, the building official, the property owner, or the owner's representative can sign the certification. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. I certify that the information on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

Darrell D. March

#18054

CERTIFIER'S NAME

LICENSE NUMBER (or Affix Seal)

Vice President

Anchor Engineering

TITLE

COMPANY NAME

P.O. Box 1700

Marco Island,

FL. 33969

ADDRESS

CITY

STATE

ZIP

5-21-90

394-1697

SIGNATURE

DATE

PHONE

The insurance agent should attach the original copy of the completed form to the flood insurance policy application. The second copy should be supplied to the policyholder and the third copy retained by the agent. The fourth copy is for the local community permit office, if required.

THIS FORM MAY BE REPRODUCED.

FOR OPTIONAL COMMUNITY USE: Is the reference level also the lowest floor under the community's floodplain management ordinances?

YES NO If NO the elevation of the lowest floor is _____ feet NGVD.



MIAMI ENGINEERING

573 Bald Eagle Drive P.O. 1 1700
Marco Island, Florida 33937 (305) 394-1697

DESCRIPTION

LOT 21 BLOCK 57 UNIT 2
Marco Beach
As recorded in plat book 6
Pages 25 thru 31, Public records
of Collier County, Florida.

SCALE: 1" = 30'

NORTH ARROW

Benchmark: Dellona Plate Elev. = 6.36
(S.R. 92 @ S.R. 963)

Bearings based on record plat


Elevations shown thus: (e.g.)

Elevations refer to N.G.V.D., 1929

CA = Centerline
 C/W = Right of Way
 W/W = Sewer
 W/P = Pavement
 E/C = Point of Intersection
 P.C. = Point of Curvature
 P.C.P. = Permanent Control Point
 P.K./NAIL = Parker/Kalon Nail
 EL/ELEV. = Elevation
 U.T.S. = United Telephone Service
 N.G.V.D. = National Geodetic Vertical Datum
 P.L.S. = Professional Land Surveyor
 C.H.S. = Concrete Block Structure
 ° = Degrees
 ' = Minutes or Feet
 " = Seconds or Inches
 R = Radius
 A = Angle
 (P) = Plot
 B.L.K. = Block
 H.E.A. = Measure
 C.O.N.T. = Concrete
 B.M. = Bench Mark
 T.P. = TYPICAL
 I.P. = Point
 I.R. = Iron Rod
 F.B. = Field Book
 E.S.T. = Easement
 N = North
 S = South
 E = East
 W = West

SPOT SURVEY

A P A T A K I W A T E R W A Y



I hereby certify to

that on this 17th day of MAY, 1990, the survey represented on this map was made under my direction, based on the information furnished to me as noted and conforms to the MINIMUM TECHNICAL STANDARDS FOR LAND SURVEYING IN THE STATE OF FLORIDA in accordance with Ch. 211111-6, Florida Administrative code. No underground installations or improvements have been located except as noted. There is no evidence on the ground of use of the property which might suggest a possible claim of easement other than those shown on the Survey. No encroachments unless shown. This Survey was prepared without opinion of title.

F/B	PAGE	DATE	SURVEY	P.L.S.
63	1	2-7-90	LOT	
63	7	3-17-90	CONST	
65	75	5-17-90	SPOT	

Chris Sloan

PROFESSIONAL LAND SURVEYOR STATE OF FLORIDA NO. 1126

SLOAN/CHRIS

JOB NO. 888-19-02

21-57-2