U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008

Expiration Date: July 31, 2015

		SECT	ION A – PROP	ERTY INFO	ORMATION	F	FOR INS	URANCE COMPANY USE
							Policy Nu	mber:
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. Com 850 Eubanks Court						Company	NAIC Number:	
City Marco Island			State FL		ode 34145	_		
A3. Property Description (L Lot 20 & 21, Block 417, Ma								
Lot 20 & 21, Block 417, Marco Beach Unit 13, as recorded in PB 6, Pg(s) 92-99, Collier County, FI. A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Residential A5. Latitude/Longitude: Lat. N25°54′52.5" Long. W81°42′29.6" Horizontal Datum: NAD 1927 NAD 1983 A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 1B A8. For a building with a crawlspace or enclosure(s): A9. For a building with an attached garage: a) Square footage of crawlspace or enclosure(s) 0 sq ft b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade 0 within 1.0 foot above adjacent grade 0 sq in c) Total net area of flood openings? Yes No d) Engineered flood openings? Yes No								
	SECT	ION B – FLOOD	INSURANCE R	ATE MAP	(FIRM) INF	ORMATION		
B1. NFIP Community Name CITY OF MARCO ISLAND	& Community N 120426	lumber	B2. County Name	е			33. State FLORIDA	
B4. Map/Panel Number	B5. Suffix H	B6. FIRM Index D	Effective	FIRM Panel e/Revised Da 16/2012		8. Flood Zone(s) AE		ase Flood Elevation(s) (Zone O, use base flood depth) 10
Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. FIS Profile FIRM Community Determined Other/Source: NGVD 1929 NAVD 1988 Other/Source: Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? CBRS OPA								
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)								
	SECTIO	N C – BUILDING I	ELEVATION IN	FORMATION	ON (SURVE	Y REQUIRI	ED)	
C1. Building elevations are based *A new Elevation Certific C2. Elevations – Zones A1–, below according to the based Benchmark Utilized: AC Indicate elevation datum	pased on: cate will be required A30, AE, AH, A (puilding diagram and a 3264 and used for the ele	Construction Draced when construction (with BFE), VE, V1–V specified in Item A7.	awings* [in of the building i /30, V (with BFE) In Puerto Rico or Vertical Datum nrough h) below.	☐ Building s complete., AR, AR/A, hly, enter me: NAVD88 ☐ NGVD 19	Under Constr AR/AE, AR/A eters.	ruction* 1–A30, AR/A	Fin	
A new Elevation Certific C2. Elevations – Zones A1–, below according to the b Benchmark Utilized: AC	pased on: cate will be required A30, AE, AH, A (puilding diagram and a 3264 and used for the ele	Construction Draced when construction (with BFE), VE, V1–V specified in Item A7.	awings [in of the building i /30, V (with BFE) In Puerto Rico or Vertical Datum nrough h) below.	☐ Building s complete., AR, AR/A, hly, enter me: NAVD88 ☐ NGVD 19	Under Constr AR/AE, AR/A eters.	ruction* 1–A30, AR/A 0 1988 □ Oth	∑ Fin ∴H, AR/A0 her/Source	O. Complete Items C2.a-h
A new Elevation Certific C2. Elevations – Zones A1–, below according to the below accordin	pased on: cate will be required. A30, AE, AH, A (building diagram in a sace) a used for the election in the el	Construction Dra red when constructio (with BFE), VE, V1–\ specified in Item A7. evations in items a) th be the same as that nt, crawlspace, or er ural member (V Zone pment servicing the	awings [on of the building i /30, V (with BFE) In Puerto Rico or Vertical Datum nrough h) below. used for the BFE nclosure floor) s only)	☐ Building s complete., AR, AR/A, hly, enter me: NAVD88 ☐ NGVD 19	Under Constr AR/AE, AR/A eters.	ruction* 1–A30, AR/A 0 1988 □ Ott Check t 0 0 0 1988 □ Ott	∑ Fin ∴H, AR/A0 her/Source	O. Complete Items C2.a-h
A new Elevation Certific C2. Elevations – Zones A1–, below according to the b Benchmark Utilized: AC Indicate elevation datum Datum used for building a) Top of bottom floor (ir b) Top of the next higher c) Bottom of the lowest b d) Attached garage (top	pased on: cate will be required. A30, AE, AH, A (puilding diagram is 3264) a used for the elevations must including baseme in floor incrizontal structured of slab) inachinery or equired. Including baseme in floor incrizontal structured in slab including baseme in floor incrizontal structured in slab in achinery or equired in slab including pade in extending grade next in shed) grade next increase in slab in grade next in shed) grade next in slab in s	Construction Drared when construction (with BFE), VE, V1–V specified in Item A7. Evations in items a) the bethe same as that ont, crawlspace, or enural member (V Zone pment servicing the ion in Comments) to building (LAG) to building (HAG)	awings [In of the building i I/30, V (with BFE) In Puerto Rico or Vertical Datum rough h) below. used for the BFE inclosure floor) Is only) building	□ Building s complete. , AR, AR/A, nly, enter me : NAVD88 □ NGVD 19	Under Constr AR/AE, AR/A eters. 929 ☑ NAVE 8.6 9.5 N.A 6.5 8.6 3.6 6.5	Check 1 Check 1	⊠ Fin H, AR/AG her/Source the meas ☐ feet ☐ feet ☐ feet ☐ feet	D. Complete Items C2.a-h ce: surement used. meters meters meters meters meters meters meters
A new Elevation Certific Elevations – Zones A1–, below according to the below according t	pased on: cate will be required. A30, AE, AH, A (puilding diagram in a 264) a used for the elections must elevations must elevations must elevation in a chinery or equiper in and locate in the cate of grade next extend grade next extend in a cate of the cate	Construction Drared when construction (with BFE), VE, V1–V specified in Item A7. Evations in items a) the bethe same as that ont, crawlspace, or enural member (V Zone pment servicing the ion in Comments) to building (LAG) to building (HAG)	awings [on of the building i /30, V (with BFE) In Puerto Rico or Vertical Datum nrough h) below. used for the BFE nclosure floor) s only) building	□ Building s complete. , AR, AR/A, hly, enter me : NAVD88 □ NGVD 19 .	Under Constr AR/AE, AR/A eters. 929 ☑ NAVE 8.6 9.5 N.A 6.5 8.6 3.6 6.5 N.A	Check 1 Check 1	Fin H, AR/AC the meas feet feet feet feet feet feet feet feet	Complete Items C2.a-h Ce: Eurement used. meters meters meters meters meters meters meters meters
A new Elevation Certific Elevations – Zones A1–, below according to the below according t	pased on: pate will be required. A30, AE, AH, A (puilding diagrams) 3264 In used for the elected elevations must elevations must elevations must elevations must elevation eleva	Construction Drared when construction (with BFE), VE, V1–V specified in Item A7. Evations in items a) the bethe same as that the same as the same	awings [an of the building i /30, V (with BFE) In Puerto Rico or Vertical Datum brough h) below. used for the BFE aclosure floor) sonly) building a, including structure a, engineer, or archite sents my best efform in my in my include an licensed land sure	Building s complete. , AR, AR/A, nly, enter me :: NAVD88 □ NGVD 15 . Building s complete. Complete s complete. Grant Support Cor ARCH ect authorize of the control of	Under Constr AR/AE, AR/Aeters. 929 NAVE 8.6 9.5 N.A 6.5 8.6 3.6 6.5 N.A IITECT CER ed by law to coret the data and some section Ap X Yes Enber 6916	Check to Che	Fin. H, AR/AC the meas feet feet feet feet feet feet feet	Complete Items C2.a-h Ce: Eurement used. meters meters meters meters meters meters meters meters
A new Elevation Certific C2. Elevations – Zones A1–, below according to the below accordin	passed on: cate will be required. A30, AE, AH, A (puilding diagrams) 3264 In used for the elected elevations must elevations must elevations must elevations must elevation architecture for slab) Inachinery or equipility grade next elevations elevation elev	Construction Drared when construction (with BFE), VE, V1–\ (specified in Item A7.) Evations in items a) the bethe same as that the same as	awings [In of the building i I/30, V (with BFE) In Puerto Rico or Vertical Datum rough h) below. used for the BFE Inclosure floor) Is only) Is only) Is only Is including structure, including structure Is engineer, or archite sents my best efforor imprisonment Were latitude and licensed land sur	Building s complete. , AR, AR/A, nly, enter me :: NAVD88 □ NGVD 15 . Building s complete. Complete s complete. Grant Support Cor ARCH ect authorize of the control of	Under Constr AR/AE, AR/Aeters. 929 NAVE 8.6 9.5 N.A 6.5 8.6 3.6 6.5 N.A IITECT CER ed by law to coret the data and some section Ap X Yes Enber 6916	Check to Che	Fin. H, AR/AC the meas feet feet feet feet feet feet feet	D. Complete Items C2.a-h De: surement used. meters meters

ELEVATION CERTIFICATE, page 2 IMPORTANT: In these spaces, copy the corresponding information from Section A. FOR INSURANCE COMPANY USE Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. Policy Number: 850 Eubaks Court City Marco Island State FL **ZIP Code 34145** Company NAIC Number: SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED) Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner. Comments A9a Square footage was derived from the Collier County Property Appraiser's website. A8d/A9d no information was provided regarding engineering of openings. C2a While the majority of the structure appears to be a diagram 1B it should be noted that there was a 4.7' X 6.0' doorway into the stemwall with a threshold elevation of 3.60'. C2b is the finished floor in the portion of the structure closest to Doxsee Terrace. Notes continued on page 4. Signature Date 5/30/2013 SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawlspace, or enclosure) is ☐ feet ☐ meters ☐ above or ☐ below the HAG. b) Top of bottom floor (including basement, crawlspace, or enclosure) is ☐ feet ☐ meters ☐ above or ☐ below the LAG. E2. For Building Diagrams 6–9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 8–9 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is ☐ feet ☐ meters ☐ above or ☐ below the HAG. ☐ feet ☐ meters ☐ above or ☐ below the HAG. E3. Attached garage (top of slab) is E4. Top of platform of machinery and/or equipment servicing the building is ☐ feet ☐ meters ☐ above or ☐ below the HAG. E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown. The local official must certify this information in Section G. SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge. Property Owner's or Owner's Authorized Representative's Name Address City State ZIP Code Signature Date Telephone Comments ☐ Check here if attachments. SECTION G - COMMUNITY INFORMATION (OPTIONAL) The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8-G10. In Puerto Rico only, enter meters. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.) G2. 🗌 A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO. The following information (Items G4-G10) is provided for community floodplain management purposes. G3. 🗌

G4. Permit Number	G5. Date Permit Issued		G6. Date (Certificate Of Co	ompliance/Occupancy Issued	
G7. This permit has been issued for:	☐ New Construction ☐ Su	ubstantial Impro	vement			
G8. Elevation of as-built lowest floor (inc	cluding basement) of the building:		☐ feet	☐ meters	Datum	
G9. BFE or (in Zone AO) depth of floodi	ng at the building site:	·	☐ feet		Datum	
G10. Community's design flood elevation	:		☐ feet	☐ meters	Datum	
Local Official's Name		Title				
Community Name		Telep	hone			

Date

Comments

Signature

Building Photographs See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and/or Bldg. 850 Eubanks Court	Policy Number:		
City Marco Island	State FL	ZIP Code 34145	Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.

Front View









Field book:75, Page: 69, 5/30/2013, WO# 13-293

ELEVATION CERTIFICATE, page 4

Building Photographs Continuation Page

IMPORTANT: In these spaces, copy the corresponding info	n Section A.	FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or 850 Eubanks Court	r P.O. Route ar	nd Box No.	Policy Number:
City Marco Island	State FL	ZIP Code 34145	Company NAIC Number:
If submitting more photographs than will fit on the preceding with: date taken; "Front View" and "Rear View"; and, if re photographs must show the foundation with representative example.	quired, "Righ	nt Side View" and "Left	Side View." When applicable,
Surveyor's Note: C2e is the A/C pad (N.E. side). C2h this certificate is not being used in structure was built in 1989.	support of LON	/IA or LOMR-F. According to th	ne Collier County Property Appraiser