ELEVATION CERTIFICATE

O.M.B. No 3057-0077 Expired May 31, 1980

FE AL EMERGENCY MANAGEMENT AGF

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compilance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the fellowing pages.


SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE
BUILDING OWNERS NAME MRS GOODMAN					POLICY NUMBER
STREET ADDRESS (Inducting Apr., Unit, Suite enther State, Number) OR P.O. ROUTE AND BOX NUMBER 27.0 FIJE COURT MARCO ISLAND					COMPANY NAIC NUMBER
OTHER DESCRIPTION (Let and	COURT Block Numbers, etc.)	MARCI	ISLAND .		
LOT-10	BLK-20	MUR	CO BEACH	UNIT-	- 7
COLLIER COUNTY FL. STATE ZIP CODE					
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION					
Provide the following from the proper FIRM (See Instructions):					
1. COMMUNITY NUMBER -	2. FANEL NUMBER	a. BUFFOX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE PLOOD ELEWATION (in AO Zones, use depth)
120067	0812	D	6-3-86	AE	EL-10
 Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back) For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE; LLLLLL lest NGVD (or other FIRM datum-see Section B, Item 7). 					
SECTION C BUILDING ELEVATION INFORMATION					
(c). FIRM Zone A (without 8) below (check one) the below (check one) the floor one) the highest grade at level) elevated in accords. 3. Indicate the elevation datum under Comments on Page 2 the FIRM [see Section B, it equation under Comments of 4. Elevation reference mark us. 5. The reference level elevation.	ding's reference teve E, AH, and A (with B NGVD (or other FIRI) E, and V (with BFE). at an elevation of L. FE). The floor used the highest grade adjacent to the building ince with the community (NOTE: If the eletern 7), then convert in Page 2) and appears on FIRM is based on: [X] ac	FE). The top of M datum—see S The bottom of L l l tas the reference acent to the build not level from tog. If no flood donity's floodplair ermining the abovation datum uthe elevations: Yes Notual construction	f the reference level floor section B, Item 7). the lowest horizontal structed NGVD (or other FIRM elevel from the selected olding. The selected diagram is lepth number is available, a management ordinance over reference level elevel sed in measuring the elevel to the datum system used to (See tristructions on Panagement).	trom the selected ctural member of datum—see Sect diagram is L I lest above is the building's love the building's love to the sections: NGVD that ions is different on the FIRIM and lage 4)	diagram is at an elevation the reference level from lon B, Itam 7). L feet above or or below (check twest floor (reference Unknown 29 Other (describe than that used on I show the conversion
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.) 6. The elevation of the lowest grade immediately adjacent to the building is:					
Section 8, Item 7).		. 9			
SECTION D COMMUNITY INFORMATION					
If the community official response not the "lowest floor" as defined by the ordinal 2. Date of the start of construction FEMA Form 81-31, MAY 90	ined in the communit	ty's floodplain in	nafiacement ordinance, th	e elevation of the see Section B, Iter	building's "lowest
		V.9/.	.01/		

This certification is to be signed by a and surveyor, engineer, or architect who is suth. and by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE),VI-V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community lessed BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, fiem 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Gede, Section 1001.

3667 William McAlear LICENSE NUMBER (or Affin Seal) CERTIFIER'S NAME William McAlear Land Surveying R.L.S. TITLE · COMPANY NAME Florida 33963 5974 Taylor Rd. Naples STATE ~ ZIP ADDRESS 813-597-7428 PHONE SIGNATURE nede Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

sales .