

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY
NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No 3067-007
Expires May 31, 1993

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION		FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME GILBERT C. AND MARION R. MUELLER		POLICY NUMBER
STREET ADDRESS (including Apt. Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER 541 BLACKMORE COURT		COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and Block Numbers, etc.) LOT 8, BLOCK 391, MARCO BEACH, UNIT 12		
CITY MARCO ISLAND, FLORIDA 33937		STATE FL
		ZIP CODE 33937

SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM (See instructions):

1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (In AO Zones, use depth)
120067	0803	E	08/03/92	AE	11.0'

7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back)
8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: feet NGVD (or other FIRM datum—see Section B, Item 7).

SECTION C BUILDING ELEVATION INFORMATION

1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level: 1
- 2(a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of 12.00 feet NGVD (or other FIRM datum—see Section B, Item 7).
- (b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of feet NGVD (or other FIRM datum—see Section B, Item 7).
- (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is feet above or below (check one) the highest grade adjacent to the building.
- (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is feet above or below (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance? Yes No Unknown
3. Indicate the elevation datum system used in determining the above reference level elevations: NGVD '29 Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM (see Section B, Item 7), then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)
4. Elevation reference mark used appears on FIRM: Yes No (See Instructions on Page 4)
5. The reference level elevation is based on: actual construction construction drawings
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
6. The elevation of the lowest grade immediately adjacent to the building is: 7.50 feet NGVD (or other FIRM datum—see Section B, Item 7).

SECTION D COMMUNITY INFORMATION

1. If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is: feet NGVD (or other FIRM datum—see Section B, Item 7).
2. Date of the start of construction or substantial improvement

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.


Reference level diagrams 6, 7 and 8 - Distinguishing Features - If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available.
I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME JOHN GENEVRINO, P.L.S. #4085	LICENSE NUMBER (or Affil. Bond)
TITLE PRESIDENT	COMPANY NAME ACTION SURVEYS AND PLANNERS, INC.
ADDRESS 3400 RADIO RD #111	CITY NAPLES, FLORIDA 33942
STATE	ZIP
SIGNATURE <i>[Signature]</i>	DATE JANUARY 26, 1994
PHONE 813-643-7510	

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS:




PLAT OF SURVEY CERTIFIED CORRECT TO:
 Gilbert C. and Marion R. Mueller; Society First Federal Savings Bank, Its Successors
 and/or Assigns; Island Title Guaranty Agency, Inc. and Old Republic National Title
 Insurance Company.

DESCRIPTION (FURNISHED BY CLIENT):
 LOT B, BLOCK 391, MARCO BEACH, UNIT TWELVE, according to the plat thereof, as
 recorded in Plat Book 6, Pages 87 through 91, Public Records of Collier County,
 Florida.



BEARINGS SHOWN HEREON
 ARE BASED ON THE
 CENTERLINE OF BLACKMORE
 COURT AS BEING
 N28°10'07"E, AS SHOWN
 ON RECORD PLAT.

STREET ADDRESS:
 541 BLACKMORE COURT
 MARCO ISLAND, FLORIDA 33037



C-1
 R = 25.00'
 Δ = 90°00'00"
 L = 30.27'
 CHD = 30.335'
 CB = N71°10'07"E

NOTICE: There may be additional restrictions that are not recorded on this Plat of Survey that may be found in the Public Records of this County. (Setbacks, Easements & other Restrictions)
 NOTICE: This Survey is subject to any tests that may be conducted by a full and accurate title search.
 Elevation shown hereon (if any) are based on National Geodetic Vertical Control Datum (N.G.V.D.).
 No underground installations or improvements have been located except as shown.
 INDICATES A 1/2" IRON ROD P.L.S. #4088 (UNLESS OTHERWISE NOTED)

FOR: GILBERT C. & MARION R. MUELLER		LEGEND	BOUNDARY SURVEY
ACTION SURVEYS 3400 RADIO ROAD, SUITE 111 OR P.O. BOX 420089 Naples, Florida 33942 Phone: (813) 643-7510		ADP = APPROX ADJ = ADJUST BLD = BUILDING CAL = CALCULATOR C.L.F. = CURB LINE FENCE C.S. = CONCRETE SLAB/STOOD D.C.R. = ENCROACHING (MEND) DIST. = DISTANCE ELEV. = ELEVATION I.P. = IRON PIPE HEAD = HEAD M.S.B. = METAL STRAP GALVANIZED N.L. = NOT NAIL P.C. = POINT OF CURVE P.C.S. = POINT OF BEGINNING REC. = RECORDED R/W = RIGHT-OF-WAY TYP. = TYPICAL W.F.S.B. = WOOD FRAME STORAGE BUILDING W.F. = WOOD FRAME W.P.F. = WOOD PRIVACY FENCE E = EAST W = WEST N = NORTH S = SOUTH Δ = DELTA OR CENTRAL ANGLE L = LENGTH OF ARC T = TANGENT BEARING	CERTIFICATIONS SUBJECT TO NOTES AND NOTATIONS SHOWN ON THIS PLAT OF SURVEY. FLOOD CERTIFICATION FOR BUILDING SITE BASED ON THE NATIONAL FLOOD INSURANCE PROGRAM (NFIP) MAP FLOOD ZONE <u>AE</u> DATED <u>08/03/92</u> COMMUNITY-PANEL # <u>120087-0803E</u> The Base 100 Year Flood Elevation is <u>11.0'</u> (Mean Sea Level) THIS CERTIFICATE THAT A SURVEY AND MAP OF THE PROPERTY DESCRIBED HEREON MADE BY SUPERVISOR AND IS A CORRECT REPRESENTATION HEREOF, THE SURVEY BEING IN FULL ACCORDANCE WITH THE BEST OF MY KNOWLEDGE AND BELIEF, I FURTHER CERTIFY THAT THIS SURVEY MEETS THE TECHNICAL STANDARDS AS SET FORTH BY THE FLORIDA BOARD OF LAND SURVEYING PURSUANT TO ADMINISTRATIVE CODE RULE 2190-6 AND SECTION 479.007 OF THE FLORIDA STATUTES.
		A/D = AIR CONDITIONER ALLG = ALUMINUM B.M. = BENCH-MARK CONC. = CONCRETE C.E. = CENTERLINE I.R. = IRON ROD O/H = OVER HEAD OFF. = OFFICE P.C. = POINT OF CURVE P.C.S. = POINT OF BEGINNING REC. = RECORDED RES. = RESIDENCE S.C.P. = SCOTCH PINE TYP. = TYPICAL W. = WITH W/W = WINGWALL WOOD = WOOD WOOD = WOOD	DATE: 01/25/94 TYPE OF SURVEY: BOUNDARY SURVEY

[Handwritten Signature]
 John G. ...
 PROFESSIONAL LAND SURVEYOR No. 4082
 VALID ONLY WITH EMBOSSED SEAL AND SIGNATURE OF SURVEYOR
 01/25/94