90	12	5	1	Ô	
----	----	---	---	---	--

ELEVATION CERTIFICATE FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. no for completing this form can be found on the following pages.

	Instructions for co	Simpleting this				
SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE POLICY NUMBER COMPANY NAIC NUMBER	
BUILDING OWNER'S NAME Sunset Builde:						
SURSEL Durrac STREET ADDRESS (Including Apt 266 S. Heathw	ood Court	Number) OK P.O. N				
Lot 24, Block	Block Numbers, etc.) 208, Marco	Beach Un	it 7	OTATE	ZIP CODE	
CITY FL FL						
1100100	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION		
rovide the following from th	ne proper FIRM (See	Instructions):				
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)	
120426	0812	Е	7/20/98	AE	+10.0'	
	no Bre is provided c				Other (describe on back for this building site, indicate	
			NG ELEVATION INFORM			
of <u>1</u> , 0, 2 fee (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without bolow (check one)	ificate Instructions, in illding's reference lev AE, AH, and A (with et NGVD (or other FII VE, and V (with BFE is at an elevation of t BFE). The floor use the highest grade a	dicate the diag el <u>1</u> . BFE). The top RM datum-see). The bottom ed as the refere diacent to the b	ram number from the diag of the reference level floo Section B, Item 7). of the lowest horizontal si feet NGVD (or other FIF nce level from the selecte building.	grams found on or from the selec tructural membe RM datum—see S ed diagram is	ted diagram is at an elevation r of the reference level from Section B, Item 7) feet above or	
	flear used on the role	aronce level fro	m the selected diagram is	s feet ble, is the buildin	above or below (check g's lowest floor (reference	

one) the highest grade adjacent to the building. If no flood level) elevated in accordance with the community's floodplain management ordinance? Yes No Unknown

- 3. Indicate the elevation datum system used in determining the above reference level elevations: 🔀 NGVD '29 🗍 Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)
- 4. Elevation reference mark used appears on FIRM: Yes \mathbf{X} No (See Instructions on Page 4)
- 5. The reference level elevation is based on: $\overline{\mathbf{x}}$ actual construction $\overline{\mathbf{z}}$ construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
- 6. The elevation of the lowest grade immediately adjacent to the building is: _____6,9 feet NGVD (or other FIRM datum-see Section B, Item 7).

SECTION D COMMUNITY INFORMATION

- 1. If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is: ______ feet NGVD (or other FIRM datum-see Section B, Item 7).
- 2. Date of the start of construction or substantial improvement


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features–If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affix Seal)					
Antonio Trigo		2982	er in oour			
TITLE	COMPANY N					
Professional Surveyor		Trigo & Ass	ociat	es, Inc.		
	CITY			STATE	ZIP	
2223 Trade Conter Way	Naples		N. //	FL	34109	
		July 14,	1999	PHONE (941)594-8448	3	
COMMENTS:						



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.