U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2018

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

			FOR INSURANCE COMPANY US	
A1. Building Owner's Name LAFOUNTAIN, RICHARD B				nber:
A2. Building Street Address (including Apt., Unit, Suite, and Box No.850 KENDALL DR	or Bldg. No.) or P.C). Route and	Company NAIC Number:	
City MARCO ISLAND	State Florida		ZIP Code 34145	
A3. Property Description (Lot and Block Numbers, Tax Parc LOT 9, BLOCK 375, MARCO BEACH UNIT 12	el Number, Legal De	escription, etc.)		
A4. Building Use (e.g., Residential, Non-Residential, Additio	on, Accessory, etc.)	RESIDENTIAL		
A5. Latitude/Longitude: Lat. 25° 54' 45.72" Long.	-81° 41' 58.9668"	Horizontal Datum:	NAD	1927 × NAD 1983
A6. Attach at least 2 photographs of the building if the Certif	icate is being used t	50		_
A7. Building Diagram Number1B				
A8. For a building with a crawlspace or enclosure(s):				
a) Square footage of crawlspace or enclosure(s)	N/A sq ft			
b) Number of permanent flood openings in the crawlspa	ce or enclosure(s) w	vithin 1.0 foot above a	idjacent gr	ade N/A
c) Total net area of flood openings in A8.b N/A	sq in			
d) Engineered flood openings? Yes No				
A9. For a building with an attached garage:				
a) Square footage of attached garage 659	sq ft			
b) Number of permanent flood openings in the attached	,	ot above adiacent as		
c) Total net area of flood openings in A9.b		ot above adjacent gra		4
100	_ sq in			
d) Engineered flood openings? Yes No				
SECTION B - FLOOD INSURA	ANCE RATE MAP	(FIRM) INFORMAT	ON	
B1. NFIP Community Name & Community Number	B2. County Name	· · · · · · · · · · · · · · · · · · ·		B3. State
CITY OF MARCO ISLAND 120426	COLLIER			Florida
Number Date E	FIRM Panel Effective/ Revised Date 6/2012	B8. Flood Zone(s) AE	(Zor	e Flood Elevation(s) he AO, use Base d Depth) 8.0'
R10 Indicate the source of the Rece Fleed Flevetier (RFF) of				
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: [FIS Profile X FIRM Community Determined Determined Other/Source:				
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other/Source:				
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes No				
Desired time Deter		or Otherwise Protecte	ed Area (O	PA)? Yes No
Designation Date: CBRS	□ ОРА			

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., Unit, Suite, and/or B 850 KENDALL DR	ldg. No.) or P.O. Rou	te and Box No.	Policy Number:	
City State MARCO ISLAND Florida		Code 45	Company NAIC Number	
SECTION C - BUILDING ELEV	ATION INFORMAT	ION (SURVEY RE	EQUIRED)	
C1. Building elevations are based on: Construction *A new Elevation Certificate will be required when construction C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE Complete Items C2.a–h below according to the buildin Benchmark Utilized: COL 14	struction of the buildi	E), AR, AR/A, AR/ n Item A7. In Puerto	 'AE, AR/A1–A30, AR/AH, AR/AO.	
Indicate elevation datum used for the elevations in item NGVD 1929 NAVD 1988 Other/Sou Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (including basement) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment service (Describe type of equipment and location in Common f) Lowest adjacent (finished) grade next to building (Ling) Highest adjacent grade at lowest elevation of deck of the common formula in the common finished in the common finishe	ons a) through h) belowerce: as that used for the B se, or enclosure floor) V Zones only) Fing the building ents) AG) HAG)	FE.	Check the measurement used.	
structural support				
SECTION D – SURVEYOR, EN This certification is to be signed and sealed by a land surver I certify that the information on this Certificate represents m statement may be punishable by fine or imprisonment under Were latitude and longitude in Section A provided by a licen	yor, engineer, or arch y best efforts to interp r 18 U.S. Code, Sect	nitect authorized by oret the data available ion 1001.	law to certify elevation information.	
ERIC D. KURTZ (15.0094) L Title LAND SURVEYOR Company Name	icense Number .S 4163		Place	
A.TRIGO & ASSCOIATES INC. Address 2223 TRADE CENTER WAY			- Hare	
•	State Florida	ZIP Code 34109	weedoone telling.	
2011	Date 0/06/2016	Telephone (239) 594-8448		
Copy all pages of this Elevation Certificate and all attachments Comments (including type of equipment and location, per C2 A9b= CRAWL SPACE DOOR SYSTEMS MODEL #816CS (2(e), if applicable)			

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMI	PORTANT: In these spaces, copy the corres	onding information	n from Section A		FOR INSURANCE C	OMPANY LISE
85	ilding Street Address (including Apt., Unit, Suite 0 KENDALL DR	e, and/or Bldg. No.)	or P.O. Route and	Box No.	Policy Number:	
Cit MA	ARCO ISLAND	State Florida	ZIP Code 34145	1	Company NAIC Num	ber
	SECTION E - BUILDING FOR 2	ELEVATION INF	ORMATION (SUI	RVEY NOT F	REQUIRED)	
001	r Zones AO and A (without BFE), complete Item nplete Sections A, B,and C. For Items E1–E4, uer meters.	s E1–E5. If the Cen	tificate is intended	to support a l	-OMA or LOMR-F requent used. In Puerto R	quest, tico only,
E1.	Provide elevation information for the following the highest adjacent grade (HAG) and the low a) Top of bottom floor (including basement,	and check the appress adjacent grade	opriate boxes to sl (LAG).	how whether	the elevation is above	e or below
	crawlspace, or enclosure) is b) Top of bottom floor (including basement, crawlspace, or enclosure) is		fee	t meters	above or be	
E2.	For Building Diagrams 6–9 with permanent flow the next higher floor (elevation C2.b in the diagrams) of the building is	od openings provide	ed in Section A Item	ns 8 and/or 9	(see pages 1–2 of Ins	structions),
	Attached garage (top of slab) is		50000000	t meters t meters	above or be	
	Top of platform of machinery and/or equipment servicing the building is			meters	above or bel	low the HAG.
LJ.	Zone AO only: If no flood depth number is avail floodplain management ordinance? Yes	NO Unkn	own. The local of	ficial must cei	tify this information in	nunity's Section G.
	SECTION F - PROPERTY C					
	property owner or owner's authorized represen munity-issued BFE) or Zone AO must sign here perty Owner or Owner's Authorized Representation	. The statements in	s Sections A, B, and Sections A, B, and	nd E for Zone d E are correc	A (without a FEMA-is it to the best of my kn	ssued or owledge.
	ress					
	×36 1		City	State	ZIP	Code
Sign	ature		Date	Telep	hone	
Com	ments					
			æ:			
					Check here if atta	achments.

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A. FOR INSURANCE COM					
Building Street Address (including Apt., Unit, \$ 850 KENDALL DR	Suite, and/or Bldg. No.) or P.O	. Route and Box No.	Policy Number:		
City MARCO ISLAND	State Florida	ZIP Code 34145	Company NAIC Number		
SECTI	ON G - COMMUNITY INFOR	MATION (OPTIONAL)			
The local official who is authorized by law or o Sections A, B, C (or E), and G of this Elevation used in Items G8–G10. In Puerto Rico only, en	n Certificate. Complete the ap	mmunity's floodplain mar plicable item(s) and sign	nagement ordinance can complete below. Check the measurement		
G1. The information in Section C was takengineer, or architect who is authorized data in the Comments area below.)	ken from other documentation zed by law to certify elevation	that has been signed ar information. (Indicate the	nd sealed by a licensed surveyor, a source and date of the elevation		
G2. A community official completed Sector Zone AO.	tion E for a building located in	Zone A (without a FEMA	n-issued or community-issued BFE)		
G3. The following information (Items G4-	-G10) is provided for commur	nity floodplain manageme	ent purposes.		
G4. Permit Number 15-5682	G5. Date Permit Issued		ate Certificate of ompliance/Occupancy Issued		
G7. This permit has been issued for:	☐ New Construction ☐ Subs	antial Improvement			
G8. Elevation of as-built lowest floor (includin of the building:	g basement)	feet	meters Datum		
G9. BFE or (in Zone AO) depth of flooding at	the building site:	feet	meters Datum		
G10. Community's design flood elevation:		feet	meters Datum		
Local Official's Name Kell: Defeder: c.s Community Name	Title	loodplain Co	pordinator		
City of Marco Islan		priorie i			
Signature	Date	10.11.16			
Comments (including type of equipment and loc	cation, per C2(e), if applicable)			
			Check here if attachments.		

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 850 KENDALL DR			Policy Number:
City MARCO ISLAND	State Florida	ZIP Code 34145	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption FRONT VIEW 10/06/2016




Photo Two

Photo Two Caption REAR VIEW 10/06/2016

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008

Expiration Date: November 30, 2018

		•	1	
IMPORTANT: In these spaces, copy th	FOR INSURANCE COMPANY USE			
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 850 KENDALL DR			Policy Number:	
City	State	ZIP Code	Company NAIC Number	
MARCO ISLAND	Florida	34145		

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo Three

Photo Three Caption LEFT SIDE VIEW 10/06/2016



Photo Four

Photo Four Caption RIGHT SIDE VIEW 10/06/2016

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008

Expiration Date: November 30, 2018

IMPORTANT I "			
IMPORTANT: In these spaces, cop	by the corresponding informati	on from Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 850 KENDALL DR		Policy Number:	
City	State	ZIP Code	Company NAIC Number
MARCO ISLAND	Florida	34145	Company NAIO Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.




Photo Five

Photo Five Caption VENT 10/06/2016

Photo Six

FEMA Form 086-0-33 (7/15)

Certification of Engineered Flood Openings

In accordance with NFIP, FEMA TB 1-08, and ASCE/SEI 24-05

I hereby certify that the Crawl Space Door Systems flood vents 816CS, 1220CS, 1232CS, 1616CS, 1624CS, 1632CS, 2032CS, 2424CS, and 2436CS are designed in accordance with the requirements of the NFIP "Flood Insurance Manual" (2011) to provide automatic equalization of hydrostatic flood forces by allowing for the entry and exit of floodwaters, when properly installed and sized as set forth below. This certification follows the design requirements and specifications established in FEMA Technical Bulletin 1-08, "Openings in Foundation Walls and Walls of Enclosures Below Elevated Buildings in Special Flood Hazard Areas", and the ASCE Standard for "Flood Resistant Design and Construction" (ASCE/SEI 24-05). The actual vent opening measurements were determined and certified by Mr. Christopher Mark Loney, Virginia PE No. 029000. Calculations are based on the spreadsheet formulas, and "Review of certification of Engineered Flood Openings, dated January 16, 2012" prepared by Dr. Georg Reichard, Associate Professor of Building Construction, Virginia Tech.

Design Characteristics

Section 2.6.2.2 of ASCE 24 provides an equation to determine the required net area of engineered openings (Ao) for a given enclosed area (Ae). This equation is based on the hydraulic formula for the flow rate across sharp edged orifices. I have utilized this equation to calculate 1) the respected flow rate through the individual openings between louvers; 2) the flow rate through the main frame opening in case the louver is blown out during a flood event; and 3) the flow rate of water flowing through louver blades following hydraulic short tube theory. The ultimate maximum total enclosed area (Ae) that can be serviced by a single vent has then been determined by utilizing the lowest flow rate of the three assessed scenarios for each vent and is listed in Table 1. These values are based on the following assumptions:

HxW

[in]

8 x 16

12 x 20

12 x 32

16 x 16

16 x 24

16 x 32

20 x 32

24 x 24

24 x 36

Table 1 Maximum total enclosed area (Ae) that can be

[in']

106

237

306

184

312

408

630

570

[ft2]

205

500

645

395

670

835

1240

1230

1765

Model

816CS

1220CS

1232CS

1616CS

1624CS

1632CS

2032CS

2424CS

2436CS

- In absence of reliable data, the rates of rise and fall have been assumed with 5 feet/hour;
- The (maximum) difference between the exterior and interior floodwater levels has been assumed with 1 foot during base flood conditions:
- A factor of safety of 5 has been assumed, which is consistent with design practices related to protection of life and property;
- The net area of openings (A_o) as provided by the manufacturer.

Installation Requirements and Limitations

This certification will be voided if the following installation requirements and limitations are not enforced:

- There shall be a minimum of two openings on different sides of

each enclosed area;	served by each individual model based on the
The bottom of each required opening shall be no more than 1ft	given net area of engineered openings (A _o)
above the adjacent ground level;	

- No temporary (e.g. during cold weather) or permanent solid cover may be placed into or over the flood vent that would block the automatic entry or exit of floodwaters at any time;
- Where analysis indicates rates of rise and fall greater than 5 ft/hr, the total enclosed area as given in Table 1 shall be reduced accordingly to account for the higher rates of rise and fall.

ertifying Design Professional	11111111111
Name, Title Steve A. Geci, President, Geci & Associates Engineers, Inc.	MEVE A GAM
Address 2950 N 12 th Avenue, Pensacola, FL 32503	S. S. CENSKICE
License Florida Professional Engineer, License No. 33658	No. 33658
Signature 10/30/12	STATE OF W
entification of the Building and Installed Flood Vents (By Others)	ONAL ENTIRE
e flood vent models marked in Table 1*) are being installed at the following building:	*********

	*	